

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12376-01A Cutwork Heart A
3.82 X 3.71 in.
97.03 X 94.23 mm
1,844 St.



12376-01B Cutwork Heart B
4.62 X 4.70 in.
117.35 X 119.38 mm
1,690 St.



12376-02A Heart in Heart A
1.46 X 1.35 in.
37.08 X 34.29 mm
297 St. **S**



12376-02B Heart in Heart B
3.83 X 3.63 in.
97.28 X 92.20 mm
1,764 St.



12376-03A Long Cutwork Heart A
3.20 X 4.20 in.
81.28 X 106.68 mm
1,776 St.



12376-03B Long Cutwork Heart B
4.08 X 5.12 in.
103.63 X 130.05 mm
1,738 St. **L**



12376-04A Long Satins & Cutwork Heart A
3.36 X 4.81 in.
85.34 X 122.17 mm
5,744 St.



12376-04B Long Satins & Cutwork Heart B
4.31 X 5.78 in.
109.47 X 146.81 mm
1,298 St. **L**



12376-05 Long Satins Heart
3.87 X 5.13 in.
98.30 X 130.30 mm
8,687 St. **L**



12376-06A Satins & Cutwork Heart A
3.92 X 4.05 in.
99.57 X 102.87 mm
7,147 St.



12376-06B Satins & Cutwork Heart B
4.93 X 5.03 in.
125.22 X 127.76 mm
1,178 St. **L**



12376-07 Satins Heart
4.37 X 4.44 in.
111.00 X 112.78 mm
10,127 St.

⌘ Design contains a loose fill.
⚙ Some white areas shown are not stitched.

L Design is larger than 5" (127 mm) in either direction.
S Design is smaller than 1.5" (38.1 mm) in either direction.

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12376-08A Split Heart A
2.05 X 3.57 in.
52.07 X 90.68 mm
3,663 St.



12376-08B Split Heart B
4.93 X 4.52 in.
125.22 X 114.81 mm
4,616 St.



12376-09A Swirls Heart 1 Part A
2.91 X 2.98 in.
73.91 X 75.69 mm
2,294 St.



12376-09B Swirls Heart 1 Part B
3.66 X 3.85 in.
92.96 X 97.79 mm
833 St.



12376-10 Swirls Heart 2
2.92 X 3.71 in.
74.17 X 94.23 mm
1,563 St.



12376-11A L Heart A
3.43 X 3.69 in.
87.12 X 93.73 mm
2,806 St.



12376-11B L Heart B
4.24 X 4.56 in.
107.70 X 115.82 mm
1,033 St.



12376-12A O Heart A
3.43 X 3.69 in.
87.12 X 93.73 mm
3,180 St.



12376-12B O Heart B
4.24 X 4.56 in.
107.70 X 115.82 mm
1,033 St.



12376-13A V Heart A
3.43 X 3.69 in.
87.12 X 93.73 mm
2,887 St.



12376-13B V Heart B
4.24 X 4.56 in.
107.70 X 115.82 mm
1,033 St.



12376-14A E Heart A
3.43 X 3.69 in.
87.12 X 93.73 mm
3,478 St.

☞ Design contains a loose fill.
⚙ Some white areas shown are not stitched.

L Design is larger than 5" (127 mm) in either direction.
S Design is smaller than 1.5" (38.1 mm) in either direction.

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12376-14B E Heart B
4.24 X 4.56 in.
107.70 X 115.82 mm
1,033 St.



12376-15A LOVE Heart A
3.71 X 3.47 in.
94.23 X 88.14 mm
4,558 St.



12376-15B LOVE Heart B
4.55 X 4.28 in.
115.57 X 108.71 mm
1,064 St.

⌘ Design contains a loose fill.
⚙ Some white areas shown are not stitched.

L Design is larger than 5" (127 mm) in either direction.
S Design is smaller than 1.5" (38.1 mm) in either direction.

Listings below indicate color sample, stitching order and suggested thread color number in Isacord, YLI Fine Metallic, Yenmet or YLI Variegated threads.

12376-01A Cutwork Heart A

■	1. Placement Stitch.....	0020
■	2. Linework.....	2011
■	3. Cut Lines.....	0020

12376-01B Cutwork Heart B

■	1. Placement Stitch.....	0020
■	2. Background Heart Linework.....	0670
■	3. Placement Stitch.....	0020
■	4. Tackdown.....	2011
■	5. Seam Stitch.....	0670

12376-02A Heart in Heart A

■	1. Placement Stitch.....	0020
■	2. Swirls.....	0670
■	3. Cut Line.....	0020

12376-02B Heart in Heart B

■	1. Placement Stitch.....	0020
■	2. Linework.....	2011
■	3. Placement Stitch.....	0020
■	4. Tackdown.....	2011
■	5. Seam Stitch.....	2011

12376-03A Long Cutwork Heart A

■	1. Placement Stitch.....	0020
■	2. Linework.....	0670
■	3. Cut Lines.....	0020

12376-03B Long Cutwork Heart B

■	1. Placement Stitch.....	0020
■	2. Background Linework.....	2011
■	3. Placement Stitch.....	0020
■	4. Tackdown.....	0670
■	5. Seam Stitch.....	2011

12376-04A Long Satins & Cutwork Heart A

■	1. Placement Stitch.....	0020
■	2. Design.....	2011
■	3. Linework.....	0670
■	4. Cut Lines.....	0020

12376-04B Long Satins & Cutwork Heart B

■	1. Placement Stitch.....	0020
■	2. Placement Stitch.....	4174
■	3. Tackdown.....	0670
■	4. Seam Stitch.....	2011

12376-05 Long Satins Heart

■	1. Placement Stitch.....	0020
■	2. Design.....	2011
■	3. Seam Stitch.....	0670

12376-06A Satins & Cutwork Heart A

■	1. Placement Stitch.....	0020
■	2. Design.....	2011
■	3. Linework.....	0670
■	4. Cut Line.....	0020

12376-06B Satins & Cutwork Heart B

■	1. Placement Stitch.....	0020
■	2. Placement Stitch.....	4174
■	3. Tackdown.....	0670
■	4. Seam Stitch.....	2011

12376-07 Satins Heart

■	1. Placement Stitch.....	0020
■	2. Designs.....	0670
■	3. Seam Stitch.....	2011

12376-08A Split Heart A

■	1. Placement Stitch.....	0020
■	2. Design.....	2011
■	3. Cut Line.....	0020

12376-08B Split Heart B

■	1. Placement Stitch.....	0020
■	2. Placement Stitch.....	4174
■	3. Tackdown & Design.....	0670
■	4. Seam Stitch.....	0670

12376-09A Swirls Heart 1 Part A

■	1. Placement Stitch.....	0020
■	2. Linework.....	2011
■	3. Cut Line.....	0020

12376-09B Swirls Heart 1 Part B

■	1. Placement Stitch.....	0020
■	2. Placement Stitch.....	4174
■	3. Tackdown.....	0670
■	4. Seam Stitch.....	2011

12376-10 Swirls Heart 2

■	1. Placement Stitch.....	0020
■	2. Linework.....	0670
■	3. Seam Stitch.....	2011

12376-11A L Heart A

■	1. Placement Stitch.....	0020
■	2. Letter.....	2011
■	3. Linework.....	0670
■	4. Cut Line.....	0020

12376-11B L Heart B

■	1. Placement Stitch.....	0020
■	2. Placement Stitch.....	4174
■	3. Tackdown.....	0670
■	4. Seam Stitch.....	2011

12376-12A O Heart A

■	1. Placement Stitch.....	0020
■	2. Letter.....	0670
■	3. Linework.....	2011
■	4. Cut Lines.....	0020

12376-12B O Heart B

■	1. Placement Stitch.....	0020
■	2. Placement Stitch.....	4174
■	3. Tackdown.....	2011
■	4. Seam Stitch.....	0670

12376-13A V Heart A

■	1. Placement Stitch.....	0020
■	2. Letter.....	2011
■	3. Linework.....	0670
■	4. Cut Line.....	0020

12376-13B V Heart B

■	1. Placement Stitch.....	0020
■	2. Placement Stitch.....	4174
■	3. Tackdown.....	0670
■	4. Seam Stitch.....	2011

12376-14A E Heart A

■	1. Placement Stitch.....	0020
■	2. Letter.....	0670
■	3. Linework.....	2011
■	4. Cut Line.....	0020

12376-14B E Heart B

■	1. Placement Stitch.....	0020
■	2. Placement Stitch.....	4174
■	3. Tackdown.....	2011
■	4. Seam Stitch.....	0670

12376-15A LOVE Heart A

■	1. Placement Stitch.....	0020
■	2. Letters.....	2011
■	3. Linework.....	0670
■	4. Cut Line.....	0020

12376-15B LOVE Heart B

■	1. Placement Stitch.....	0020
■	2. Placement Stitch.....	4174
■	3. Tackdown.....	0670
■	4. Seam Stitch.....	2011

NOTE: Appliqué fabric not included.

SUPPLIES

- Felt
- Medium weight tear-away stabilizer
- Scissors
- Temporary spray adhesive
- Optional-Craft knife (such as X-Acto)
- Optional-Pinking shears or wavy rotary cutter

CREATING THE ORNAMENTS

All but three of the ornaments require two embroidery files to complete. If you are creating an ornament that requires only one file, simply skip this first section and follow the instructions for single file ornaments below.

FILE A


- File A will create a felt freestanding stitched shape that will later be used as an appliqué.
1. Hoop one layer of medium weight tear-away stabilizer.
 2. Stitch color number 1, this will stitch a simple placement stitch. The color of thread you choose is entirely up to you as this stitch will never show. **PHOTO 1**
 3. Lightly spray the hooped stabilizer with temporary spray adhesive.
 4. Lay a piece of felt over the sprayed stabilizer, being sure to completely cover the placement stitch.
 5. Finish stitching the design following the thread chart. The final color change will stitch the cut lines and will call for Isacord color number 0020, black. In reality you can use any color of thread that you choose for this as the thread will be removed. **PHOTO 2**
 6. Remove the hoop from the machine and the stabilizer/fabric from the hoop.
 7. Trim any jump stitches.
 8. Using sharp scissors, cut around the perimeter of the shape, cutting right on the stitched cut line. **PHOTO 3**
 9. If there are internal areas to be cut, either carefully cut them away with small sharp scissors or use a craft knife. Again, cut right on the stitched cut lines. **PHOTO 4**
 10. Set this File A aside as it will be used in the next step.



FILE B

- File B will create the actual ornament and attach the appliqué created in File A.
1. Hoop one layer of medium weight tear-away stabilizer.

2. Stitch color number 1; this will stitch a simple placement stitch. The color of thread you choose is entirely up to you as this stitch will never show.
3. Lightly spray the hooped stabilizer with temporary spray adhesive.
4. Lay a piece of felt over the sprayed stabilizer, being sure to not only completely cover the placement stitch, but also leave ½" excess on all sides. **PHOTO 5**
5. Continue stitching the design following the thread chart, stopping after stitching the second placement stitch. **PHOTO 6**
6. Spray the back of the appliqué piece that was created with File A with temporary spray adhesive.
7. Place the sprayed File A onto the hooped File B, making sure to line up the stitched File A within the sewn placement stitch on File B. **PHOTO 7**
8. Return the hoop to the machine and continue stitching. Stop before the very last color change.
9. Remove the hoop from the machine but do not remove the stabilizer/fabric from the hoop. **PHOTO 8**
10. Cut a piece of felt that is roughly the same size as the first piece of felt you laid over the first placement stitch.
11. Lightly spray the wrong side of this piece of felt with temporary spray adhesive and adhere the felt to the **WRONG** side of the hoop, sandwiching the stabilizer between two pieces of felt.
12. Stitch the final color change, which will create the seam stitch. **PHOTO 8**
13. Remove the hoop from the machine and the stabilizer/fabric from the hoop.
14. Gently pull felt away from both sides of the tear-away stabilizer. Carefully remove the tear-away stabilizer from between the layers of felt. **PHOTO 9**
15. Trim excess felt by cutting ¼" from the seam stitch, we used a wavy rotary cutter in our examples. **PHOTO 10**
16. Lightly stuff the ornament with polyester filling through the opening in side of the seam stitch.
17. Close the opening by either machine or hand stitching opening closed. **PHOTO 11**



SINGLE FILE ORNAMENTS

- Designs 05, 07 and 10 each require only one file to create their ornaments. You create them in the same fashion as File B above with the exception of the appliqué area.
1. Hoop one layer of medium weight tear-away stabilizer.
 2. Stitch color number 1, this will stitch a simple placement stitch. The color of thread you choose is entirely up to you as this stitch will never show.
 3. Lightly spray the hooped stabilizer with temporary spray adhesive.
 4. Lay a piece of felt over the sprayed stabilizer, being sure to not only completely cover the placement stitch, but also leave 1/2" excess on all sides. **PHOTO 5**
 5. Continue stitching the design following the thread chart, stopping before the very last color change.
 6. Remove the hoop from the machine but do not remove the stabilizer/fabric from the hoop.
 7. Cut a piece of felt that is roughly the same size as the first piece of felt you laid over the placement stitch.
 8. Lightly spray the wrong side of this piece of felt with temporary spray adhesive and adhere the felt to the **WRONG** side of the hoop, sandwiching the stabilizer between two pieces of felt.
 9. Stitch the final color change, which will create the seam stitch. **PHOTO 8**
 10. Remove the hoop from the machine and the stabilizer/fabric from the hoop.
 11. Gently pull felt away from both sides of the tear-away stabilizer. Carefully remove the tear-away stabilizer from between the layers of felt. **PHOTO 9**
 12. Trim excess felt by cutting 1/4" from the seam stitch, we used a wavy rotary cutter in our examples. **PHOTO 10**
 13. Lightly stuff the ornament with polyester filling through the opening in side of the seam stitch.
 14. Close the opening by either machine or hand stitching opening closed. **PHOTO 11**

ADDING A RIBBON HANGER

- If you would like to add a loop of ribbon to act as a hanger, simply take a small piece of ribbon and fold it in half, insert the raw ends between the two layers of felt and either hand tack or machine tack in place. **PHOTO 12.**



PHOTO 12



SUPPLIES

- (1) 14" Straw or Styrofoam rounded wreath
- (100) Straight flat head pins – These pins will stay permanently in the wreath
- 7/8"-1" white ribbon – determine desired length to hang wreath
- 1/4" - 3/8" white ribbon - to attach embroidered heart ornament to wreath, this should be created using the instructions for the From the Heart collection
- White felt – I used 1 white for every 3-5 red pieces
- Red felt
- Scissors for cutting felt
- From the Heart OESD Collection 12376

HOW TO MAKE THE FELT BUBBLE WREATH

1. Cut the felt into 4" strips and then cut each strip into 4" squares. The squares don't need to be measured and cut precisely if you don't want to take the time, but should all be cut pretty close to the same size. I cut one square first to make sure it was the size that I wanted and then used it as a guide to cut the rest of the squares.
2. Fold the square in half to form a triangle. **PHOTO 1**
3. Take the right hand corner and bring it to the front. Line up the corners. **PHOTO 2**
4. Take the left hand corner and take it to the back. Line up the corners. All four corners should be lined up at the bottom. It should look like a bubble now. Pin through all four layers of felt. **PHOTO 3**
5. Pin the 'bubbles' to the wreath. Pin one bubble on and then place the next one close to it so that it hides the pin on the one that you just added. The bubbles should be just close enough so you don't see any of the wreath or the pins. **PHOTOS 4 & 5**



6. The picture of the back in **PHOTO 6**, will give you a better idea of how it all goes together. You'll want to bring the bubbles around the edge just far enough so when the wreath is against the glass/wall the wreath doesn't show from the side. (To give you an idea of how many pieces it took to create this felt I used approx. 115 pieces.)



ADD THE HEART ORNAMENT AND RIBBON TO HANG WREATH

1. Decide which part of the wreath you want to be the top. Remove a section of felt bubbles as in the photo below. **Photo 7**
2. Using the ribbon that is attached to the heart ornament, wrap the ribbon around the wreath, letting the ornament hang in the middle. Tie the ribbon at top where it will be covered with the felt bubbles you removed in the previous step. **Photo 8**
3. Now measure out the length of the larger width ribbon that you will need to hang the wreath to your desired level. Wrap this ribbon in the same spot, leaving the length at the top to use as your hanger. **Photo 9**
4. Replace the felt bubbles you removed in a previous step.
5. Look over your wreath to make sure the straw or Styrofoam is not showing through, if there are some spots, pin the felt where it covers it all.
6. Now your wreath is ready to hang!

Special thanks to www.todaysfabulousfinds.blogspot.com for the Bubble Wreath idea.



