

#12387 / 22 Designs



Finished size without border approx. 31" x 17"



#12387 / 22 Designs

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.









**12387-02 Tile 2** 4.46 X 6.44 in. 113.28 X 163.58 mm 13,427 St. ♀ L

**12387-03 Tile 3** 4.47 X 6.48 in. 113.54 X 164.59 mm 16,035 St. ♀ L

**12387-04** Tile 4 4.49 X 6.48 in. 114.05 X 164.59 mm 36,695 St. **□** L









**12387-05 Tile 5**4.47 X 6.47 in.
113.54 X 164.34 mm
19,959 St. **○** L

**12387-07 Tile 7**4.50 X 6.49 in.
114.30 X 164.85 mm
36,541 St. **□** L

**12387-08 Tile 8**4.46 X 6.46 in.
113.28 X 164.08 mm
18,361 St. ♥ L









**12387-09 Tile 9** 4.47 X 6.46 in. 113.54 X 164.08 mm 19,441 St. **L** 

**12387-10 Tile 10** 4.60 X 6.63 in. 116.84 X 168.40 mm 6,363 St. **☼ L** 

**12387-11 Tile 11** 4.49 X 6.49 in. 114.05 X 164.85 mm 14,603 St. **₩** L

**12387-12 Tile 12** 4.44 X 6.45 in. 112.78 X 163.83 mm 29,442 St. ♣ L

- # Design contains a loose fill.
- Some white areas shown are not stitched.

- Design is larger than 5" (127 mm) in either direction.
- S Design is smaller than 1.5" (38.1 mm) in either direction.



#12387 / 22 Designs

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.









**12387-13 Tile 13**4.43 X 6.41 in.
112.52 X 162.81 mm
22,091 St. ♥ L

**12387-14 Tile 14**4.52 X 6.48 in.
114.81 X 164.59 mm
8,331 St. **₩** ∴ L

**12387-15 Tile 15** 4.66 X 6.65 in. 118.36 X 168.91 mm 7,502 St. **₩** • L

**12387-16 Tile 16**4.39 X 6.39 in.
111.51 X 162.31 mm
12,525 St. **₩** L









12387-17 Tile 17 4.41 X 6.40 in. 112.01 X 162.56 mm 9,340 St. ₩ L


**12387-18 Tile 18** 4.64 X 6.63 in. 117.86 X 168.40 mm 7,839 St. **₩** • **L** 

**12387-19 Tile 19**4.75 X 6.75 in.
120.65 X 171.45 mm
4,851 St. L

12387-20 Tile 20 4.48 X 6.45 in. 113.79 X 163.83 mm 17,054 St. ₩□ L



12387-21 Flowers 4.67 X 6.81 in. 118.62 X 172.97 mm 14,536 St. **₩**♀ L



- # Design contains a loose fill.
- Some white areas shown are not stitched.

- L Design is larger than 5" (127 mm) in either direction.
- S Design is smaller than 1.5" (38.1 mm) in either direction.



# Asian Cranes Landscape #12387 / 22 Designs

Listings below indicate color sample, stitching order and suggested thread color number in Isacord thread.

12387-01 Tile 1
■ 1. Placement Stitch
2. Tackdown
3. Cover Stitch 2711
4. Brown Linework
5. Light Gold Linework
0. 2.g., 00.0 2010
7. Seam Stitch
10207.00 754.0
12387-02 Tile 2
- 1. Light Cold Enlowork
2. Dark Gold Linework
- 4. Light Grey Gridding
6. Dark Grey Linework
7. Seam Stitch
12207 02 Til- 2
12387-03 Tile 3  1. Light Gold Linework7011
1. Light Gold Linework
4. Light Grey Shading
6. Dark Grey Outlines
7. Seam Stitch
12387-04 Tile 4
1. Light Gold Linework7011
2. Off White Wings
4. White Highlights
5. Dark Grey Odulines
0. Seam Sulcii
12387-05 Tile 5
1. Light Gold Linework7011
2. Dark Grey Feathers0132
3. Medium Grey Shading
4. Off White Feathers & Highlights
5. Dark Gold Linework
6 Light Grey Shading 0131
7. White Highlights0015
8. Dark Grey Outlines
9. Seam Stitch
12387-06 Tile 6
1. Placement Stitch0020
2. Tackdown0020
3. Dark Grey Feathers0132
4. Medium Grey Shading0108
5. Off White Feathers & Details0101
■ 6. Cover Stitch2711
7. Light Gold Linework7011
8. Brown Linework0941
9. Dark Green Vines5944
10. Pink Flower2155
11. Pink Flower Stamen0101
■ 12. Seam Stitch

12387-07 Tile 7	
1. Light Gold Linework	7011
2. Placement Stitch	
3. Tackdown	
4. Dark Gold Linework	7012
5. Cover Stitch	
6. Dark Grey Feathers	0132
7. Medium Grey Shading	0108
8. Off White Feathers & Highlights	0101
9. Light Grey Shading	0131
☐ 10. White Highlights	0015
11. Dark Grey Outlines	
■ 12. Seam Stitch	0020
12387-08 Tile 8	
1. Light Gold Linework	7011
2. Placement Stitch	0020
3. Tackdown	
4. Dark Gold Linework	7012
5. Cover Stitch	
6. Off White Feathers	
7. Light Grey Shading	
8. White Highlights	0015
9. Dark Grey Outlines	0138
■ 10. Seam Stitch	0020
12387-09 Tile 9	
1. Light Gold Linework	7011
2. Dark Gold Linework	
3. Off White Feathers	
4. Light Grey Shading	
5. Beak	
6. Beak Shading	
7. White Highlights	0015
8. Black on Neck & Head	
9. Red on Head	
10. Head Shading  11. Head Highlights	1600
12. Dark Grey Outlines	1000 0138
■ 13. Seam Stitch	
— 13. Seam Sulon	0020
40205 40 753 40	
12387-10 Tile 10  1. Dark Gold Linework	7010
Light Gold Linework  2. Light Gold Linework	
3. Placement Stitch	
4. Tackdown	
5. Cover Stitch	
6. Dark Gold Linework	
■ 7. Seam Stitch	
12387-11 Tile 11	
12387-11 Tile 11  1. Placement Stitch	0020
2. Tackdown	
3. Dark Grey Feathers	
4. Medium Grey Shading	
White Feathers	
6. Brown Linework	
7. Light Purple Flower	2764
8. Leaves	
9. Petals	
10. Stamen	
■ 11. Leaf Outlines & Stem	
12. Cover Stitch	
■ 13. Seam Stitch	0020

12387-12 Tile 12	
1. Placement Stitch	ດດວດ
Z. Tackdown	0020
3. Light Purple Flower	2764
4. Brown Linework	0941
5. Light Gold Linework	7011
6. Dark Grey Feathers	
7. Medium Grey Shading	0108
8. Off White Feathers	0101
9. Light Grey Shading	0131
■ 10. Black on Neck & Head	
11. Dark Grey Outlines	
12. Beak	
13. Beak Shading	
14. White Highlights	
15. Red on Head	
16. Head Shading	
17. Head Highlights	
18. Purple Cover Stitch	
■ 19. Seam Stitch	0020
12387-13 Tile 13	
1. Light Gold Linework	
2. Dark Gold Linework	7012
3. Pink Flower	
4. Off White Feathers & Stamen	
5. Light Grey Shading	0131
6. White Highlights	
7. Dark Grey Outlines	
o. Sealii Sulcii	0020
12387-14 Tile 14	
1. Light Gold Linework	
2. Dark Gold Linework	
3. Pink Flower	
1. I like i lower claimer	
5. Seam Stitch	0020
12387-15 Tile 15	
1. Light Gold Linework	
2. Dark Gold Linework	
3. Placement Stitch	
5. Dark Gold Linework	
7. Dark Green Details	
Seam Stitch  9. Seam Stitch	
3. Ocum outon	0020
12387-16 Tile 16	004
1. Brown Linework	
2. Leaves	
3. Grid & Leaf Outlines	
4. Petals	
5. Petals	
7. Stamen	
8. Stamen	
9. Seam Stitch	
4020E 4E 7EU 4E	
12387-17 Tile 17	0044
1. Brown Linework      2. Light Purple Flower	
2. Light Purple Flower      3. Leaves	
4. Grid & Leaf Outlines	
5. Petals	
6. Small Petals	
7 Stamen	1220

8. Seam Stitch....

.0020



#12387 / 22 Designs

Listings below indicate color sample, stitching order and suggested thread color number in Isacord thread.


12387-18 Tile 18  1. Placement Stitch 2. Tackdown		12387-20 Tile 20	12387-21 Flowers ■ 1. Single Color Design
3. Cover Stitch 4. Brown Linework 5. Light Gold Linework 6. Dark Gold Flower 7. Pink Flower 8. Pink Flower Stamen 9. Light Purple Flower 10. Seam Stitch	2711 0941 7011 7012 2155 0101 2764	3. Light Gold Linework. 7011 4. Pink Flower. 2155 5. Pink Flower Stamen & White Petals. 0101 6. Dark Pink Flower 2521 7. Yellow Flower 0310 8. Gold Flower 0721 9. Purple Details 2830 10. Seam Stitch 0020	12387-22 Tile Frame       1. Dark Brown Details
12387-19 Tile 19  1. Placement Stitch	0020 2711 0941 7011	Note: Appliqué fabric not included. Color 7011 refers to Yenmet Metallic #S-7 Color 7012 refers to Yenmet Metallic #S-4	

#### Pre-Cut Appliqué Instructions

- 1. Print out the necessary pages from the PDF of the applique pattern(s).
- 2. Mark the right side of the pattern pieces so you'll know which direction to lay the pattern on the fabric.
- 3. Lightly spray the wrong side of the pattern pieces with temporary adhesive spray and allow it to set for a few minutes.
- 4. Place the pattern pieces on the right side of the fabric and carefuly cut them out. **PHOTO 1**
- 5. Sew the placement stitch on your hooped fabric. **PHOTO 2**
- 6. With the paper still stuck to the right side of the appliqué fabric, spray the wrong side of the fabric with temporary spray adhesive.
- 7. Place the fabric inside the sewing placement stitch so that it matches the stitching line then remove the paper pattern. **PHOTO 3**
- 8. Sew the tackdown. **PHOTO 4**
- 9. Sew the remainder of the design and repeat for any remaining pieces. **PHOTO 5**

NOTE: The patterns are sized for the designs as they were made. If you resize the design, you will need to resize the pattern the same amount. You can print out the pattern at the normal size then copy it on a copy machine at the changed size, i.e. resize the designs to 80%, resize the printed pattern to 80%.

TIP: When Printing the patterns, make sure that the "Fit to page" option is UNCHECKED in the Print Dialog Box. If this option is checked the printed patterns will not be actual size.



It is a violation of Copyright law to make and distribute copies of software or artwork. Software is licensed to the original purchaser for use at one location. ©2012 OESD, LLC. All rights reserved.



Project Instructions

### Asian Cranes Landscape Wall Hanging

### Supplies:

- OESD Signature Pack #12387 Asian Cranes Landscape
- Polyester Embroidery Thread
- · Bobbin Thread
- Temporary Spray Adhesive
- Medium Weight Tear-Away Stabilizer
- 1 yard of two different fabrics to create blocks (we used dupioni silk in purple and gold)
- 1 yard of fabric for backing
- 3 yards of bias binding (yardage will increase if borders are added)
- Quilt Batting 36" x 20" (size will increase if borders are added)



- Stitch Witchery Fusible Bonding Web <sup>1</sup>/<sub>4</sub>" wide roll (widely available in 20yd roll)
- 5 yards satin ribbon 1/4" wide



### **Embroidery:**

- 1. Embroider one of each design file 12387-01 through 12387-20 for the wall hanging using two layers of Medium
  - Weight Tear-Away stabilizer in each hooping. Be sure to use temporary spray adhesive to adhere all layers of stabilizer and fabric together for best stitch results.
- 2. Refer to the Pre-Cut Appliqué Instructions for directions to apply the appliqué areas.
- 3. The last thing that will stitch in each design is a border that is referred to on the thread chart as "Seam Stitch". This stitch is very important in the process of assembling the wall hanging. It is vital that it is not skipped when embroidering. Stitch this in the same thread color as your background fabric. **NOTE**: In our sample pictures we stitched our "Seam Stitch" in black to ensure they would show in photographs.
- 4. Once the embroidery process is complete, remove excess stabilizer

then trim away excess fabric by cutting ½" outside the "Seam Stitch". This process is easily done using a rotary cutter and ruler. **NOTE:** It may be easier to cut with the back of the block showing since the "Seam Stitch" was stitched in the same color as your background fabric. (**Photo 01**)

$\circ$		. •	
Con	stru	iction	•

 After each block has been trimmed, lay out the pieces near your machine so that it is easy to put the blocks together. Refer to Diagram A.

				•
<b>G</b>	1	841		1
	9			
		_		

—— Diagra	am A			
12387-01	12387-02	12387-03	12387-04	12387-05
12387-06	12387-07	12387-08	12387-09	12387-10
12387-11	12387-12	12387-13	12387-14	12387-15
12387-16	12387-17	12387-18	12387-19	12387-20



Project Instructions

- 2. Stitch the vertical rows together by laying the first two pieces together with right sides matching. Cut edges should match but more importantly, the "Seam Stitch" on both pieces must match. Stitch the pieces together by straight stitching just to the inside of the "Seam Stitch". (Photo 02)
- 3. Attach the third rectangle to the first two rectangles. Finally, attach the fourth rectangle to the first three rectangles in the same fashion to complete your first vertical row. (**Photo 03**)
- 4. Press seams toward one side.
- 5. Referring to diagram A, repeat for vertical rows two through five.
- 6. When step five is complete you will have five stitched vertical rows. (Photo 04)
- 7. Stitch the five rows together in the same manner to complete the front of the wall hanging. Make sure as you sew that your intersections line up between the rows and that the "Seam Stitch" stays matched. (**Photo 05**)
- 8. Press well from wrong side.










**OPTIONAL:** If you would like to add borders, add them at this time. In our sample we added a 3 1/2" border on all four sides.

- 9. Cut backing fabric and batting to be at least 2" larger than the finished size of your project. Using temporary spray adhesive, spray the batting and adhere it to the wrong side of the backing fabric.
- 10. Using temporary spray adhesive, spray the batting and adhere it to the wrong side of the completed wall hanging. This will create a "quilters' sandwich".
- 11. Quilt as desired. In our sample we simply stitched in the ditch.
  - **NOTE:** Steps 11-13 are optional; follow these steps if you would like to add ribbon to cover the seams of the wall hanging (this can be useful if the stitching ended up a bit crooked). If you do not want to add ribbon, simply skip to step 14 to finish the wall hanging.
- 12. Cover all of the seams with satin ribbon. Cut ribbon into strips approximately 1" longer than the seam you are covering. Spray the back side of ribbon with temporary spray adhesive. Adhere a layer of Stitch Witchery to each ribbon strip. Be careful not to stretch the Stitch Witchery as this will cause your ribbons to draw up and not want to lay flat. Lay ribbon in place, making sure each is straight, and iron to permanently fuse ribbon in place. Since Stitch Witchery is permanent, stitching ribbons in place is not necessary.
- 13. Place ribbons in the following order:
  - Place the four vertical ribbons first followed by the three horizontal ribbons.
- 14. Trim away any excess ribbon so that the outer edges of the project are even.
- 15. Trim away the excess backing fabric and batting then bind the wall hanging using your favorite binding method.




# Asian Cranes Landscape Appliqué Patterns





Appliqué Patterns



It is a violation of Copyright law to make and distribute copies of software or artwork. Software is licensed to the original purchaser for use at one location. ©2012 OESD, LLC. All rights reserved.



# Asian Cranes Landscape Appliqué Patterns

