

# Christmas Eve Tiling Scene #12517 / 22 Designs





#12517 / 22 Designs

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12517-01 Tile 1 5.50 X 4.50 in. 139.70 X 114.30 mm 1,735 St. **%** L



**12517-02 Tile 2**4.51 X 3.00 in.
114.55 X 76.20 mm
234 St. ₩



12517-03 Tile 3 4.76 X 7.13 in. 120.90 X 181.10 mm 33,303 St. ₩ L





12517-05 Tile 5 4.76 X 5.13 in. 120.90 X 130.30 mm 8,559 St. ₩ L



**12517-06 Tile 6** 4.76 X 5.28 in. 120.90 X 134.11 mm 21,912 St. L



12517-07 Tile 7 5.00 X 7.00 in. 127.00 X 177.80 mm 21,050 St. ₩≎ L



12517-08 Tile 8 3.51 X 7.01 in. 89.15 X 178.05 mm 10,277 St. ₩ L



12517-09 Tile 9 3.00 X 7.00 in. 76.20 X 177.80 mm 10,023 St. ₩ L



12517-10 Tile 10 3.00 X 7.00 in. 76.20 X 177.80 mm 10,004 St. ₩ L



12517-11 Tile 11 3.50 X 7.00 in. 88.90 X 177.80 mm 10,611 St. ₩ L



**12517-12 Tile 12** 5.00 X 3.64 in. 127.00 X 92.46 mm 3,147 St. **Ж** 

- Besign contains a loose fill.
- Some solid areas shown are not stitched.

- L Design is larger than 5" (127 mm) in either direction.
- S Design is smaller than 1.5" (38.1 mm) in either direction.



#12517 / 22 Designs

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.









**12517-13 Tile 13** 6.78 X 3.75 in. 172.21 X 95.25 mm 13,055 St.  **35** L

12517-14 Tile 14 6.50 X 3.75 in. 165.10 X 95.25 mm 5,917 St. ₩ L

**12517-15 Tile 15**6.79 X 5.43 in.
172.47 X 137.92 mm
32,944 St. L

**12517-16 Tile 16**5.46 X 5.50 in.
138.68 X 139.70 mm
34,522 St. L



**12517-17 Tile 17** 6.82 X 5.52 in. 173.23 X 140.21 mm 33,496 St. L




12517-18 Tile 18 4.50 X 5.50 in. 114.30 X 139.70 mm 424 St. ₩ L



**12517-19 Tile 19**4.50 X 3.00 in.
114.30 X 76.20 mm
234 St. **署** 



12517-20 Tile 20 4.77 X 7.14 in. 121.16 X 181.36 mm 26,189 St. ₩ L



**12517-21 Corner Accent**1.75 X 1.75 in.
44.45 X 44.45 mm
926 St. •





12517-22 Border Accent 1.59 X 6.66 in. 40.39 X 169.16 mm 1,702 St. • L

- # Design contains a loose fill.
- Some solid areas shown are not stitched.

- L Design is larger than 5" (127 mm) in either direction.
- S Design is smaller than 1.5" (38.1 mm) in either direction.



#12517 / 22 Designs

Listings below indicate color sample, stitching order and suggested thread color number. "T" refers to Isacord thread and "T" refers to Timeless thread. Colors beginning with 20501 refer to YLI Fine Metallics, 7 refer to Yenmet Metallic, 8 refer to YLI Variations Variegated Thread and 9 refer to Isacord Multicolor Variegated.

12517-01 Tile 1	I	T	12517-07 Tile 7	I	T	12517-14 Tile 14	I	T
12517-01 THE I	0015	2015/	12517-07 Title 7  1. Light Green Tree	E024	18193	1. Branches	1055	26151
Noon Cut Line & Tackdown			2. Dark Green Tree			2. Snow		
3. Moon Cover Stitch			3. Bag			2. Srlow 3. Seam		
4. Snow			•		20140	3. Seall	0020	20101
■ 5. Seam			4. Present & Rails  5. Dark Red Detail			10545 45 377 45		
J. Seall	0020	20131	6. Medium Red Detail			12517-15 Tile 15	E044	40005
10517 00 TH- 0			7. Face					18205 26139
12517-02 Tile 2  1. Snow	0015	20151	8. Belt & Detail					
			9. Tan Suit Detail		20106			26139
2. Seam	0020	28151	10. Beard & Snow			4. Right House Cover Stitch      5. Left House Placement Stitch		26139
40545 00 7777 0			11. Sled Placement Stitch			6. Left House Cut Line & Tackdown		
12517-03 Tile 3	0000	00440	12. Sled Cut Line & Tackdown			7. Roof & Ground Placement Stitch		20106 28154
1. House Placement Stitch			13. Lower Sled Cover Stitch			8. Roof & Ground Placement Stitch		28154
2. House Cut Line & Tackdown		26148	14. Bag, Rope & Top Sled Cover Stitch			9. Middle House Placement Stitch		20103
3. Wall Shading		20130	15. Sled Detail			10. Middle House Cut Line & Tackdown		
4. Roof & Ground Placement Stitch		28154	■ 16. Seam					20103
5. Roof & Ground Cut Line & Tackdown		28154	_ 10. Ocan	0020	20101	<ul><li>11. Chimney &amp; Gable</li><li>12. Curtain &amp; Middle House Shading</li></ul>		
6. Green Shutters & Tree		18193	12517-08 Tile 8			13. Windows		
7. Dark Green Shutters		18205	1. Tail, Neck & Antlers	0771	20106	14. Door & Left Roof Cover Stitch		26151
8. Door		20101	2. Head & Legs			15. Door Detail		
9. Yellow Windows		22124	3. Ear, Body & Legs			16. Dark Brown Detail		26139
10. Gable		20103	4. Harness			17. Chimneys		12127
11. Dark Brown Detail		26139	5. Bells		20133	■ 18. Bush		18205
12. Medium Brown Cover Stitch & Detail		26148	6. White Detail & Snow			19. Snow & White Detail		
13. Roof Detail		28130 12127	7. Seam			20. Roof & Bush Detail		
14. Chimney		28154	— 7. ocan	0020	20101	21. Shimmer		20100
16. Roof Detail		26139	12517-09 Tile 9			■ 22. Seam		28151
17. Shimmer		20133	1. Tail, Neck & Antlers	0771	20106		0020	20101
■ 18. Seam		28151	2. Head & Legs			12517-16 Tile 16		
— 10. Seam	0020	20101	3. Ear, Body & Legs			1. Background Placement Stitch	1366	26139
12517-04 Tile 4			4. Harness			2. Background Cut Line & Tackdown		26139
12517-04 THE 4	0015	28154	5. Bells			3. House Placement Stitch		20106
2. Seam			6. White Detail & Snow			4. House Cut Line & Tackdown		20106
2. Sealii	0020	20131	7. Seam			5. Wall Shading		20103
10517 OF THE					20101	6. Backyard Tree & Bushes		18205
12517-05 Tile 5  1. Church Placement Stitch	0151	20112	12517-10 Tile 10			7. Moss Green Bush		18193
1. Church Placement Stitch      2. Church Cut Line & Tackdown			1. Tail, Neck & Antlers	0771	20106	8. Roof Placement Stitch		
3. Tower Cover Stitch			2. Head & Legs			9. Roof Cut Line & Tackdown		28154
4. Bell		28133	3. Ear, Body & Legs			10. Roof Cover Stitch & Snow		28154
5. Steeple Placement Stitch		28154	4. Harness			11. Gable Shading	0761	20103
Steeple Cut Line & Tackdown			5. Bells		20142	12. Gray Roof Detail	0131	28130
7. Steeple Cover Stitch & White Detail			6. White Detail & Snow			13. Window Shades		
8. Steeple Detail			7. Seam	0020	28151	14. Windows	0310	22124
Stoopie State     Stoopie Stitch  9. Eaves & Cover Stitch		20130				15. Dark Brown Detail	1366	26139
■ 10. Seam		28151	12517-11 Tile 11			16. Brown Detail	1055	26151
			1. Tail, Neck & Antlers	0771	20106	17. Door Knob	0761	20103
12517-06 Tile 6			2. Head & Legs			18. Shimmers		
1. Wall Placement Stitch	0151	28112	3. Ear, Body & Legs			■ 19. Seam	0020	28151
2. Wall Cut Line & Tackdown			4. Harness					
3. White Detail			5. Bells	0721	20142	12517-17 Tile 17		
4. Light Brown Step & Detail			6. White Detail & Snow	0015	28154	1. Tree		
5. Windows			7. Seam	0020	28151	Left House Placement Stitch		28118
6. Dark Brown Detail		26139				3. Left House Cut Line & Tackdown		28118
7. Gray Foundation	0131	28130	12517-12 Tile 12			4. Left House Cover Stitch		
8. Door	1902	12121	1. Tree	5944	18205	5. Right House Placement Stitch		20130
9. Door Detail	1753	10113	2. Snow	0015	28154	6. Right House Cut Line & Tackdown		
■ 10. Seam	0020	28151	3. Shimmers	7028		7. Right House Gable		20130
			4. Seam	0020	28151	Right House Wall Shading		
						9. Windows		
			12517-13 Tile 13			10. Roof & Ground Placement Stitch		28154
			1. Gable Placement Stitch	1123	20130	11. Roof & Ground Cut Line & Tackdown		
			2. Gable Cut Line & Tackdown		20130	12. Chimneys		12127
			3. Green Tree	5934	18193	13. Roof & Ground Cover Stitch		28154
			4. Dark Green Tree	5944	18205	14. Left House Gable		20103
			5. Chimneys		12127	15. Gable Details		26139
			6. Gable Cover Stitch & Detail		20130	16. Left Roof Detail & Outlines		28130
			7. Snow & Detail		28154	<ul><li>17. Left Door &amp; Windows</li><li>18. Right Door, Left Door Frame &amp; Shutters</li></ul>		26151
			8. Shimmers			19. Tree & Right Door Frame & Shutters		26139 26151
			9. Seam	0020	28151	19. Tree & Right Door Frame  20. Seam		28151



#12517 / 22 Designs

Listings below indicate color sample, stitching order and suggested thread color number. "I" refers to Isacord thread and "I" refers to Timeless thread. Colors beginning with 20501 refer to YLI Fine Metallics, 7 refer to Yenmet Metallic, 8 refer to YLI Variations Variegated Thread and 9 refer to Isacord Multicolor Variegated.


I	T	I T		T
12517-18 Tile 18		12517-20 Tile 20 12517-21 Corner Accent		
□ 1. Snow001	5 28154	□ 1. Roof & Ground Placement Stitch0015 28154 ■ 1. Single Color Design00	020	28151
2. Seam	0 28151	2. Roof & Ground Cut Line & Tackdown 0015 28154		
		3. House Placement Stitch		
12517-19 Tile 19		4. House Cut Line & Tackdown	020	28151
□ 1. Snow001	5 28154	5. Gable Shading		
2. Seam	0 28151	6. Wall Shading		
		7. Chimney		
		8. Bush		
		9. Roof, Ground Cover Stitch & Snow0015 28154		
		10. Roof Detail & Snow Outline		
		11. Windows		
		■ 12. Dark Brown Window Detail		
		13. Brown Window Detail		
		14. Shimmers		
		15. Step		
		<b>1</b> 6. Door		
		■ 17. Door Detail		
		18. Door Knob0131 28130		
		■ 19. Seam		

#### Pre-Cut Appliqué Instructions

- 1. Print out the necessary pages from the PDF of the appliquè pattern(s).
- 2. Mark the right side of the pattern pieces so you'll know which direction to lay the pattern on the fabric.
- 3. Lightly spray the wrong side of the pattern pieces with temporary adhesive spray and allow it to set for a few minutes.
- 4. Place the pattern pieces on the right side of the fabric and carefully cut them out. **PHOTO 1**
- 5. Sew the placement stitch on your hooped fabric. **PHOTO 2**
- 6. With the paper still stuck to the right side of the appliqué fabric, spray the wrong side of the fabric with temporary spray adhesive.
- 7. Place the fabric inside the sewing placement stitch so that it matches the stitching line, and then remove the paper pattern. **PHOTO 3**
- 8. Sew the tackdown. **PHOTO 4**
- 9. Sew the remainder of the design and repeat for any remaining pieces. **PHOTO 5**

NOTE: The patterns are sized for the designs as they were made. If you resize the design, you will need to resize the pattern the same amount. You can print out the pattern at the normal size then copy it on a copy machine at the changed size. For example, resize the designs to 80%, resize the printed pattern to 80%.

TIP: When Printing the patterns, make sure that the "Fit to page" option is UNCHECKED in the Print Dialog Box. If this option is checked the printed patterns will not be actual size.





Christmas Eve Tiling Scene Instructions

#### Supplies

- OESD embroidery collection Christmas Eve Tiling Scene #12517
- Embroidery thread
- Bobbin thread
- Temporary spray adhesive
- Heavy weight tear away stabilizer
- Assorted blue and black fabrics for the background totaling 2 ½ yds. (pieces should be big enough to hoop in large oval hoop which is approximately 11" x 14")
- Assorted white satin; red, tan, beige and brown cotton fabrics for the appliqué
- 1 yd. fabric (border)
- ½ yd. fabric (corner of border)
- <sup>2</sup>/<sub>3</sub> yd. fabric (backing)
- ½ yd. fabric (binding)
- <sup>2</sup>/<sub>3</sub> yd. or 24" x 39" cotton batting
- ½ red satin ribbon
- Optional Curved basting safety pins



#### Cut

• (4) 2 <sup>1</sup>/<sub>4</sub>" strips fabric (binding)

### **Embroidery**

- Embroider tiles:
  - Using temporary spray adhesive, spray between two pieces of tear away stabilizer and adhere to each other and to the wrong side of background fabric. Hoop the pieces together. Embroider one of each design file 12517-01 through 12517-20 for the scenic center of the wall hanging, using appliqué fabric where required. (Refer to appliqué instructions if needed).
  - The last thing that will stitch in each of these designs is a border that is referred to on the thread chart as "Seam Stitch". This stitch is very important in the process of assembling the wall hanging. It is vital that it is not skipped when embroidering. Stitch this in a thread color that will blend with the background fabrics.
- Embroider border pieces:
  - o 4 x corner 12517-21 using 5" x 5" pieces corner of border fabric in medium hoop
  - o 12 x top, bottom and sides 12517-22 using 5" x 14" pieces of border fabric in large oval hoop
- Once the embroidery process is complete, trim away excess fabric by cutting 1/4" away from the "Seam Stitch". This process is easily done using a rotary cutter and ruler. **Photo 1**
- **Note:** It may be easier to cut with the back of the tile showing since the "Seam Stitch" was stitched in a thread color that blended in with the background fabrics.






Instructions

#### Construction of Blocks

Because this is not a traditional tiling scene containing simple rows of blocks, the assembly will require a bit of extra explanation. Rather than assembling rows we will assemble six sections. The embroidered squares contained in each section are as follows:

Section 1	Section 2	Section 3
12517-01 Tile 1	12517-04 Tile 4	12517-07 Tile 7
12517-02 Tile 2	12517-05 Tile 5	12517-08 Tile 8
12517-03 Tile 3	12517-06 Tile 6	12517-09 Tile 9
		12517-10 Tile 10
		12517-11 Tile 11





Section 4	Section 5	Section 6
12517-12 Tile 12	12517-15 Tile 15	12517-18 Tile 18
12517-13 Tile 13	12517-16 Tile 16	12517-19 Tile 19
12517-14 Tile 14	12517-17 Tile 17	12517-19 Tile 20

### Assembly:

Right sides together and pressing seams as you go, use a 1/4" seam allowance, or simply stitch directly on top of the seam stitch that stitched last during the embroidery process and stitch together in the order above. Photo 2



Instructions

#### **Combine Sections**

- Stitch Section 1 to Section 2. Set Aside.
- Stitch Section 3 to Section 4.
- Stitch Section 3/4 to Section 5.
- Stitch Section 3/4/5 to Section 1/2.
- Stitch Section 6 to Section 1/2/3/4/5.

Photos 3 &4

#### Finishing

**Note:** ½" seam allowance was used for stitching border and corner pieces together.

- Measure the length needed for the top and bottom of the finished tiling scene. Divide by 4 and add ½ of the seam allowance to each piece for the length of the border pieces. Cut (8) 3 ½" x the measurement from above. (Our sample used 8 ¼").
- Right sides together, stitch four pieces for the top and four pieces for the bottom. Right sides together, stitch, using a ½" seam allowance, the top border to the top of the center tiling scene and the bottom border to the bottom of the center tiling scene.

  Photo 5
- Cut the corners to measure 3 ½". Measure the length needed for the sides of the center tiling scene excluding the corners. Divide by 2 and add ½ of the seam allowance to each piece for the length of the sides. Cut (4) 3 ½" x the measurement from above. (Our sample used 8")
- Right sides together, stitch two pieces for each side. Right sides together, stitch the corners to either side of the two pieces for each side. Right sides together, stitch, using ½" seam allowance, the side border and corner pieces to each side of the center tiling scene. Photo 6
- Layer a quilt sandwich, by placing back wrong side up, cotton
  - batting, and the tiling scene right side up. Use curved safety pins or temporary spray adhesive to baste the layers together.
- Quilt as desired.
- Using ½" red ribbon, machine tack the ribbon as the rein from Santa's hand to each of the reindeer. Photo 7 & 8
- Square up the quilt, this is trimming the quilt until the sides are equal. This prepares the quilt for stitching on the binding. Stitch on the binding as desired. For stitching on the binding the mitered corner technique was used.















Pillow Instructions

### **Supplies**

- OESD embroidery collection Christmas Eve Tiling Scene #12517
- Embroidery thread
- Bobbin thread
- Temporary spray adhesive
- Heavy weight tear away stabilizer
- ½ yd. fabric (pillow)
- 1/3 yd. OR 24" x 22" cotton batting
- Polyester fiberfill
- ½" red satin ribbon

#### Cut

- (2) 12" x 22" pieces cotton batting
- (1) 12" x 22" piece fabric (pillow back)



#### **Embroidery**

**Note:** The designs used for the pillow are #12517-07, #12517-08, #12517-10, and #12517-11. The design was stitched in the maxi hoop. Additional snowflakes were added to the large scene. Omit the last color of each of the designs.

- Using temporary spray adhesive, spray between two pieces of tear away stabilizer and adhere to each other and to the wrong side of background fabric. Hoop the pieces together. Embroider design, using applique fabric where required. (Refer to applique instructions if needed). Remove the fabric from the hoop and the stabilizer from the fabric.
- Cut the embroidered piece with the design centered to 12" x 22". (Pillow Front)

### **Assembly:** ½" seam allowance

- Baste each piece of cotton batting to the wrong side of the pillow front and pillow back.
- Using 1/8" red ribbon, machine tack the ribbon as the rein from Santa's hand to each of the reindeer.
- Right sides together, pin and stitch the pillow front and pillow back, leaving an opening along the bottom of the pillow. Photo 1
- Stuff with fiberfill. Pin and slipstitch the bottom opening closed.






Instructions


### **ATTENTION**

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.




#### **TO SAVE PAPER**

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.






Appliqué Patterns




12517-03 1st Placement House





Appliqué Patterns



12517-05 Last Placement Steeple

> 12517-06 Wall



