


# STITCHED WITH LOVE



**24**  
Designs

Fits hoop sizes 5" x 7" and larger

## Isacord Thread Colors

0015 White  
0352 Marsh  
0453 Army Drab  
0532 Champagne  
0552 Flax  
0630 Buttercup  
0670 Cream  
0811 Candlelight  
0824 Liberty Gold  
1220 Apricot  
1335 Dark Rust  
1730 Persimmon  
1805 Strawberry  
1840 Corsage  
2155 Pink Tulip  
2220 Tropicana  
2241 Mauve  
2250 Petal Pink  
2521 Fuschia  
2530 Rose  
2560 Azalea Pink  
2650 Impatiens  
2764 Violet  
3040 Lavender  
3770 Oyster  
3901 Tropical Blue  
3962 River Mist  
5510 Emerald  
5531 Pear  
5552 Palm Leaf  
5664 Willow  
5822 Kiwi  
5833 Limabean  
6051 Jalapeno  
7004 (SN11) Cranberry  
7011 (S7) Pyrite (Fools Gold)

**\*Project instructions included after design list**

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-01 Anniversary Bookmark



Size Inches:                      Size mm:                      Stitch Count:  
**1.49 X 6.43 in. 37.85 X 163.32 mm 23,848 St.**

- 1. Background ..... 0532
- 2. Lace..... 0015

## 12557-02 Anniversary Card



Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in. 127.00 X 177.80 mm 4,896 St.**

- 1. Placement Stitch ..... 0453
- 2. Lettering ..... 0552
- 3. Leaves..... 0453
- 4. Swirls..... 7011
- 5. Flower..... 1805

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-03 Baby Bookmark



Size Inches:                      Size mm:                      Stitch Count:  
**1.49 X 6.67 in. 37.85 X 169.42 mm 23,545 St.**

- 1. Background ..... 2250
- 2. Lace..... 0015

## 12557-04 Baby Card



Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in. 127.00 X 177.80 mm 4,334 St.**

- 1. Placement Stitch .....0811
- 2. Lettering ..... 2220
- 3. Duck .....0811
- 4. Balloons..... 2764

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-05 Birthday Bookmark



Size Inches:                      Size mm:                      Stitch Count:  
**1.49 X 6.38 in. 37.85 X 162.05 mm 23,284 St.**

- 1. Background ..... 3962
- 2. Lace..... 0015

## 12557-06 Birthday Card



Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in. 127.00 X 177.80 mm 4,682 St.**

- 1. Placement Stitch ..... 2220
- 2. Lettering ..... 3901
- 3. Balloons..... 2220
- 4. Streamers..... 5510

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-07 Congratulations Bookmark



Size Inches:	Size mm:	Stitch Count:
<b>1.49 X 6.26 in.</b>	<b>37.85 X 159 mm</b>	<b>23,337 St.</b>

- 1. Background ..... 6051
- 2. Lace..... 0015

## 12557-08 Congratulations Card



Size Inches:	Size mm:	Stitch Count:
<b>5.00 X 7.00 in.</b>	<b>127.00 X 177.80 mm</b>	<b>4,194 St.</b>

- 1. Placement Stitch ..... 5833
- 2. Lettering ..... 5664
- 3. Swirls..... 5833

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-09 Dove Bookmark



Size Inches:                      Size mm:                      Stitch Count:  
**1.52 X 6.31 in. 38.61 X 160.27 mm 23,765 St.**

- 1. Background ..... 3040
- 2. Lace..... 0015

## 12557-10 Dove Card



Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in. 127.00 X 177.80 mm 4,189 St.**

- 1. Placement Stitch ..... 3040
- 2. Dove and Rays..... 3770
- 3. Rays ..... 3040

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-11 Flowers Bookmark



Size Inches:                      Size mm:                      Stitch Count:  
**1.49 X 6.28 in. 37.85 X 159.51 mm 22,808 St.**

- 1. Background ..... 2530
- 2. Lace..... 0015

## 12557-12 Flowers Card



Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in. 127.00 X 177.80 mm 5,284 St.**

- 1. Placement Stitch ..... 0532
- 2. Flowers..... 2250
- 3. Swirls..... 0532



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


## 12557-13 Get Well Bookmark



Size Inches:                      Size mm:                      Stitch Count:  
**1.56 X 6.38 in. 39.62 X 162.05 mm 23,329 St.**

- 1. Background ..... 1220
- 2. Lace..... 0015

## 12557-14 Get Well Card



Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in. 127.00 X 177.80 mm 4,603 St.**

- 1. Placement Stitch ..... 0824
- 2. Lettering ..... 1335
- 3. Leaves..... 5531
- 4. Petals ..... 0630
- 5. Stamen ..... 0824

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-15 Mother's Day Bookmark



Size Inches:                      Size mm:                      Stitch Count:  
**1.49 X 7.00 2 in. 37.85 X 165.61 mm 24,145 St.**

- 1. Background ..... 2155
- 2. Lace..... 0015

## 12557-16 Mother's Day Card



Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in. 127.00 X 177.80 mm 4,679 St.**

- 1. Placement Stitch ..... 5552
- 2. Lettering ..... 2241
- 3. Leaves and Vines..... 5552
- 4. Flowers..... 2521

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-17 Thank You Bookmark

Size Inches:                      Size mm:                      Stitch Count:  
**1.51 X 6.09 in. 38.35 X 157.69 mm 22,409 St.**

- 1. Background ..... 4430
- 2. Lace..... 0015



## 12557-18 Thank You Card

Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in. 127.00 X 177.80 mm 4,566 St.**

- 1. Placement Stitch ..... 4643
- 2. Lettering ..... 4643
- 3. Flowers..... 4452



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-19 Thinking of You Bookmark

Size Inches:                      Size mm:                      Stitch Count:  
**1.49 X 6.25 in. 37.85 X 158.75 mm 23,290 St.**


- 1. Background ..... 5822
- 2. Lace..... 0015



## 12557-20 Thinking of You Card

Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in. 127.00 X 177.80 mm 4,743 St.**

- 1. Placement Stitch ..... 0352
- 2. Lettering ..... 0453
- 3. Swirls..... 0352
- 4. Butterflies ..... 1220



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-21 Valentine's Bookmark



Size Inches:                      Size mm:                      Stitch Count:  
**1.5 X 6.18 in.**    **38.1 X 156.97 mm**    **23,200 St.**

- 1. Background ..... 1840
- 2. Lace..... 0015

## 12557-22 Valentine's Card



Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in.**    **127.00 X 177.80 mm**    **4,564 St.s**

- 1. Placement Stitch ..... 2560
- 2. Lettering ..... 2650
- 3. Hearts and Vines..... 2560

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12557-23 Christmas Bookmark



Size Inches:                      Size mm:                      Stitch Count:  
**1.49 X 6.4 in.    37.85 X 162.56 mm    21,934 St.**

- 1. Background ..... 1730
- 2. Lace..... 0015

## 12557-24 Christmas Card



Size Inches:                      Size mm:                      Stitch Count:  
**5.00 X 7.00 in. 127.00 X 177.80 mm    5,257 St.**

- 1. Placement Stitch ..... 1730
- 2. Lettering ..... 0670
- 3. Ornament ..... 7004
- 4. Leaves and Berries ..... 5822

# COLLECTION SUPPLIES



## Stabilizers

- OESD StabilStick TearAway
- OESD Fuse and Seal CutAway
- OESD Medium Weight TearAway

## Fabrics/Textiles

- Start Here Embroidery Blanks by OESD – Greeting Card size A7 (5" x 7") folded

## Notions & Tools

- OESD Expert Embroidery Tape TearAway
- Organ 75/11 Sharp Embroidery needle

## Isacord Thread Colors

- Per thread chart
- OESD Bobbin Thread

**The card instructions included in the design pack are general card instructions. For demonstration purposes, a sample design that best demonstrates general embroidery techniques is shown. Thread requirements will vary by design.**

# EMBROIDERY VARIATION 1



## STEP 1

- Hoop a piece of StabilStick TearAway paper side up.




## STEP 2

- Score with scissors or a pin and remove paper to reveal adhesive.



## STEP 3

- Load the selected design into the machine.
- Design in the example is 12874-01L from design collection #12874 Stitched Sentiments.
- Thread the machine per the thread chart.
- Stitch Machine Step 1, Card Placement Guide.






# EMBROIDERY VARIATION 1



## STEP 4

- Place the front of the card face up within the placement stitch, lining up all edges.



## STEP 5

- Stitch the remainder of the colors, following the thread chart.
- Tip: Turn off the automatic trim function to lessen the chance of tearing the card. Trim jumps as you stitch.



## STEP 6

- Remove the card and stabilizer from the hoop. Place the card face down and fold the stabilizer towards the card. Carefully cut the stabilizer away, close to the stitching.
- Note: Even though the stabilizer is a tear away, it is better to cut the stabilizer away from the card to prevent bending or creasing the cardstock.



# EMBROIDERY VARIATION 1




## STEP 7

- Cut coordinating cardstock paper (or scrapbook paper) slightly smaller than the front of the card. Cut a piece of Fuse and Seal to fit. Following the package instructions, iron the Fuse and Seal to the wrong side of the cardstock (scrapbook paper).



## STEP 8

- Remove paper from Fuse and Seal, line up cardstock over the back side of card and iron to adhere.



## STEP 9

- Your card is complete. Enjoy!





# EMBROIDERY VARIATION 2




## STEP 1

- Two cards folded in half to 5" x 7".
- Cut one card in half on the fold.
- Note: Instruction uses designs not included in this collection.



## STEP 2

- Load selected design into the machine.
- Design in the example is 51246-01L, Scissortail collection Cheeky Cards.
- Thread the machine per the thread chart.
- Hoop 1 piece of OESD Medium Weight TearAway stabilizer.
- Stitch Machine Step 1, Card Placement Guide.



## EMBROIDERY VARIATION 2



### STEP 3

- Place one 5" x 7" piece of cardstock within the Card Placement Line, lining up all edges.
- Tape in place.
- Note: Expert Embroidery Tape TearAway will not leave residue on the paper or tear the cardstock.



### STEP 4

- Stitch the remaining colors, following the thread chart.
- Tip: Turn off the automatic trim function to lessen the chance of tearing the card. Trim jumps as you stitch.




## EMBROIDERY VARIATION 2



### STEP 5

- Remove the card and stabilizer from the hoop.
- Place the card face down and fold the stabilizer towards the card.
- Carefully cut the stabilizer away, close to the stitching.
- Note: Even though the stabilizer is a tear away, it is better to cut the stabilizer away from the card to prevent bending or creasing the cardstock.



### STEP 6

- Cut 1 piece of Fuse and Seal slightly smaller than the size of your card.



## EMBROIDERY VARIATION 2



### STEP 7

- With a medium warm iron, fuse to the back of the embroidered card.



### STEP 8

- Once cool, remove the paper backing.



### STEP 9

- Place the embroidered half of the card over the front of the second card and fuse with a medium warm iron.
- The back of the embroidery is now hidden.



# EMBROIDERY VARIATION 2



## STEP 10

- The card is now complete. Enjoy!



# General Freestanding Lace Guide



## Stabilizer

- OESD AquaMesh
- OESD BadgeMaster

## Notions/Tools

- 80/12 Embroidery Ballpoint Titanium needle for extended needle life
- OESD Alligator Clamps
- OESD Button Clips
- OESD Perfect Point and Press Tool

## Isacord Thread Colors

- All OESD designs are digitized with Isacord 40 wt. polyester thread as the top thread and in the bobbin.
- Refer to the thread chart for color specifications.
- Match bobbin thread color to the top thread.

## Instructions

### Step 1 - Hoop

For FSL structures, hoop one layer of OESD AquaMesh and one layer of OESD BadgeMaster. BadgeMaster contains more starch so, combined with the AquaMesh, the lace is more rigid. For other FSL, where a softer lace is desired, hoop two layers of AquaMesh.

### Step 2 - Embroider

Stitch the design per the thread chart with matching thread in the bobbin at each color change. When complete, remove from the hoop and trim away excess stabilizer about 1/4"-1/2" from the stitching.

### Step 3 - Rinse

Rinse remaining stabilizer out in warm running water. For stiffer lace and FSL structures, DO NOT rinse away all of the stabilizer. The lace should be just slightly tacky. For softer lace, rinse until all traces of the stabilizer are removed.

### Step 4 - Dry

Lay right side down flat on a non-stick surface, such as a cooling rack, parchment paper or Teflon sheet. This minimizes the tendency for the lace to curl. Let the pieces dry completely before proceeding with any assembly.

### Step 5 - Press

Once completely dry, press right side down on a OESD Perfect Embroidery Press Cloth.

### Step 6 - Assemble Structure

Note: Specific assembly instructions for a design/collection may be found in the thread chart pdf following the individual design color charts.

Lace must be COMPLETELY DRY before assembly. Wetting the buttonettes or eyelets to assemble is not recommended and may result in them stretching and coming "unbuttoned" when dry.

Use a pair of OESD Alligator Clamps to insert the buttonettes into the eyelets. Insert the tip of the OESD Alligator Clamps into the eyelet, grasp the buttonette and pull through the eyelet. Alternatively, use a stiletto or tweezers to push the buttonette through the eyelet.

## Helpful Tips

### Limp Lace

If the design is not stiff enough, press the lace pieces on the wrong side while applying spray starch. After ironing, spray again with starch and allow to dry completely. This will stiffen the lace pieces nicely and aid in construction. Or easily re-stiffen by diluting some stabilizer scraps in water (or use liquid starch) and dipping the item in the solution. Lay flat to dry.

### Eyelets Too Small

If any of the eyelets appear closed or too small to penetrate with Alligator Clamps, they may be stretched by inserting the small end of the OESD Perfect Point and Press Tool into the eyelet opening and stretching it open wide enough to accommodate the OESD Alligator Clamps.

### Button Clips

During the assembly process, some structures pull on buttonettes that have already been inserted and could pull them out altogether. Putting a Button Clip on the assembled buttonette will keep it in position during the assembly process. Remove the Button Clips when the assembly is complete.

### Alternative Construction Option

In some cases, the buttonettes may be pulled to the inside of a project, instead of being visible on the outside. Insert the OESD Alligator Clamps through the eyelet from the wrong, or inside, of the lace and grasp the corresponding buttonette. Pull the buttonette to the wrong side of the lace.

Pulling the buttonettes to the inside may cause stress on the ones already done. Button clips may be placed on the completed buttonette(s) to prevent them from pulling out of the eyelet during construction.