







Isacord Thread Colors

0020 Black (Substitute to Match Background Fabric)

0101 Eggshell

0270 Buttercream

1220 Apricot

1362 Shrimp

1600 Spanish Tile

1900 Geranium

2011 Fire Engine

5531 Pear

5633 Lime

5730 Apple Green

5740 Mint

5866 Herb Green

* Project instructions included after design list.

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12586-01 Tile 1

| Size Inches: | Size mm: | Stitch Count: |
|-----------------|-----------------------|---------------|
| 5.20 X 5.21 in. | 132.08 X 132.33 mm | 8,770 St. |
| 1. Background | d White Detail | 0101 |
| 2. Background | d Light Green Detail | 5730 |
| 3. Flower Place | cement Stitch | 5740 |
| 4. Orange Flo | wer Detail & Tackdown | 1220 |
| 5. Green Stan | nen | 5531 |
| 6. Cream Star | men Detail | 0270 |
| 7. Red Flower | Detail | 2011 |
| 8. Seam Stitcl | h | 0020 |





*Fabric Required



12586-02 Tile 2

| Size Inches: 5.20 X 5.21 in. | Size mm: 132.08 X 132.33 mm | |
|------------------------------|--------------------------------|------|
| 1. Flower Pla | cement Stitch | 5740 |
| 2. Red Flowe | r Detail & Tackdown | 2011 |
| 3. Orange Flo | ower Detail | 1220 |
| 4. Backgroun | d White Detail | 0101 |
| _ | d Light Green Detail | |
| • | :h | |

*Fabric Required



12586-03 Tile 3

| Size Inche | s: Size r | nm: | Stitch Count: |
|-------------|--------------------|--------------|---------------|
| 5.25 X 5.21 | in. 133.35 X 13 | 32.33 mm | 10,629 St |
| 1. Backg | round White Deta | il | 0101 |
| 2. Backg | round Light Greer | n Detail | 5730 |
| 3. Dark (| Green Stems | | 5866 |
| 4. Top F | ower Placement S | Stitch | 5740 |
| 5. Top R | ed Flower Detail 8 | Tackdown | 2011 |
| 6. Top O | range Flower Deta | ail | 1220 |
| 7. Bottor | n Flower Placeme | nt Stitch | 5740 |
| 8. Pale (| Drange Flower De | tail & Tackd | own 1362 |
| 9. Green | Bottom Stamen | | 5531 |
| 10. Crean | n Stamen Detail | | 0270 |
| 11. Light I | Red Bottom Flowe | r Detail | 1900 |
| ■ 12. Seam | Stitch | | 0020 |
| | | | |





*Fabric Required



12586-04 Tile 4

| 1. Background Placement Stitch | | Size mm: 132.33 X 132.33 mm | |
|--------------------------------|---|---|--|
| 15. Seam Stitch | 1. Backgroun 2. Backgroun 3. Backgroun 4. Backgroun 5. Dark Greel 6. Middle Flor 7. Middle Flor 8. Middle Flor 9. Bottom Flor 10. Bottom Flor 11. Top Flower 12. Top Flower 13. Bottom Flor | d Placement Stitch d Cover Stitch & Tackdord White Detail d Light Green Detail n Stems wer Placement Stitch wer Light Red Detail & Tawer Pale Orange Detail wer Pale Red Detail & Tacker Pale Red Detail & Tacker Pale Red Detail & Tacker Corange Detail | |

*Fabric Required



12586-05 Tile 5

| Size Inches: | Size mm: | Stitch Count: |
|-----------------|----------------------------------|---------------|
| 5.21 X 5.20 in. | 132.33 X 132.08 mm | 9,104 St. |
| • | d White Detaild Placement Stitch | |
| • | d Flacement Stitch d Tackdown | |
| • | d Light Green Detail | |
| • | d Cream Detail | |
| | d Dark Green Detail | |
| 7. Leaf Place | ment Stitch | 5531 |
| 8. Stems & Le | eaf Tackdown | 5866 |
| | Placement | |
| 10. Top Flower | Red Detail & Tackdown | 1900 |
| | Pale Orange Detail | |
| 12. Bottom Flo | wer Placement Stitch | 5740 |
| 13. Bottom Flo | wer Pale Red Detail & Ta | ackdown 1600 |
| | wer Orange Detail | |
| 15. Seam Stitc | h | 0020 |





*Fabric Required



12586-06 Tile 6

| 1. Background Placement Stitch 5740 2. Background Tackdown 5740 3. Background Cream Detail 0270 4. Background Dark Green Detail 5633 5. Dark Green Stems 5866 6. Flower Placement Stitch 5531 7. Flower Orange Detail & Tackdown 1220 8. Green Stamen 5531 9. Cream Stamen Detail 0270 10. Flower Pale Red Detail 1600 11. Seam Stitch 0020 | Size Inches: 5.15 X 5.19 in. | | |
|---|--|---|--|
| | 2. Background 3. Background 4. Background 5. Dark Green 6. Flower Place 7. Flower Oral 8. Green Stan 9. Cream Star | d Tackdownd Cream Detaild Dark Green Detaild Stemsd Stemsd Stemsd Employed | |

*Fabric Required



12586-07 Tile 7

| Size Inches: | Size mm: | Stitch Count: |
|-----------------|------------------------|---------------|
| 5.19 X 5.20 in. | 131.83 X 132.08 mm | 10,055 St. |
| 1. Backgroun | d Cream Detail | 0270 |
| 2. Backgroun | d Placement Stitch | 5531 |
| 3. Backgroun | d Tackdown | 5633 |
| 4. Backgroun | d Dark Green Detail | 5633 |
| 5. Backgroun | d Medium Green | 5531 |
| 6. Backgroun | d Light Green Detail | 5740 |
| 7. Leaf Place | ment Stitch | 5633 |
| 8. Dark Greer | n Stems & Leaf Tackdow | n 5866 |
| 9. Flower Pla | cement Stitch | 5531 |
| 10. Red Flowe | r Detail & Tackdown | 2011 |
| 11. Orange Flo | wer Detail | 1220 |
| 12. Seam Stitc | h | 0020 |





*Fabric Required



12586-08 Tile 8

| Size Inches: 5.20 X 5.20 in. | Size mm: 132.08 X 132.08 mm | |
|------------------------------|--------------------------------|------|
| 1. Backgroun | d Placement Stitch | 5531 |
| 2. Backgroun | d Tackdown | 5633 |
| 3. Backgroun | d Dark Green Detail | 5633 |
| 4. Backgroun | d Cream Detail | 0270 |
| 5. Backgroun | d Green Detail | 5740 |
| 6. Dark Green | n Stems | 5866 |
| 7. Leaf Place | ment Stitch | 5531 |
| 8. Dark Green | n Leaf Detail | 5866 |
| 9. Seam Stitc | h | 0020 |

*Fabric Required



12586-09 Tile 9

| Size Inches: | Size mm: | Stitch Count: |
|-----------------|------------------------|---------------|
| 5.20 X 5.22 in. | 132.08 X 132.59 mm | 9,440 St. |
| 1. Background | d Light Green Detail | 5740 |
| 2. Dark Green | Stems | 5866 |
| • | d Medium Green Detail | |
| | ment Stitch | |
| | Leaf Detail & Tackdowr | |
| 6. Seam Stitcl | h | 0020 |






*Fabric Required



12586-10 Tile 10

| | Size Inches: | Size mm: 132.08 X 131.83 mm | |
|---|------------------|-----------------------------|----------|
| | 5.20 A 5.19 III. | 132.00 A 131.03 IIIIII | 9,230 31 |
| | 1. Background | d Placement Stitch | 5531 |
| | 2. Background | d Tackdown | 5633 |
| | 3. Background | d Dark Green Detail | 5633 |
| | 4. Background | d Cream Detail | 0270 |
| | 5. Dark Greer | Stems | 5866 |
| | 6. Background | d Light Green Detail | 5740 |
| | 7. Leaf Placer | ment Stitch | 5633 |
| | 8. Dark Greer | Leaf Detail & Tackdowr | ı 5866 |
| | 9. Background | d Medium Green Detail | 5531 |
| 1 | ■10. Seam Stitc | h | 0020 |
| | | | |




12586-11 Poppies 1

| Size Inches: | Size mm: | Stitch Count: |
|------------------|-------------------|---------------|
| 3.12 X 6.84 in. | 79.25 X 173.74 mm | 5,620 St. |
| 1. Red Flowe | r | 1900 |
| 2. Orange Flower | | 1220 |
| 3. Light Red | Flower | 1600 |
| 4. Stems & L | eaves | 5866 |
| 5. Green Star | mens | 5740 |










12586-12 Poppies 2

| Size Inches: | Size mm: | Stitch Count: |
|-----------------|-------------------|---------------|
| 2.44 X 6.17 in. | 61.98 X 156.72 mm | 3,909 St. |
| 1. Stems & Le | eaves | 5866 |
| 2. Red Flower | | 1900 |
| 3. Orange Flo | wer | 1220 |
| 4 Green Stan | nen | 5740 |












Stitch Count:

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

Size Inches:





12586-14 Poppy 2

Size mm:

| 2.07 X 4.55 in. | 52.58 X 115.57 mm | 1,618 St. |
|------------------|-------------------|-----------|
| 1. Stem & Leaves | | 5866 |
| 2. Flower | | 1900 |















12586-16 Mini Butterfly 1


| Size Inches: 2.67 X 2.59 in. | Size mm: 67.82 X 65.79 mm | Stitch Count: 2,773 St. |
|------------------------------|---------------------------|-------------------------|
| • | | |

12586-17 Mini Butterfly 2










12586-18 Poppies Border

| Size Inches: | Size mm: | Stitch Count: |
|---------------------|-------------------|---------------|
| 2.34 X 6.51 in. | 59.44 X 165.35 mm | 6,086 St. |
| 1. Orange Flower | | 1220 |
| 2. Light Red Flower | | 1600 |
| 3. Red Flower | | 1900 |
| 4. Stamens | | 5740 |
| 5. Leaves | | 5866 |



12586-19 Mini Poppy

| Size Inches: | Size mm: | Stitch Count: |
|-----------------|------------------|---------------|
| 2.16 X 2.49 in. | 54.86 X 63.25 mm | 2,066 St. |
| 1. Leaves | | 5866 |
| 2. Flower | | 1900 |
| 3. Stamen | | 5740 |





12586-20 Poppies Garden Jumbo



| Size Inches: | Size mm: | Stitch Count: |
|----------------------|--------------------|---------------|
| 9.48 X 8.16 in. | 240.79 X 207.26 mm | 20,898 St. |
| 1. Stems & Le | eaves | 5866 |
| 2. Light Red Flowers | | 1600 |
| 3. Red Flower | rs | 1900 |
| 4. Orange Flo | wers | 1220 |
| 5. Stamens | | 5740 |
| 6. Large Butte | erfly | 1600 |
| 7. Small Butte | erfly | 1220 |
| | | |

COLLECTION SUPPLIES



Stabilizers

- OESD Medium Weight TearAway
- OESD Fusible Woven
- OESD Applique Fuse and Fix

Fabrics/Textiles

- 1/3 yd. light green fabric (upper background embroidered tiles)
- 1/3 yd. medium green fabric (middle background embroidered tiles)
- 1/3 yd. dark green fabric (lower background embroidered tiles)
- 1/8 yd. darker green fabric (leaves)
- 1/3 yd. deep red fabric (poppy applique and backing)
- 1/8 yd. red orange fabric (poppy applique)
- 1/8 yd. orange fabric (poppy applique)
- 1/3 yd. or 12" x 27" piece cotton batting
- Note: Fabric and stabilizer quantities are estimates. Fabric and/or stabilizer vary depending on the size hoop used or if more than one tile is stitched per hooping

Notions & Tools

- 505 Temporary Spray Adhesive
- Expert Point and Press Tool
- OESD Perfect Embroidery Press Cloth


Isacord Thread Colors

· Per thread chart



COMPLETED TILING SCENE IS 24.5" X 10"






APPLIQUE PREP



STEP 1

- Print the mirrored version of the templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix.
- Cut approximately 1/4" 1/2" outside the printed applique templates.



STEP 2

 Fuse the trimmed templates to the wrong side of the appropriate applique fabric with the printed template paper side up.



- Cut the appliques out on the outer edge of the black outline and set aside.
- Note: This is a raw edge applique, OESD Fuse and Fix is used to keep the fabric from fraying during assembly.



EMBROIDERY



STEP 4

- Embroider one of each design file 12586-01 through 12586-10.
- For each hooping, cut the following 2" larger than needed for the hoop:
- 1 layer OESD Fusible Woven
- 1 layer OESD Medium Weight TearAway
- 1 layer of background fabric
- Note: To economize on fabric, cut the fabric 15" wide (or the height of the hoop \pm 2") x width of the fabric. Apply the stabilizers. Move the hoop down the length of the fabric as each block is stitched. Leave a minimum of 1 $\frac{1}{2}$ " between the blocks.

STEP 5

 Place one layer of Fusible Woven to the wrong side of the background fabric and fuse in place.









STEP 6

• Embroider blocks 12586-01 through 12586-05 on light green fabric (upper background fabric).



• Embroider blocks 12586-06, 12586-07, 12586-08 and 12586-10 on medium green fabric (medium background fabric).



• Embroider block 12586-09 on dark green fabric (lower background fabric).



Requires 1 Design

EMBROIDERY



STEP 7

- · Hoop light green fabric and Medium Weight TearAway stabilizer.
- Load selected design into the machine.
- Example design is 12586-01.
- Thread the machine per the thread chart.
- Place hoop on the machine.



STEP 8

- Stitch Machine Steps 1 and 2.
- Stitch Machine Step 3, Flower Placement Stitch.



- Remove the hoop from the machine, but NOT the project from the hoop.
- Remove the paper from the applique fabric and place the prepared applique fabric, right side up, completely covering the placement stitch.
- Note: Applique Fuse and Fix is repositionable if you need to adjust placement.








STEP 10

- Place hoop on the machine.
- For each tile, stitch the machine steps per the thread chart.
- Stop before the last Machine Step.



- Change bobbin to a contrasting color and stitch the last step.
- The last color change in each block is called "Seam". This line is the guide when trimming and stitching the tiles together and needs to be highly visible on the back side of the tile. Stitch the top color in a thread that blends with the fabric, invisible thread, or water-soluble thread. For the bobbin, use a color which contrasts sharply with the back of the tile.
- Note: Since the bobbin color doesn't have to be the same on each tile, this is a great time to use up partially wound bobbins.



ASSEMBLY



STEP 12

- After embroidery is complete, press each block right side down on a Perfect Embroidery Press Cloth.
- Write the number of the block on the back so it is easily identified during construction! Use a pen or pencil that will not bleed through to the front side.
- Remove stabilizer from the seam allowance. Leave stabilizer in the open areas of the individual tiles.



STEP 13

- At the cutting mat, place the block right side down. Identify the "seam" stitch line. Trim 1/2" inch out from the seam stitch line, on all four sides, to create the seam allowance.
- Note: Accuracy here will greatly facilitate the construction of the scene.



- Arrange the tiles in the layout for the scene.
- Stitch two adjacent tiles, right sides together: the bottom of one tile to the top of the one below it. Align the matching edges and stitch just inside of the seam line.
- Repeat until all the blocks have been paired.



ASSEMBLY



STEP 15

- · Press each seam open.
- Note: If the seams do not come apart easily, press both seam allowances to one side using steam and a cotton or linen setting.
- While warm, open the seam allowance with the large ball of the Expert Point and Press Tool. Press again and allow to cool. Do not remove excess stabilizer from inside the seam line.



STEP 16

 Finish connecting the block of tiles to the ones below. Press and remove stabilizer from the seam allowances. Then continue the stitching and pressing process until the scene is complete.



- Cut batting and backing at least 2" larger than the tiling scene.
- Layer the backing (right side down), batting, and center the tiling scene (right side up).
- Spray baste all 3 layers with temporary spray adhesive.



ASSEMBLY




STEP 18

 Load the sewing machine with a thread color that blends with the scene or invisible thread. Stitch in the ditch where the tiles connect to attach the batting and backing to the top. For best results use a walking foot or a dual feed foot.



STEP 19

• Trim $\frac{1}{4}$ " from the edge of the top through all three layers to square up the finished scene.







- Zigzag over the raw edges to join the edges together.
- Bind as desired.






PRINTING INSTRUCTIONS




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



TO SAVE PAPER

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates. 12586-01 Flower 12586-02 Flower 12586-03 1st Placement Top Flower 12586-03 Last Placement **Bottom Flower**






12586-04 2nd Placement Middle Flower Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12586-04 3rd Placement Bottom Flower 12586-04 Last Placement Top Flower /












Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.













Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.







12586-10 1st Placement Background Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

