

FREESTANDING ANGELS



3

Designs

Fits hoop sizes 6" x 10" and larger

THREAD LIST



Isacord Thread Colors

- 0015 White
- 0105 Ash Mist
- 2711 Dark Current
- 2764 Violet
- 4610 Deep Aqua
- 4625 Seagreen
- 5050 Luster

DESIGNS

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12646-01 Damask Angel Wings FSA

Size Inches: Size mm: Stitch Count:
7.49 X 5.19 in. 190.25 X 131.83 mm 49,955 St.



- 1. Wings Placement Stitch 2764
- 2. Cut Line & Tackdown..... 2764
- 3. Purple Detail & Lace..... 2764
- 4. Blue Lace 5050
- 5. Grey Lace..... 0105
- 6. Head Lace..... 0105
- 7. Face Lace..... 5050
- 8. Cover Stitch & Lace..... 0015
- 9. Cover Stitch & Blue Linework..... 5050

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**

12646-02 Damask Angel Praying Hands FSA

Size Inches: Size mm: Stitch Count:
3.46 X 3.38 in. 87.88 X 85.85 mm 15,535 St.




- 1. Sleeves Placement Stitch..... 2764
- 2. Cut Line & Tackdown..... 2764
- 3. Light Purple Lace 2764
- 4. Dark Purple Detail & Lace2711
- 5. Hands Lace 5050
- 6. Cover Stitch & Lace..... 0015
- 7. Cover Stitch Blue Linework 5050

***Fabric Required**

12646-03 Damask Angel Gown 1 FSA

Size Inches: Size mm: Stitch Count:
2.74 X 7.57 in. 69.60 X 192.28 mm 18,102 St.




- 1. Gown Front & Back Placement Stitch2711
- 2. Cut Line & Tackdown.....2711
- 3. Purple Detail.....2711
- 4. Cover Stitch & Lace..... 0015
- 5. Cover Stitch Blue Linework 5050

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**

12646-04 Damask Angel Gown 2 FSA


Size Inches: Size mm: Stitch Count:
4.89 X 7.68 in. 124.21 X 195.07 mm 38,338 St.



- 1. Gown Left & Right Sides Placement Stitch2711
- 2. Cut Line & Tackdown.....2711
- 3. Purple Detail.....2711
- 4. Cover Stitch & Lace..... 0015
- 5. Cover Stitch Blue Linework 5050

12646-05 Damask Angel Base FSL

Size Inches: Size mm: Stitch Count:
4.48 X 4.36 in. 113.79 X 110.74 mm 15,380 St.



- 1. Angel Base 0015

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**

12646-06 Feather Angel Wings FSA

Size Inches: Size mm: Stitch Count:
7.44 X 4.90 in. 188.98 X 124.46 mm 48,487 St.



- 1. Wings Placement Stitch 0015
- 2. Cut Line & Tackdown..... 0015
- 3. White Lace 0015
- 4. Grey Lace..... 0105
- 5. Light Blue Detail & Lace 5050
- 6. Medium Blue Detail 4610
- 7. Head Lace 0105
- 8. Face Lace..... 0015
- 9. Cover Stitch & Lace..... 5050
- 10. Head Medium Blue Linework 4610
- 11. Cover Stitch Purple Linework 2764

***Fabric Required**

12646-07 Feather Angel Heart Hands FSA

Size Inches: Size mm: Stitch Count:
4.04 X 3.57 in. 102.62 X 90.68 mm 19,168 St.




- 1. Sleeves Placement Stitch..... 0105
- 2. Cut Line & Tackdown..... 0105
- 3. Grey Lace 0105
- 4. Dark Blue Detail 4625
- 5. Heart Placement Stitch..... 0015
- 6. Cut Line & Tackdown..... 0015
- 7. White Detail & Lace 0015
- 8. Dark Purple Detail 2711
- 9. Sleeves & Hands Cover Stitch & Lace 5050
- 10. Heart Cover Stitch & Sleeves Linework 2764

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**

12646-08 Feather Angel Gown 1 FSA




Size Inches: Size mm: Stitch Count:
2.74 X 7.57 in. **69.60 X 192.28 mm** **18,265 St.**

- 1. Gown Front & Back Placement Stitch 4625
- 2. Cut Line & Tackdown..... 4625
- 3. Dark Blue Detail 4625
- 4. White Detail 0015
- 5. Cover Stitch & Lace..... 5050
- 6. Cover Stitch Purple Linework 2764

***Fabric Required**

12646-09 Feather Angel Gown 2 FSA



Size Inches: Size mm: Stitch Count:
4.89 X 7.68 in. **124.21 X 195.07 mm** **36,717 St.**


- 1. Gown Left & Right Sides Placement Stitch 4625
- 2. Cut Line & Tackdown..... 4625
- 3. Dark Blue Detail 4625
- 4. White Detail 0015
- 5. Cover Stitch & Lace..... 5050
- 6. Cover Stitch Purple Linework 2764

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12646-10 Feather Angel Base FSL

Size Inches: Size mm: Stitch Count:
 4.48 X 4.36 in. 113.79 X 110.74 mm 15,380 St.

■ 1. Angel Base 5050




***Fabric Required**

12646-11 Diamond Angel Wings FSA

Size Inches: Size mm: Stitch Count:
 7.30 X 5.10 in. 185.42 X 129.54 mm 36,693 St.

- 1. Wings Placement Stitch 0015
- 2. Cut Line & Tackdown..... 0015
- 3. White Lace 0015
- 4. Grey Lace..... 0105
- 5. Dark Purple Detail 2711
- 6. Head Lace..... 0105
- 7. Face Lace..... 0015
- 8. Cover Stitch & Lace..... 2764
- 9. Head Dark Purple Linework 2711
- 10. Cover Stitch Blue Linework 5050




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**

12646-12 Diamond Angel Book Hands FSA

Size Inches: Size mm: Stitch Count:
4.04 X 3.54 in. 102.62 X 89.92 mm 18,399 St.




- 1. Sleeves Placement Stitch..... 0105
- 2. Cut Line & Tackdown..... 0105
- 3. Book Placement Stitch 0105
- 4. Cut Line & Tackdown..... 0105
- 5. Grey Detail & Lace 0105
- 6. Light Purple Detail & Lace..... 2764
- 7. Dark Purple Detail & Lace2711
- 8. Hands Lace 0015
- 9. Sleeves & Hands Cover Stitch & Lace 2764
- 10. Book Cover Stitch..... 4625
- 11. Sleeve Cover Stitch Blue Linework 5050

***Fabric Required**

12646-13 Diamond Angel Gown 1 FSA

Size Inches: Size mm: Stitch Count:
2.74 X 7.57 in. 69.60 X 192.28 mm 15,656 St.



- 1. Gown Front & Back Placement Stitch 2764
- 2. Cut Line & Tackdown..... 2764
- 3. Light Purple Detail 2764
- 4. Dark Purple Detail2711
- 5. Cover Stitch & Lace..... 2764
- 6. Cover Stitch Blue Linework 5050


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**

12646-14 Diamond Angel Gown 2 FSA

Size Inches: Size mm: Stitch Count:
4.89 X 7.68 in. 124.21 X 195.07 mm 31,526 St.


- 1. Gown Left & Right Sides Placement Stitch 2764
- 2. Cut Line & Tackdown..... 2764
- 3. Light Purple Detail 2764
- 4. Dark Purple Detail2711
- 5. Cover Stitch & Lace..... 2764
- 6. Cover Stitch Blue Linework 5050



12646-15 Diamond Angel Base FSL

Size Inches: Size mm: Stitch Count:
4.48 X 4.36 in. 113.79 X 110.74 mm 15,380 St.

- 1. Angel Base 2764



COLLECTION SUPPLIES



Stabilizer

- OESD AquaMesh
- OESD BadgeMaster
- OESD StabilStick CutAway (backing for applique fabric)

Supplies

- Isacord threads per thread chart
- Applique fabrics
- Alligator Clamps
- Button Clips (optional)
- Perfect Embroidery Press Cloth
- Expert Embroidery Tape TearAway

SUMMARY



12646-01




Requires 1 Design

12646-02




Requires 1 Design

12646-03




Requires 2 Designs

12646-04



Requires 2 Designs

12646-05



Requires 1 Design

12646-06



Requires 1 Design

12646-07




Requires 1 Design

12646-08




Requires 2 Designs

12646-09



Requires 2 Designs

12646-10



Requires 1 Design

12646-11




Requires 1 Design

12646-12




Requires 1 Design

12646-13




Requires 2 Designs

12646-14



Requires 2 Designs

12646-15



Requires 1 Design

EMBROIDERY



STEP 1

- Cut applique fabrics slightly larger than needed.
(See templates for sizes.)



STEP 2

- Prep applique fabrics with 2 pieces of StabilStick adhered to the wrong side of the fabrics.



EMBROIDERY



STEP 3

- Hoop 1 piece of AquaMesh and 1 piece of BadgeMaster.



STEP 4

- Stitch Machine Step 1, the Placement Stitch.




EMBROIDERY




STEP 5

- Place the fabric right side up, over the Placement Stitch, covering entirely.
- Tape in place.



STEP 6

- Stitch Machine Step 2, the Cut Line and Tackdown.



STEP 7

- Remove the hoop from the machine, do NOT remove the project from the hoop.
- Trim excess fabric close to the tackdown stitch.
- Return the hoop to the machine.
- Continue stitching through the design as indicated in the thread chart, changing bobbin thread along with the top thread.



STEP 8


- After stitching each design, cut away the stabilizer about ½" from the design.
- Rinse the design in warm running water.
- **Tip:** Rinse until slightly sticky. Leaving some stabilizer in the design helps the design to be firm when dry and will stand up better when complete.
- Allow the pieces to dry thoroughly.
- Place pieces right side down on an Perfect Embroidery Press Cloth.
- Press each piece flat with a warm iron.





STEP 1

- Using alligator clamps, pull the buttonettes of the Angel Gown 1 (12645-03) piece through the coordinating eyelets on one of the Angel Gown 2 (12646-04) side pieces.



ASSEMBLY





STEP 2

- Button the remaining eyelet and buttonette sets the rest of the way up the dress piece.



STEP 3

- Repeat the process, with second set of Angel Gown 1 and Gown 2 pieces.
- Next, connect the two gown sets together by pulling the buttonettes through the eyelets.



ASSEMBLY



STEP 4

- Pull the remaining buttonettes through the corresponding eyelets to finish the dress.



STEP 5

- Button the base into the eyelets at the bottom center of each dress piece.



ASSEMBLY

STEP 6

- Button the Angel Praying Hands into the eyelets at the shoulders of Angel Wings.



STEP 7

- Insert the angel top into the angel dress, aligning the wings with the slits at the sides of the dress. The v shape at the center of the Angel top will fit within the Angel dress.




STEP 8

- The completed angel




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.




TO SAVE PAPER


Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.




APPLIQUE PATTERNS




12646-01



12646-01




12646-02




12646-02


APPLIQUE PATTERNS



12646-03





12646-04




12646-04


APPLIQUE PATTERNS




APPLIQUE PATTERNS



12646-08




12646-09




12646-09


APPLIQUE PATTERNS




12646-11




12646-11



12646-12






12646-12







12646-12




APPLIQUE PATTERNS




MIRRORED PATTERNS






MIRRORED PATTERNS




MIRRORED PATTERNS




MIRRORED PATTERNS



MIRRORED PATTERNS




12646-11




12646-11



12646-12




12646-12



12646-12

MIRRORED PATTERNS



General Freestanding Lace Guidelines

Supplies:

Embroidery Thread:

- Use the same embroidery thread in the bobbin as the needle.

Needles:

- Use an Organ 80/12 Titanium needle for extended needle life.

Stabilizer:

- Use OESD AquaMesh stabilizer.

Handy Hints:

For Stiffer Lace:

- DO NOT rinse away all of the stabilizer for a “stiffer” lace. Note that the thread may appear a shade darker if stabilizer is not removed completely.
- If you happen to wash too much out, easily re-stiffen by diluting some stabilizer scraps in water and dipping the item in the solution.

For Very Soft Lace:

- Cut away excess stabilizer. Remove remaining stabilizer by rinsing under warm running water until all traces of the stabilizer are gone. **NOTE:** If lace should become too limp to work with, dissolve stabilizer scraps in warm water and apply to the lace.

Drying Lace:

- The lace looks best when left to dry completely. Lay lace piece with right side down to dry. This will minimize the tendency for the lace to curl. Be sure to flatten the piece out entirely and allow ample time to dry.

General Instructions

1. Hoop two layers of OESD AquaMesh Stabilizer.
2. Attach the hoop to the machine and select the design of your choice.
3. Stitch the design.
4. Remove the hoop from the machine and the design from the hoop. Trim excess stabilizer from the design.
5. Rinse away remaining stabilizer and allow it to dry.

Handy Hints:

For 3D Lace Projects:

- If item becomes too limp to work with, iron the lace pieces on the wrong side while applying spray starch. After ironing, spray again with starch and allow to dry completely. This will stiffen the lace pieces nicely and aid in construction.
- A pair of tweezers, hemostats, stiletto or a tiny crochet hook can be extremely helpful when inserting the buttonettes into the eyelets. (Please see **Diagram 1** for explanation of “buttonette” and “eyelet”.)
- Insert the tip of the alligator clamps, tweezers, hemostats or crochet hook into the eyelet, grasp the buttonette and pull through the eyelet. Or a stiletto could be used to push the buttonette through the eyelet.

Diagram 1

