

#12751



4

DESIGNS

Stitch 'N' Turn Sleep Masks

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12751-01 Nighty Night Sleep Mask

Size Inches: Size mm: Stitch Count:
3.96 X 7.57 in. 100.58 X 192.28 mm 9,209 St.

■	1. Placement Stitch.....	3150
■	2. Tackdown.....	3150
■	3. Lettering.....	3150
■	4. Stars, Swirls and Moon.....	3150
■	5. Left Side Elastic Placement Stitch.....	3150
■	6. Left Side Elastic Tackdown.....	3150
■	7. Right Side Elastic Placement Stitch.....	3150
■	8. Right Side Elastic Tackdown.....	3150
■	9. Seam.....	3150



12751-02 Paisley Sleep Mask

Size Inches: Size mm: Stitch Count:
3.96 X 7.54 in. 100.58 X 191.52 mm 7,761 St.

■	1. Placement Stitch.....	4952
■	2. Tackdown.....	4952
■	3. Linework.....	4952
■	4. Left Side Elastic Placement Stitch.....	4952
■	5. Left Side Elastic Tackdown.....	4952
■	6. Right Side Elastic Placement Stitch.....	4952
■	7. Right Side Elastic Tackdown.....	4952
■	8. Seam.....	4952



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12751-03 Sleeping Eyes Sleep Mask

Size Inches: Size mm: Stitch Count:
3.96 X 7.55 in. 100.58 X 191.77 mm 5,232 St.

- 1. Placement Stitch..... 2550
- 2. Tackdown..... 2550
- 3. Eyes..... 2550
- 4. Left Side Elastic Placement Stitch..... 2550
- 5. Left Side Elastic Tackdown..... 2550
- 6. Right Side Elastic Placement Stitch..... 2550
- 7. Right Side Elastic Tackdown..... 2550
- 8. Seam 2550



12751-04 Blank Sleep Mask

Size Inches: Size mm: Stitch Count:
3.96 X 7.55 in. 100.58 X 191.77 mm 985 St.

- 1. Placement Stitch..... 0020
- 2. Tackdown..... 0020
- 3. Left Side Elastic Placement Stitch..... 0020
- 4. Left Side Elastic Tackdown..... 0020
- 5. Right Side Elastic Placement Stitch..... 0020
- 6. Right Side Elastic Tackdown..... 0020
- 7. Seam 0020



MATERIALS



Isacord Thread Colors

- 0020 Black
- 2550 Soft Pink
- 3150 Stainless
- 4952 Mystic Ocean

Stabilizer

- 1 - 10" x 15" piece OESD Fuse and Fleece (or large enough to fit hoop)
- 1 - 6" x 10" piece OESD Fuse and Fleece
- 1 - 6" x 10" piece OESD Fusible Woven CutAway

Fabric/Notions

- 2 - 6" x 10" pieces of fabric
- 17" - ½" wide elastic
- Expert Embroidery Tape Tearaway
- Iron

INSTRUCTIONS



STEP 1

- Hoop one layer of Fuse and Fleece, fusible (shiny) side up.
- Attach hoop to the machine.



STEP 2

- Fuse the 6" x 10" Fusible Woven to the back of one of the fabric pieces.
 - This is the front of the mask.
- Fuse 6" x 10" Fuse and Fleece to the wrong side of the other 6" x 10" fabric.
 - This is the back of the mask.



STEP 3

- Stitch Color 1, *Placement Stitch*.




INSTRUCTIONS




STEP 4

- Place the 6" x 10" front fabric right side up, over the placement line.
- Tape in place.



STEP 5

- Stitch Color 2, *Tackdown*.



STEP 6

- Continue stitching design.
- Stitch *Left Side Elastic Placement Stitch*.



INSTRUCTIONS



STEP 7

- Place one end of the elastic over the placement line so that the cut edge extends ½" outside of the mask.
- Tape in place.



STEP 8

- Stitch *Left Side Elastic Tackdown*.



STEP 9

- Stitch *Right Side Elastic Placement Stitch*.



INSTRUCTIONS



STEP 10

- Place the other cut end of the elastic over the placement line, so that the cut edge extends $\frac{1}{2}$ " outside of the mask.
- Make sure the elastic is not twisted.
- Tape in place.



STEP 11

- Stitch *Right Side Elastic Tackdown*.



STEP 12

- Tape the excess elastic to the center of the mask.




INSTRUCTIONS




STEP 13

- Place the back fabric piece, right sides together with the front.
- Tape in place.




STEP 14

- Stitch *Seam*, use a thread color that matches fabric.



STEP 15

- Remove the hoop from the machine and the design from the hoop.
- Trim with an approximate ¼" seam allowance.
- Clip into the seam allowance around the curves.



INSTRUCTIONS



STEP 16

- Reach into the mask and turn it right side out.
- Press.
- Sew opening shut either by hand or machine.

