


#12754



3
DESIGNS

Freestanding Lace Clover Doilies


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

FSL = Freestanding Lace FSA = Freestanding Applique

12754-01 Clover Doily 1 FSL

Size Inches: Size mm: Stitch Count:
 5.44 X 5.44 in. 138.18 X 138.18 mm 64,913 St.


■ 1. Single Color Design..... 5633



12754-02 Clover Doily 2 FSL

Size Inches: Size mm: Stitch Count:
 5.46 X 5.46 in. 138.68 X 138.68 mm 64,706 St.

■ 1. Single Color Design..... 5933




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

FSL = Freestanding Lace FSA = Freestanding Applique

12754-03 Clover Doily 3 FSL

Size Inches: Size mm: Stitch Count:
5.04 X 9.088 in. 128.02 X 230.84 mm 70,545 St.

■ 1. Single Color Design..... 5833



MATERIALS



Isacord Thread Colors

5633 Lime
5833 Limabean
5933 Grasshopper

General Freestanding Lace Guidelines

Supplies:

Embroidery Thread:

- Use the same embroidery thread in the bobbin as the needle.

Needles:

- Use an Organ 80/12 Titanium needle for extended needle life.

Stabilizer:

- Use OESD AquaMesh stabilizer.

Handy Hints:

For Stiffer Lace:

- DO NOT rinse away all of the stabilizer for a “stiffer” lace. Note that the thread may appear a shade darker if stabilizer is not removed completely.
- If you happen to wash too much out, easily re-stiffen by diluting some stabilizer scraps in water and dipping the item in the solution.

For Very Soft Lace:

- Cut away excess stabilizer. Remove remaining stabilizer by rinsing under warm running water until all traces of the stabilizer are gone. **NOTE:** If lace should become too limp to work with, dissolve stabilizer scraps in warm water and apply to the lace.

Drying Lace:

- The lace looks best when left to dry completely. Lay lace piece with right side down to dry. This will minimize the tendency for the lace to curl. Be sure to flatten the piece out entirely and allow ample time to dry.

General Instructions

1. Hoop two layers of OESD AquaMesh Stabilizer.
2. Attach the hoop to the machine and select the design of your choice.
3. Stitch the design.
4. Remove the hoop from the machine and the design from the hoop. Trim excess stabilizer from the design.
5. Rinse away remaining stabilizer and allow it to dry.