


#12786



**1**  
DESIGN

Freestanding  
**Teddy Bear**


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



## 12786-01 Left Face Section FSA

Size Inches:                      Size mm:                      Stitch Count:  
 2.28 X 5.29 in.    57.91 X 134.37 mm    12,006 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355
- 4. Eye ..... 0020
- 5. Eye Highlight ..... 0015




## 12786-02 Right Face Section FSA

Size Inches:                      Size mm:                      Stitch Count:  
 2.28 X 5.29 in.    57.91 X 134.37 mm    12,015 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355
- 4. Eye ..... 0020
- 5. Eye Highlight ..... 0015


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



### 12786-03 Side Head Section FSA

Size Inches:                      Size mm:                      Stitch Count:  
 2.27 X 5.29 in.    57.66 X 134.37 mm    7,579 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355



### 12786-04 Back Head Section FSA


Size Inches:                      Size mm:                      Stitch Count:  
 2.27 X 5.29 in.    57.66 X 134.37 mm    7,127 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12786-05 Muzzle FSA

Size Inches:                      Size mm:                      Stitch Count:  
**3.72 X 1.99 in.**      **94.49 X 50.55 mm**      **6,414 St.**



- 1. Tan Fabric Placement Stitch..... 1141
- 2. Cut Line and Tackdown ..... 1141
- 3. Black Fabric Placement Stitch..... 1141
- 4. Cut Line and Tackdown ..... 1141
- 5. Muzzle Cover Stitch and Lace..... 1141
- 6. Nose Tip Cover Stitch..... 0020


## 12786-06 Ears FSA

Size Inches:                      Size mm:                      Stitch Count:  
**3.69 X 2.24 in.**      **93.73 X 56.90 mm**      **8,253 St.**



- 1. Double Brown Fabric Placement Stitch..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



## 12786-07 Front Left Body Section FSA

Size Inches:                      Size mm:                      Stitch Count:  
 2.60 X 6.13 in.    66.04 X 155.70 mm    18,430 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355




## 12786-08 Side Left Body Section FSA

Size Inches:                      Size mm:                      Stitch Count:  
 2.60 X 6.13 in.    66.04 X 155.70 mm    18,430 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



## 12786-09 Front Right Body Section FSA

Size Inches:                      Size mm:                      Stitch Count:  
 2.60 X 6.13 in.    66.04 X 155.70 mm    18,433 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355




## 12786-10 Side Right Body Section FSA

Size Inches:                      Size mm:                      Stitch Count:  
 2.60 X 6.13 in.    66.04 X 155.70 mm    20,848 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



## 12786-11 Back Body Section FSA

Size Inches:                      Size mm:                      Stitch Count:  
 2.60 X 6.13 in.    66.04 X 155.70 mm    8,558 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355




## 12786-12 Left Leg FSA

Size Inches:                      Size mm:                      Stitch Count:  
 4.74 X 7.67 in.    120.40 X 194.82 mm    15,458 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Tan Fabric Placement Stitch ..... 1355
- 4. Cut Line and Tackdown ..... 1355
- 5. Cover Stitch and Lace ..... 1355


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



## 12786-13 Right Leg FSA

Size Inches:                      Size mm:                      Stitch Count:  
**4.74 X 7.67 in.    120.40 X 194.82 mm    15,453 St.**

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Tan Fabric Placement Stitch..... 1355
- 4. Cut Line and Tackdown ..... 1355
- 5. Cover Stitch and Lace ..... 1355




## 12786-14 Left Arm FSA

Size Inches:                      Size mm:                      Stitch Count:  
**2.44 X 5.54 in.    61.98 X 140.72 mm    7,029 St.**

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



## 12786-15 Right Arm FSA


Size Inches:                      Size mm:                      Stitch Count:  
 2.44 X 5.54 in.    61.98 X 140.72 mm    7,024 St.

- 1. Brown Fabric Placement Stitch ..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355

## 12786-16 Paws FSA

Size Inches:                      Size mm:                      Stitch Count:  
 4.15 X 1.84 in.    105.41 X 46.74 mm    5,564 St.

- 1. Tan Fabric Placement Stitch..... 1355
- 2. Cut Line and Tackdown ..... 1355
- 3. Cover Stitch and Lace ..... 1355



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## 12786-17 Beanie FSA

Size Inches:                      Size mm:                      Stitch Count:  
**3.69 X 3.58 in.**    **93.73 X 90.93 mm**    **9,953 St.**

- 1. Blue Fabric Placement Stitch ..... 1300
- 2. Cut Line and Tackdown ..... 1300
- 3. Red Fabric Placement Stitch ..... 1300
- 4. Cut Line and Tackdown ..... 1300
- 5. Yellow Fabric Placement Stitch ..... 1300
- 6. Cut Line and Tackdown ..... 1300
- 7. Cover Stitch and Lace ..... 1300



## 12786-18 Beanie Propeller FSL

Size Inches:                      Size mm:                      Stitch Count:  
**0.79 X 2.92 in.**    **20.07 X 74.17 mm**    **4,874 St.**

- 1. Lace Detail ..... 5500



# MATERIALS



## Summary

- Sew Design 12786-03 **x2**
- Sew Design 12786-04 **x2**
- Sew Design 12786-11 **x2**
- 2 spools of 1355
- Final Height: 12"

## Stabilizer

- OESD Aquamesh WashAway
- OESD Fusible Woven CutAway
- **Note:** only the ears require double sided appliques

## Fabric/Notions

- 24"x24" brown felt for body
- 12"x6" tan felt for paws and muzzle
- 2"x2" black cotton fabric for nose tip
- Utility knife to cut tab entry
- Temporary Spray Adhesive
- Alligator clamps

## Isacord Thread Colors

0015 White  
0020 Black  
1141 Tan  
1300 Tangerine  
1355 Fox  
5500 Limedrop

# EMBROIDERY



## STEP 1

- Prep felt by applying Fusible Woven to the back. Apply a second layer to aid in the structure stability.



## STEP 2

- **Note:** Make sure to match bobbin color to top thread.
- Hoop two layers of Aquamesh and sew color #1, Placement Stitch.



## STEP 3

- Lightly spray temporary adhesive to the back of the prepped felt and place it face up covering the placement stitch completely.
- Sew color #2, Cut Line and Tackdown.



# EMBROIDERY




## STEP 4

- Trim felt along the Cut Line and sew color #3, Cover Stitch.




## STEP 5

- To create the ears, hoop two sheets of Aquamesh and sew color #1, Placement Stitch.



## STEP 6

- Remove the hoop from the machine. Lightly spray temporary adhesive to the back of the prepped felt and place it over the placement stitch covering it completely. Flip the hoop over and repeat this process on the back.



# EMBROIDERY




## STEP 7

- Replace the hoop and sew color #2, Cut Line and Tackdown.



## STEP 8

- Remove the hoop and trim the felt on the **front and back** along the Cut Line.



## STEP 9

- Replace the hoop and sew color #3, Cover Stitch.




# EMBROIDERY



## STEP 10

- After sewing, wash away the Aquamesh and let each piece dry. Before assembly, take a utility knife and cut through all the layers of the tab entry. Be careful not to cut the satin stitching.





# ASSEMBLY





## STEP 1

- To create the Legs, fold the piece around and button the 5 buttonettes on the paw to their corresponding eyelets on the Leg. Finishing with the 2 buttonettes on the side of the Leg. Repeat these steps with the other Leg.



## STEP 2

- To create the Arm, start by buttoning the center buttonette on the paw to the center eyelet on the Arm. Continue along the side of the paw buttoning each buttonette to its corresponding eyelet. Finish by buttoning the 2 buttonettes on the underside of the Arm. Repeat these steps for the other Arm.







# ASSEMBLY


## STEP 3

- For the body assembly start by taking the 3 panels that make up the bears left half and button the 12 buttonettes as shown.



## STEP 4

- Take the Leg piece, and with the flat side down pull the 6 buttonettes through the corresponding eyelets on the lower half of the body as shown.




# ASSEMBLY





## STEP 5

- Take the Arm piece and from the backside, pull the 4 buttonettes through the eyelets on the upper half of the body as shown. Repeat these steps for the other half of the body.



## STEP 6


- Take the 2 body halves and button the front buttonettes only. Leaving the back open.



# ASSEMBLY


## STEP 7

- To create the Muzzle, button as shown.



## STEP 8

- Take the center 2 Face sections and button as shown.




# ASSEMBLY




## STEP 9

- Attach the 4 buttonettes from the Muzzle to the Face as shown.



## STEP 10

- If you haven't already, make sure to cut the tab entry before moving on.
- Align the Face sections with the Muzzleleose centered, the ear tab sections next, and the blank sections on the ends. And button as shown. Do not button the back just yet.



# ASSEMBLY




## STEP 11

- Insert the ear tab through the front of the tab entry pulling the tab from the back of the head. Repeat for the other side.



## STEP 12

- To attach the head, start by inserting the 2 front/center tabs into the 2 front/center tab entry points on the body. Pulling the tabs via the back of the bear.



# ASSEMBLY



## STEP 13

- Continue to insert and pull each tab through the back of the bear until all the tabs are through their corresponding tab entry points.



## STEP 14

- Complete the bear by buttoning the remaining 10 buttonettes on the back of the body and head. Start at the base of the bear and work your way up to the top of the head.



# ASSEMBLY


## STEP 15

- To assemble the hat, button as shown.



## STEP 16

- Attach the propeller with a pin through the top.



# ASSEMBLY

## STEP 17

- TIP: To help stabilize the pin, take a scrap piece of felt, fold and push it up the pin from the inside of the hat.

