

#12798




1

DESIGN

**Freestanding
Valentine
Teddy Bear**


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12798-01 Left Face Section FSA

Size Inches: Size mm: Stitch Count:
 2.28 X 5.29 in. 57.91 X 134.37 mm 11973 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903
- 4. Eye 0020
- 5. Eye Highlight 0015




12798-02 Right Face Section FSA

Size Inches: Size mm: Stitch Count:
 2.28 X 5.29 in. 57.91 X 134.37 mm 11975 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903
- 4. Eye 0020
- 5. Eye Highlight 0015


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12798-03 Side Head Section FSA

Size Inches: Size mm: Stitch Count:
 2.27 X 5.29 in. 57.66 X 134.37 mm 7583 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903



12798-04 Back Head Section FSA


Size Inches: Size mm: Stitch Count:
 2.27 X 5.29 in. 57.66 X 134.37 mm 7127 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12798-05 Muzzle FSA


Size Inches: Size mm: Stitch Count:
3.72 X 1.99 in. **94.49 X 50.55 mm** **6414 St.**



- 1. Pink Felt Placement Stitch 2152
- 2. Cut Line & Tackdown..... 2152
- 3. Red Felt Placement Stitch..... 2152
- 4. Cut Line & Tackdown..... 2152
- 5. Muzzle Cover Stitch & Lace 2152
- 6. Nose Tip Cover Stitch..... 1903


12798-06 Ears FSA

Size Inches: Size mm: Stitch Count:
3.69 X 2.24 in. **93.73 X 56.90 mm** **8247 St.**



- 1. Double Red Felt Placement Stitch 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12798-07 Front Left Body Section FSA

Size Inches: Size mm: Stitch Count:
 2.60 X 6.13 in. 66.04 X 155.70 mm 19615 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Pink Felt Placement Stitch 1903
- 4. Cut Line & Tackdown..... 1903
- 5. Cover Sitch & Lace..... 1903
- 6. Heart Cover Stitch & Lace..... 2152




12798-08 Side Left Body Section FSA

Size Inches: Size mm: Stitch Count:
 2.60 X 6.13 in. 66.04 X 155.70 mm 20831 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12798-09 Front Right Body Section FSA

Size Inches: Size mm: Stitch Count:
 2.60 X 6.13 in. 66.04 X 155.70 mm 19610 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Pink Felt Placement Stitch 1903
- 4. Cut Line & Tackdown..... 1903
- 5. Cover Stitch & Lace..... 1903
- 6. Heart Cover Stitch & Lace..... 2152




12798-10 Side Right Body Section FSA

Size Inches: Size mm: Stitch Count:
 2.60 X 6.13 in. 66.04 X 155.70 mm 20848 St.

- 1. Heart Cover Stitch & Lace..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12798-11 Back Left Body Section FSA

Size Inches: Size mm: Stitch Count:
 2.60 X 6.13 in. 66.04 X 155.70 mm 8991 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903




12798-12 Back Right Body Section FSA

Size Inches: Size mm: Stitch Count:
 2.60 X 6.13 in. 66.04 X 155.70 mm 9018 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12798-13 Left Leg FSA

Size Inches: Size mm: Stitch Count:
 4.74 X 7.67 in. 120.40 X 194.82 mm 19037 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Pink Felt Placement Stitch 1903
- 4. Cut Line & Tackdown..... 1903
- 5. Cover Stitch & Lace..... 1903
- 6. White Heart 0015




12798-14 Right Leg FSA

Size Inches: Size mm: Stitch Count:
 4.74 X 7.67 in. 120.40 X 194.82 mm 19037 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Pink Felt Placement Stitch 1903
- 4. Cut Line & Tackdown..... 1903
- 5. Cover Stitch & Lace..... 1903
- 6. White Heart 0015


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12798-15 Left Arm FSA

Size Inches: Size mm: Stitch Count:
 2.44 X 5.54 in. 61.98 X 140.72 mm 8375 St.

- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903



12798-16 Right Arm FSA

Size Inches: Size mm: Stitch Count:
 2.44 X 5.54 in. 61.98 X 140.72 mm 8370 St.


- 1. Red Felt Placement Stitch..... 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12798-17 Paws FSA

Size Inches: Size mm: Stitch Count:
4.15 X 1.84 in. **105.41 X 46.74 mm** **7664 St.**


- 1. Pink Felt Placement Stitch 1903
- 2. Cut Line & Tackdown..... 1903
- 3. Cover Stitch & Lace..... 1903
- 4. White Hearts..... 0015



12798-18 Wings FSA

Size Inches: Size mm: Stitch Count:
4.53 X 7.65 in. **115.06 X 194.31 mm** **20405 St.**

- 1. White Felt Placement Stitch 0015
- 2. Cut Line & Tackdown..... 0015
- 3. Cover Stitch & Lace..... 0015



MATERIALS



Summary

- Sew Design 12798-03 **x2**
- Sew Design 12798-04 **x2**
- Sew 1 each of all other designs
- 2 spools of 1903
- Final Height: 9"

Stabilizer

- OESD Aquamesh WashAway
- OESD Fusible Woven CutAway
- **Note:** only the ears require double sided appliques

Fabric/Notions

- 24"x24" Red felt for Body and Nose Tip
- 12"x6" Pink felt for Paws, Nose and Heart
- 12"x10" White felt for Wings
- Utility knife to cut Tab entry

Isacord Thread Colors

0015 White
0020 Black
1903 Lipstick
2152 Heather Pink

EMBROIDERY




STEP 1

- Prep felt by applying Fusible Woven to the back. Apply a second layer to aid in the structure stability.



STEP 2

- **Note:** Make sure to match bobbin color to top thread.
- Hoop two layers of Aquamesh and sew color #1, Placement Stitch.



STEP 3

- Lightly spray temporary adhesive to the back of the prepped felt and place it face up covering the placement stitch completely.
- Sew color #2, Cut Line and Tackdown.




EMBROIDERY




STEP 4

- Trim felt along the Cut Line and sew color #3, Cover Stitch.




STEP 5

- To create the ears, hoop two sheets of Aquamesh and sew color #1, Placement Stitch.



STEP 6

- Remove the hoop from the machine. Lightly spray temporary adhesive to the back of the prepped felt and place it over the placement stitch covering it completely. Flip the hoop over and repeat this process on the back.



EMBROIDERY




STEP 7

- Replace the hoop and sew color #2, Cut Line and Tackdown.



STEP 8

- Remove the hoop and trim the felt on the **front and back** along the Cut Line.



STEP 9

- Replace the hoop and sew color #3, Cover Stitch.




EMBROIDERY



STEP 10

- After sewing, wash away the Aquamesh and let each piece dry. Before assembly, take a utility knife and cut through all the layers of the tab entry. Be careful not to cut the satin stitching.





ASSEMBLY





STEP 1

- To create the Legs, fold the piece around and button the 5 buttonettes on the paw to their corresponding eyelets on the Leg. Finishing with the 2 buttonettes on the side of the Leg. Repeat these steps with the other Leg.



STEP 2

- To create the Arm, start by buttoning the center buttonette on the paw to the center eyelet on the Arm. Continue along the side of the paw buttoning each buttonette to its corresponding eyelet. Finish by buttoning the 2 buttonettes on the underside of the Arm. Repeat these steps for the other Arm.





ASSEMBLY





STEP 3

- For the body assembly start by taking the 3 panels that make up the bear's left half and button the 12 buttonettes as shown.



STEP 4

- Take the Leg piece, and with the flat side down pull the 6 buttonettes through the corresponding eyelets on the lower half of the body as shown.




ASSEMBLY




STEP 5

- Take the Arm piece and from the backside, pull the 4 buttonettes through the eyelets on the upper half of the body as shown. Repeat these steps for the other half of the body.



STEP 6


- Take the 2 body halves and button the front buttonettes only, leaving the back open.



ASSEMBLY


STEP 7

- To create the Muzzle, button as shown.



STEP 8

- Take the center 2 Face sections and button as shown.





ASSEMBLY




STEP 9

- Attach the 4 buttonettes from the Muzzle to the Face as shown.



STEP 10

- If you haven't already, make sure to cut the tab entry before moving on.
- Align the Face sections with the muzzle centered, the ear tab sections next, and the blank sections on the ends. And button, as shown. Do not button the back just yet.





ASSEMBLY




STEP 11

- Insert the ear tab through the front of the tab entry pulling the tab from the back of the head. Repeat for the other side.



STEP 12

- To attach the head, start by inserting the 2 front/center tabs into the 2 front/center tab entry points on the body. Pulling the tabs via the back of the bear.



ASSEMBLY



STEP 13

- Continue to insert and pull each tab through the back of the bear until all the tabs are through their corresponding tab entry points.
- Button the back starting from the bottom working your way up. Stop at the Tab Entry for the wings. Insert the Wings Tab into the Tab Entry and pull. Afterwards continue to button the back of the bear finishing at the top of the bear's head.

