



DESIGNS

Freestanding Mosaic Eggs







FSL = Freestanding Lace FSA = Freestanding Applique

12805-01 Easter Egg 1 FSA

Size	e Inches:	Size mm:	Stitch Count:
2.48	X 6.52 in.	62.99 X 165.61 mm	16596 St.
1 .	Black Fabr	ic Placement Stitch	2721
2.	Cut Line ar	nd Tackdown	2721
		h Underlay	
4.	Cover Stito	h and Lace	2721
5 .	Light Green	n Shapes	5730
6.	Dark Green	n Shapes	5510
7.	Pale Blue S	Shapes	3650
8.	Dark Aqua	Shapes	4423
9.	Aqua Shap	es	4620
1 0.	Dark Purple	e Shapes	2721
11 .	Pink Shape	es	2640
1 2.	Medium Blo	ue Shapes	3710
1 3.	Dark Blue	Shapes	3622
		r Stitch and Blue Shape	





12805-02 Easter Egg 2 FSA

Size Inches: 2.48 X 6.52 ir	Size mm: a. 62.99 X 165.61 mm	
2. Cut Line 3. Cover S	abric Placement Stitch and Tackdowntitch Underlay	0811 0811
	titch and Lacelow Shapes	
6. Light Or	ange Shapes	0811
8. Dark Or	Orange Shapesange Shapes	1332
	apes Shapes	
11. Aqua Sh	napes	4620
	ua Shapesrple Inner Cover Stitch	









FSL = Freestanding Lace FSA = Freestanding Applique

12805-03 Easter Egg 3 FSA

Size	e Inches:	Size mm:	Stitch Count:
2.48	X 6.52 in.	62.99 X 165.61 mm	16380 St.
1 .	Black Fabr	ic Placement Stitch	5730
2.	Cut Line ar	nd Tackdown	5730
3.	Cover Stito	h Underlay	5730
4.	Cover Stito	h and Lace	5730
5.	Light Green	n Shapes	5730
6.	Dark Green	n Shapes	5510
7.	Medium Ye	llow Shapes	0221
		v Shapes	
9.	Gold Shap	es	0232
<u> </u>	White Shap	oes	0010
11 .	Dark Purple	e Shapes	2600
12 .	Medium Pu	ırple Shapes	2761
13 .	Inner Cove	r Stitch and Pink Shapes	s 2640

*Fabric Required




12805-04 Easter Egg 4 FSA

	e Inches: X 6.52 in.	Size mm: 62.99 X 165.61 mm	
2. 3. 4. 5. 6. 7. 8. 9.	Cut Line ar Cover Stite Cover Stite Light Yellov Medium Ye Pale Blue S Pink Shape Purple Sha Dark Purpl	ic Placement Stitch In Tackdown In Underlay In and Lace In Shapes Shapes In pes In Shapes In pes E Shapes In Shapes	
		olet Shapes r Stitch	







FSL = Freestanding Lace FSA = Freestanding Applique

12805-05 Easter Egg 5 FSA

Size	e Inches:	Size mm:	Stitch Count:
2.48	X 6.52 in.	62.99 X 165.61 mn	n 16644 St.
1.	Black Fabr	ic Placement Stitch	3630
2.	Cut Line ar	nd Tackdown	3630
3.	Cover Stito	h Underlay	3630
4.	Cover Stite	h and Lace	3630
5.	Light Blue	Shapes	3630
6.	Light Yellov	w Shapes	0520
7.	Gold Shap	es	0232
8.	Medium Ye	ellow Shapes	0221
		e Shapes	
1 0.	Violet Shap	oes	3130
		olet Shapes	
<u>12.</u>	White Shap	oes	0010
1 3.	Inner Cove	r Stitch and Orange Sl	napes 1332



12805-06 Small Easter Egg Base FSL

Size Inches:	Size mm:	Stitch Count:
0.84 X 7.52 in.	21.34 X 191.01 mm	17067 St.
1. Single Cold	or Lace	2721





FSL = Freestanding Lace FSA = Freestanding Applique

12805-07 Large Easter Egg Base FSL

 Size Inches:
 Size mm:
 Stitch Count:

 1.06 X 9.52 in.
 26.92 X 241.81 mm
 20117 St.



MATERIALS



Stabilizer

- OESD AquaMesh WashAway
- OESD Heavy Weight CutAway stabilizer or sticky back cut away stabilizer

Fabric/Notions

- Embroidery thread
- Fabric for applique
- Embroidery machine
- Optional alligator clamps, tweezers, hemostats, stiletto or a tiny crochet hook

Isacord Thread Colors

0010 Silky White	2600 Dusty Grape	3630 Sweet Boy
0221 Light Brass	2640 Frosted Plum	3650 Ice Cap
0232 Seaweed	2721 Very Berry	3710 Blue Bird
0520 Daffodil	2761 Dessert	4423 Marine Aqua
0670 Cream	2920 Purple	4620 Jade
0811 Candlelight	3130 Dawn of Violet	5510 Emerald
0904 Spanish Gold	3622 Imperial Blue	5730 Apple Green
1332 Harvest		



General Freestanding Applique Guidelines

Supplies:

Embroidery Thread:

- Use the same embroidery thread in the bobbin as the needle. **Needles:**
- Use an Organ 80/12 Titanium needle for extended needle life. **Stabilizer:**
- Use OESD AquaMesh stabilizer.

General Applique Instructions

- 1. Hoop two layers of OESD AquaMesh stabilizer.
- 2. Attach the hoop to the machine and select the design of your choice.
- 3. Stitch the Placement Stitch. Photo 1
- 4. Place a piece of applique fabric over the Placement Stitch so that it is completely covered.
- 5. Stitch the Cut Line & Tackdown stitch.
- 6. Carefully cut away the excess applique fabric. **Photo 2**
- 7. Stitch the remainder of the design and repeat for any remaining pieces. **Photo 3**
- 8. Remove the hoop from the machine and the design from the hoop.
- 9. Trim excess stabilizer from the design.
- 10. Rinse away remaining stabilizer and allow it to dry face down to prevernt curling.

Drying:

 Freestanding pieces look best when left to dry with right side down. This will minimize the tendency for a piece to curl. Be sure to flatten the piece out entirely and allow ample time to dry.


Handy Hints

For 3D Applique Projects:

- To prevent puckering and give the fabric more body and stiffness, adhere a piece of StabilStick Tearaway to the back of the fabric by removing the paper from the adhesive side before tacking down the fabric.
 Alternatively, press Fusible Woven to the back of the applique fabric.
- A pair of alligator clamps, tweezers, hemostats, stiletto
 or a tiny crochet hook can be extremely helpful when
 inserting the buttonettes into the eyelets. (See **Diagram 1**for explanation of "buttonette" and "eyelet".)
- Insert the tip of the tweezers, hemostats or crochet hook into the eyelet, grasp the buttonette and pull through the eyelet, or a stiletto could be used to push the buttonette through the eyelet.
 Diagram 1

agradar 🗸 agradar

Applique











General Freestanding Lace Guidelines

Supplies:

Embroidery Thread:

- Use the same embroidery thread in the bobbin as the needle. **Needles:**
- Use an Organ 80/12 Titanium needle for extended needle life. **Stabilizer:**
- Use OESD AquaMesh stabilizer.

Handy Hints:

For Stiffer Lace:

- DO NOT rinse away all of the stabilizer for a "stiffer" lace. Note that the thread may appear a shade darker if stabilizer is not removed completely.
- If you happen to wash too much out, easily re-stiffen by diluting some stabilizer scraps in water and dipping the item in the solution.

For Very Soft Lace:

 Cut away excess stabilizer. Remove remaining stabilizer by rinsing under warm running water until all traces of the stabilizer are gone. NOTE: If lace should become too limp to work with, dissolve stabilizer scraps in warm water and apply to the lace.

Drying Lace:

 The lace looks best when left to dry completely. Lay lace piece with right side down to dry. This will minimize the tendency for the lace to curl. Be sure to flatten the piece out entirely and allow ample time to dry.

General Instructions

- 1. Hoop two layers of OESD AquaMesh Stabilizer.
- Attach the hoop to the machine and select the design of your choice.
- 3. Stitch the design.
- 4. Remove the hoop from the machine and the design from the hoop. Trim excess stabilizer from the design.
- 5. Rinse away remaining stabilizer and allow it to dry.

Handy Hints:

For 3D Lace Projects:

- If item becomes too limp to work with, iron the lace pieces on the wrong side while applying spray starch. After ironing, spray again with starch and allow to dry completely. This will stiffen the lace pieces nicely and aid in construction.
- A pair of tweezers, hemostats, stiletto or a tiny crochet hook can be extremely helpful when inserting the buttonettes into the eyelets. (Please see **Diagram 1** for explanation of "buttonette" and "eyelet".)
- Insert the tip of the alligator clamps, tweezers, hemostats or crochet hook into the eyelet, grasp the buttonette and pull through the eyelet. Or a stiletto could be used to push the buttonette through the eyelet.





Diagram 1



STEP 1

• Stitch out 6 sections of egg.



STEP 2

• Assemble the egg by pulling the buttonettes from the outside inward, inserting the buttonettes of each egg section into the corresponding eyelets of the opposite side. Continue until the egg is finished.







STEP 3

• Your Freestanding Lace Egg is complete!



STEP 4

• Stitch out 1 stand, either the large or the small.



STEP 5

 Assemble stand by pulling the buttonettes from the outside inward, inserting the buttonettes into the corresponding eyelets of the opposite side.

