




27
DESIGNS

# Silver Bells Quilt





#### \*Fabric Required



### 12806-01 Applique Tile 1

Size Inches: Size mm: Stitch Count: 5.37 X 5.35 in. 136.40 X 135.89 mm 15575 St. □10. White Linework......0015 12. Silver Metallic Cover Stitch and Scallops ...... 7005

\*Fabric Required



### 12806-02 Applique Tile 2

Size	Inches:	Size mm:	Stitch Count:
5.38	X 5.38 in.	136.65 X 136.65 mm	15328 St.
2. 3. 4.	Silver Fabi Cut Line a Light Blue	Matching Bobbin Threadric Placement Stitchnd TackdownFabric Placement Stitch and Tackdown	0145 0145 0145
6.	White Fab	ric Placement Stitch	0145
7.	Cut Line a	nd Tackdown	0145
8.	Silver Meta	allic Scallops	7005
9.	Blue Detai	l	3762
<b>□</b> 10.	White Cov	er Stitch	0015
<b>□</b> 11.	White Line	work	0015
12.	Silver Meta	allic Linework	7005
<b>1</b> 3.	Light Gray	Cover Stitch	0145





#### \*Fabric Required



### 12806-03 Applique Tile 3

Size Inches: Size mm: Stitch Count: 5.38 X 5.39 in. 136.65 X 136.91 mm 15549 St. 1. Seam with Matching Bobbin Thread .............. 0020 4. Light Blue Fabric Placement Stitch ............... 0145 □10. White Cover Stitch......0015 

\*Fabric Required



### 12806-04 Applique Tile 4

Inches:	Size mm:	Stitch Count:
X 5.37 in.	136.65 X 136.40 mm	16123 St.
Seam with Silver Fabr Cut Line ar Light Blue Cut Line ar White Fabr Cut Line ar Silver Meta Blue Detai White Cov White Line Silver Meta	Matching Bobbin Thread ric Placement Stitch	
Light Gray	Cover Stitch	0145
	Seam with Silver Fabr Cut Line ar Light Blue Cut Line ar White Fabr Cut Line ar Silver Meta Blue Detail White Cove White Line Silver Meta	Inches: Size mm:  X 5.37 in. 136.65 X 136.40 mm  Seam with Matching Bobbin Thread Silver Fabric Placement Stitch Cut Line and Tackdown Light Blue Fabric Placement Stitch Cut Line and Tackdown White Fabric Placement Stitch Cut Line and Tackdown Silver Metallic Scallops Blue Detail White Cover Stitch White Linework Silver Metallic Linework Light Gray Cover Stitch






#### \*Fabric Required



### 12806-05 Applique Tile 5

Size Inches: Size mm: Stitch Count: 5.38 X 5.39 in. 136.65 X 136.91 mm 15604 St. 1. Seam with Matching Bobbin Thread .............. 0020 4. Light Blue Fabric Placement Stitch ................ 0145 7. Cut Line and Tackdown ...... 0145 □10. White Cover Stitch......0015 13. Light Gray Cover Stitch ...... 0145

\*Fabric Required



### 12806-06 Applique Tile 6

	Size	Inches:	Size mm:	Stitch Count:
	5.39	X 5.38 in.	136.91 X 136.65 mm	8642 St.
	<b>1</b> .	Seam with	Matching Bobbin Thread	0020
	2.	Silver Fabi	ric Placement Stitch	0145
ı	3.	Cut Line a	nd Tackdown	0145
ı	4.	White Fab	ric Placement Stitch	0145
ı	5.	Cut Line a	nd Tackdown	0145
ı	6.	Light Blue	Fabric Placement Stitch.	0145
	7.	Cut Line a	nd Tackdown	0145
ı	8.	Silver Meta	allic Scallops and Swirls	7005
	9.	White Line	work	0015
ı	<b>1</b> 0.	Silver Meta	allic Linework	7005
ı	<b>11</b> .	Light Gray	Cover Stitch	0145





#### \*Fabric Required



### 12806-07 Applique Tile 7

Size Inches: Size mm: Stitch Count: 5.39 X 5.38 in. 136.91 X 136.65 mm 13398 St. 1. Seam with Matching Bobbin Thread ............. 0020 2. Light Blue Fabric Placement Stitch ...... 0145 □10. White Linework.......0015 12. Light Gray Cover Stitch ...... 0145

\*Fabric Required



### 12806-08 Applique Tile 8

Size	Inches:	Size mm:	Stitch Count:
5.39	X 5.36 in.	136.91 X 136.14 mm	11802 St.
		Matching Bobbin Thread	
		ric Placement Stitch	
3.	Cut Line a	nd Tackdown	0145
4.	Light Blue	Fabric Placement Stitch .	0145
5.	Cut Line a	nd Tackdown	0145
6.	White Fab	ric Placement Stitch	0145
7.	Cut Line a	nd Tackdown	0145
8.	Silver Meta	allic Scallops and Swirls	7005
		l	
<u> </u>	White Cov	er Stitch	0015
□ <b>11</b> .	White Line	work	0015
<b>12</b> .	Silver Meta	allic Linework	7005
13.	Light Gray	Cover Stitch	0145





#### \*Fabric Required



### 12806-09 Applique Tile 9

Size Inches: Size mm: Stitch Count: 5.38 X 5.39 in. 136.65 X 136.91 mm 11040 St. 1. Seam with Matching Bobbin Thread ............. 0020 4. Light Blue Fabric Placement Stitch ............... 0145 

#### \*Fabric Required




### 12806-10 Applique Tile 10

Size Inches: Size mm: Stitch Count: 5.39 X 5.38 in. 136.91 X 136.65 mm 11097 St. 1. Seam with Matching Bobbin Thread ...... 0020 3. Cut Line and Tackdown ...... 0145 5. Cut Line and Tackdown ...... 0145 6. Light Blue Fabric Placement Stitch ................ 0145 7. Cut Line and Tackdown ...... 0145 12. Light Gray Cover Stitch ...... 0145





#### \*Fabric Required



### 12806-11 Applique Tile 11

Size Inches: Size mm: Stitch Count: 5.39 X 5.38 in. 136.91 X 136.65 mm 11097 St. 1. Seam with Matching Bobbin Thread ............. 0020 2. Silver Fabric Placement Stitch ...... 0145 6. Light Blue Fabric Placement Stitch ............... 0145 7. Cut Line and Tackdown ...... 0145 8. Silver Metallic Swirls and Scallops ...... 7005 □10. White Linework......0015 12. Light Gray Cover Stitch ...... 0145

#### \*Fabric Required



### 12806-12 Applique Tile 12

Size	Inches:	Size mm:	Stitch Count:
5.39	X 5.39 in.	136.91 X 136.91 mm	13070 St.
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	Seam with Light Blue Cut Line a White Fab Cut Line a Silver Fab Cut Line a Silver Meta Blue Detai White Line	Matching Bobbin Thread Fabric Placement Stitch .  nd Tackdown  ric Placement Stitch  nd Tackdown  ric Placement Stitch  nd Tackdown  nd Tackdown  allic Scallops  work  work	
		Cover Stitch	





#### \*Fabric Required



### 12806-13 Applique Tile 13

Size Inches: Size mm: Stitch Count: 5.39 X 5.38 in. 136.91 X 136.65 mm 12296 St. 2. Light Blue Fabric Placement Stitch ....................... 0145 7. Cut Line and Tackdown ...... 0145 □10. White Linework......0015 12. Light Gray Cover Stitch ...... 0145

#### \*Fabric Required



### 12806-14 Applique Tile 14

Size	Inches:	Size mm:	Stitch Count:
5.39	X 5.38 in.	136.91 X 136.65 mm	12295 St.
1. 2. 3. 4. 5. 6. 7. 8. 9.	Seam with Light Blue Cut Line a White Fab Cut Line a Silver Fab Cut Line a Silver Meta Blue Detai White Line Silver Meta	Matching Bobbin Thread Fabric Placement Stitch .  Ind Tackdown  Iric Placement Stitch  Ind Tackdown  Indic Scallops  Indic Linework	
12.	Light Gray	Cover Stitch	0145





#### \*Fabric Required



### 12806-15 Applique Tile 15

Size	Inches:	Size mm:	Stitch Count:
5.40	X 5.40 in.	137.16 X 137.16 mm	8591 St.
<b>1</b> .	Seam with	Matching Bobbin Threa	d 0020
<b>2</b> .	Silver Fabr	ic Placement Stitch	0015
☐ 3.	Cut Line ar	nd Tackdown	0015
<b>4</b> .	Light Blue I	Fabric Placement Stitch	0015
<u> </u>	Cut Line ar	nd Tackdown	0015
6.	Silver Meta	Ilic Swirls	7005
7.	Silver Meta	Ilic Linework	7005
<b>8.</b>	White Cove	er Stitch	0015

#### \*Fabric Required



### 12806-16 Applique Tile 16

		Size mm: 137.16 X 137.16 mr	
<b>1</b> .	Seam with	Matching Bobbin Thre	ad 0020
□ 2.	Silver Fabr	ric Placement Stitch	0015
<b>□</b> 3.	Cut Line a	nd Tackdown	0015
<b>4</b> .	Light Blue	Fabric Placement Stite	h 0015
□ 5.	Cut Line a	nd Tackdown	0015
6.	Silver Meta	allic Swirls	7005
7.	Silver Meta	allic Linework	7005
□ 8.	White Cov	er Stitch	0015
9.	Blue Detail		3762





#### \*Fabric Required



### 12806-17 Applique Tile 17

		11 1	
Size	Inches:	Size mm:	Stitch Count:
5.40	X 5.40 in.	137.16 X 137.16 mm	9470 St.
<b>1</b> .	Seam with	Matching Bobbin Thread	0020
<b>2</b> .	Silver Fabri	c Placement Stitch	0015
☐ 3.	Cut Line an	d Tackdown	0015
☐ 4.	Light Blue F	Fabric Placement Stitch .	0015
<u> </u>	Cut Line an	d Tackdown	0015
6.	Silver Meta	Ilic Swirls	7005
7.	Silver Meta	llic Linework	7005
8.	White Cove	er Stitch	0015
9.	Blue Detail		3762

#### \*Fabric Required



### 12806-18 Applique Tile 18

	Size mm: n. 137.16 X 137.16 mm	
1. Seam w	vith Matching Bobbin Thre	ad 0020
2. Silver F	abric Placement Stitch	0015
3. Cut Line	e and Tackdown	0015
4. Light BI	ue Fabric Placement Stitc	h 0015
5. Cut Line	e and Tackdown	0015
6. Silver M	letallic Swirls	7005
7. Silver M	letallic Linework	7005
☐ 8. White C	Cover Stitch	0015
9. Blue De	etail	3762






#### \*Fabric Required



### 12806-19 Bell Applique

	Inches: <b>X</b> 4.02 in.	Size mm: <b>78.99 X 102.11 mm</b>	
2.	Cut Line ar	Fabric Placement Stitch ad Tackdown Ilic Detail work Cover Stitch	0145
3.	Silver Meta		7005
4.	White Line		0015

#### \*Fabric Required




### 12806-20 Holly Applique 1

	! Inches: <b>X</b> 3.53 in.	Size mm: 58.93 X 89.66 mm	Stitch Count: 5022 St.
		ic Placement Stitch	
2.	Cut Line ar	nd Tackdown	0145
3.	Light Gray	Cover Stitch	0145
4.	Silver Meta	ıllic Detail	7005





#### \*Fabric Required



### 12806-21 Holly Applique 2

Size Inches:		Size mm:	Stitch Count:	
2.32	X 3.53 in.	58.93 X 89.66 mm	3640 St.	
□ 1.	White Fabri	c Placement Stitch	0015	
<b>2</b> .	Cut Line an	d Tackdown	0015	
☐ 3.	White Linev	vork	0015	
4.	Silver Meta	llic Linework	7005	
5.	Blue Cover	Stitch	3762	

#### \*Fabric Required



### 12806-22 Tree Applique 1

Size	Inches:	Size mm:	Stitch Count:
2.91	X 3.82 in.	73.91 X 97.03 mm	5616 St.
1.	Silver Fabri	c Placement Stitch	0145
2.	Cut Line an	d Tackdown	0145
3.	Light Gray	Cover Stitch	0145
4	Silver Meta	llic Detail	7005





#### \*Fabric Required



### 12806-23 Tree Applique 2

Size Inches:			
2.91	X 3.82 in.	73.91 X 97.03 mm	5054 St.
□ 1.	White Fabric	Placement Stitch	0015
<b>2</b> .	Cut Line and	d Tackdown	0015
<b>3</b> .	White Linew	ork	0015
4.	Silver Metal	lic Linework	7005
5.	Blue Cover	Stitch	3762

#### \*Fabric Required



### 12806-24 Ornament Applique 1

Size Inches:		Size mm:	Stitch Count:
2.77	X 3.53 in.	70.36 X 89.66 mm	5999 St.
1.	Silver Fabr	ic Placement Stitch	0145
2.	Cut Line ar	nd Tackdown	0145
3.	Light Gray	Cover Stitch	0145
4.	Silver Meta	ıllic Detail	7005





#### \*Fabric Required



### 12806-25 Ornament Applique 2

	Size mm: <b>70.36 X 89.66 mm</b>	
	c Placement Stitch	
3. White Linew	vork	0015
4. Silver Meta	llic Linework	7005
5. Blue Cover	Stitch	3762

#### \*Fabric Required



### 12806-26 Snowflake Applique 1

Size	Inches:	Size mm:	Stitch Count:
2.91	X 3.35 in.	73.91 X 85.09 mm	6011 St.
1.	Silver Fabri	c Placement Stitch	0145
2.	Cut Line an	d Tackdown	0145
3.	Light Gray (	Cover Stitch	0145
4	Silver Metal	lic Detail	7005





#### \*Fabric Required



### 12806-27 Snowflake Applique 2

Size Inches:		Size mm:	Stitch Count:	
2.90	X 3.35 in.	73.66 X 85.09 mm	5127 St.	
☐ 1.	White Fabr	ic Placement Stitch	0015	
<b>2</b> .	Cut Line an	d Tackdown	0015	
☐ 3.	White Line	vork	0015	
4.	Silver Meta	llic Linework	7005	
5.	Blue Cover	Stitch	3762	

# **QUILT MATERIALS**



### Stabilizer

- OESD Fusible Woven White
- Ultra Clean and Tear
- Ultra Clean and Tear Fusible (optional, use to eliminate spray basting)

# Supplies

- Light grey fabric 2 and ¾ yds
- White fabric -2 and ⅓ yds
- Blue Fabric -2 and ¾ yds
- Batting 44" x 54"
- Backing 1 and ½ yds
- Binding ¾ yd (to cut five 2 ½" strips)
- Perfect Embroidery Press Cloth
- · OESD Bobbin Thread White
- Bobbin wound with contrasting thread (i.e. black, dark blue, etc.)
- 505 Temporary Spray Adhesive (used for stabilizers and applique fabrics.)

### **Isacord Thread Colors**

0015 White 0145 Skylight 3762 Country Blue 7005 (SN1) Silver

## **SUMMARY**



### Silver Bells Quilt

Requires 4 Designs - 12806-01 Requires 4 Designs - 12806-02 Requires 4 Designs - 12806-03 Requires 4 Designs - 12806-04 Requires 4 Designs - 12806-05 Requires 4 Designs - 12806-06 Requires 4 Designs - 12806-07 Requires 4 Designs - 12806-08 Requires 4 Designs - 12806-09 Requires 4 Designs - 12806-10 Requires 4 Designs - 12806-11 Requires 20 Designs - 12806-12 Requires 4 Designs - 12806-13 Requires 4 Designs - 12806-14 Requires 2 Designs - 12806-15 Requires 2 Designs - 12806-16 Requires 2 Designs - 12806-17 Requires 2 Designs - 12806-18

#### **Final Dimensions:**

Approx. 39" x 48"

 The following instructions apply to all of the blocks (i.e. Applique Tiles) for the quilt.

Please follow individual design instructions for color sequences.

Note: It is only necessary to use black bobbin thread on Machine Step 1 of each tile. The color for Machine Step 2 of each design may be used for Machine Step 1 to save time and prevent shadow through of the black thread.



# **DIAGRAM**



12006 07	Tri tat	<b>Jetat</b>	12006 12	12006 14	TOTAL 1200	<b>JATA</b>	12206 07
12806-07	1280	0-12	12806-13	12806-14	1280	06-12	12806-07
12806-12	1280	6-02	1280	6-08	1280	6-03	12806-12
TO THE PARTY OF TH	12806-15	12806-06	12806-10	12806-11	12806-06	12806-17	
12806-14	12806-16	12806-11	1280	6-01	12806-10	12806-18	12806-13
12806-13	12806-17	12806-10			12806-11	12806-16	12806-14
TE STATE OF THE ST	12806-18	12806-06	12806-11	12806-10	12806-06	12806-15	
12806-12	1280	6-04	21350	6-09	1280	6-05	12806-12
12806-07	1280	6-12	12806-14	12806-13	1280	06-12	12806-07



### STEP 1

 Prep all applique fabrics by fusing the Fusible Woven to the back of the fabric with a medium hot iron to eliminate show-through of fabric underneath.



### STEP 2

- Adhere the two pieces of Ultra Clean and Tear together with 505 Temporary Spray Adhesive.
- Hoop the prepared stabilizer.
- Stitch Machine Step 1, Seam Stitch. Use a black bobbin to create the sewing and trimming guide.



### STEP 3

- Change bobbin from black to white.
- Stitch Light Blue Fabric Placement Stitch.





### STEP 4

• Lightly spray and place Light Blue Fabric and sew Cut Line and Tackdown.



### STEP 5

 Trim the Applique close to the stitching. It is optional whether the outer perimeter is trimmed at this time.



### STEP 6

• Stitch White Fabric Placement Stitch.





### STEP 7

• Lightly spray and place White Fabric and sew Cut Line and Tackdown.



### STEP 8

 Trim the Applique close to the stitching. It is optional whether the outer perimeter is trimmed at this time.



### STEP 9


• Stitch Silver Fabric Placement Stitch.





### STEP 10

• Lightly spray and place Silver Fabric and sew Cut Line and Tackdown.



### STEP 11

• Trim the Applique close to the stitching.



### STEP 12

• Stitch remaining detail and cover stitches.



# **INSTRUCTIONS**



### **STEPS**


- After embroidery is complete, trim around edges of block, ¼" away from trim line (the black bobbin stitching), and carefully remove excess stabilizer.
- Assemble the quilt as shown in the diagram. Use a ¼" seam. Press all seams open.
- Layer the backing, batting and quilt top together. Baste all layers with temporary spray adhesive.
- Stitch in the ditch to quilt the layers together. Center the quilt top over the batting and backing. Use a coordinating thread to blend with the quilt top. Use an edgestitch foot to improve accuracy.
- Trim away excess batting and backing to the edge of the quilt top.
- Zig-Zag over the edge of the quilt to seal edges together.
- Stitch on binding as desired.

# **POSSIBILITIES**































































































12806-16 Silver Fabric

