



10
DESIGNS

Fruit Tablecloth & Napkin Corners





*Fabric Required



12810-01 Grapes Tablecloth Corner FSL

Size Inches:	Size mm:	Stitch Count:
5.59 X 8.27 in.	141.99 X 210.06 mm	60027 St.
1. Fabric Corr	ner Placement Stitch	2510
2. Cut Line ar	nd Tackdown	2510
3. Fabric Deta	ail	2510
4. White Lace		0015
5. Purple Gra	pe Lace	2510
── 6 White Gran	•	0015

*Fabric Required



12810-02 Grapes Napkin Corner FSL

S	ize Inches:	Size mm:	Stitch Count:
4.5	64 X 5.45 in.	115.32 X 138.43 mm	24528 St.
	1. Fabric Cor	ner Placement Stitch	2510
	2. Cut Line a	nd Tackdown	2510
	3. Fabric Det	ail	2510
	4 White Lace	j	0015





*Fabric Required



12810-03 Apple Tablecloth Corner FSL

S	ize Inches:	Size mm:	Stitch Count:
5.4	5 X 8.34 in.	138.43 X 211.84 mm	53352 St.
	1. Fabric Cor	ner Placement Stitch	1730
	2. Cut Line ar	nd Tackdown	1730
	3. Fabric Deta	ail	1730
	4. White Lace)	0015
	5. Apple Red	Lace	1730
	6 White Appl	e Outlines	0015

*Fabric Required



12810-04 Apple Napkin Corner FSL

S	ize Inches:	Size mm:	Stitch Count:
3.8	35 X 5.33 in.	97.79 X 135.38 mm	19812 St.
	1. Fabric Cori	ner Placement Stitch	1730
	2. Cut Line ar	nd Tackdown	1730
	3. Fabric Deta	ail	1730
	4 White Lace)	0015





*Fabric Required



12810-05 Blackberry Tablecloth Corner FSL

Size Inches:	Size mm:	Stitch Count:
5.35 X 8.16 in.	135.89 X 207.26 mm	53709 St.
1. Fabric Cor	ner Placement Stitch	2830
2. Cut Line ar	nd Tackdown	2830
3. Fabric Deta	ail	2830
4. White Lace)	0015
5. Dark Purple	e Berries	2830
6. White Berr	y Outlines	0015

*Fabric Required



12810-06 Blackberry Napkin Corner FSL

S	ize Inches:	Size mm:	Stitch Count:
4.4	9 X 5.25 in.	114.05 X 133.35 mm	25127 St.
	1. Fabric Cor	ner Placement Stitch	2830
	2. Cut Line a	nd Tackdown	2830
	3. Fabric Deta	ail	2830
	4. White Lace		0015





*Fabric Required



12810-07 Pineapple Tablecloth Corner FSL

Size Inches:	Size mm:	Stitch Count:
5.49 X 8.66 in.	139.45 X 219.96 mm	57232 St.
1 Fabric Cor	ner Placement Stitch	0630
2. Cut Line ar	nd Tackdown	0630
 3. Fabric Detail 	ail	0630
4. White Lace)	0015
5. Yellow Pine	eapple Lace	0630
6. White Pine	apple Outlines	0015

*Fabric Required



12810-08 Pineapple Napkin Corner FSL

S	ize Inches:	Size mm:	Stitch Count:
4.3	9 X 5.31 in.	111.51 X 134.87 mm	22248 St.
	1. Fabric Cor	ner Placement Stitch	0630
	2. Cut Line a	nd Tackdown	0630
	3. Fabric Deta	ail	0630
	4. White Lace	9	0015





*Fabric Required



12810-09 Strawberry Tablecloth Corner FSL

Size Inches:	Size mm:	Stitch Count:
5.66 X 8.41 in.	143.76 X 213.61 mm	52002 St.
1. Fabric Cor	ner Placement Stitch	1753
2. Cut Line ar	nd Tackdown	1753
3. Fabric Deta	ail	1753
4. White Lace	;	0015
5. Red Straw	berry Lace	1753
	wberry Outlines	

*Fabric Required



12810-10 Strawberry Napkin Corner FSL

ize Inches: 6 X 5.33 in.	Size mm: 105.66 X 135.38 mm	
	ner Placement Stitch	
	ail	
)	

MATERIALS



Isacord Thread Colors

0015 White

0630 Buttercup

1730 Persimmon

1753 Strawberries N' Cream

2510 Roseate

2830 Wild Iris



General Freestanding Lace Guidelines

Supplies:

Embroidery Thread:

- Use the same embroidery thread in the bobbin as the needle. **Needles:**
- Use an Organ 80/12 Titanium needle for extended needle life. **Stabilizer:**
- Use OESD AquaMesh stabilizer.

Handy Hints:

For Stiffer Lace:

- DO NOT rinse away all of the stabilizer for a "stiffer" lace.
 Note that the thread may appear a shade darker if stabilizer is not removed completely.
- If you happen to wash too much out, easily re-stiffen by diluting some stabilizer scraps in water and dipping the item in the solution.

For Very Soft Lace:

 Cut away excess stabilizer. Remove remaining stabilizer by rinsing under warm running water until all traces of the stabilizer are gone. NOTE: If lace should become too limp to work with, dissolve stabilizer scraps in warm water and apply to the lace.

Drying Lace:

• The lace looks best when left to dry completely. Lay lace piece with right side down to dry. This will minimize the tendency for the lace to curl. Be sure to flatten the piece out entirely and allow ample time to dry.

General Instructions


- 1. Hoop two layers of OESD AquaMesh Stabilizer.
- 2. Attach the hoop to the machine and select the design of your choice.
- 3. Stitch the design.
- 4. Remove the hoop from the machine and the design from the hoop. Trim excess stabilizer from the design.
- 5. Rinse away remaining stabilizer and allow it to dry.



1.

- Hoop 2 layers of AquaMesh stabilizer.
- Load machine with White thread.





2.

 Stitch Machine Step 1, Fabric Corner Placement Stitch.




• **Note:** Black thread used for visual guide, but refer to design thread list for actual colors used.



3.

 Place the napkin so that the edges of one corner aligns with the placement line, tape in place.
 (alternatively you can use AquaMesh plus in this step, in which case you will hoop 1 sheet of Aquamesh Plus with the paper side up. Score and remove the paper from the hoop, stitch machine step 1 and your napkin will stick in place.)





4.


• Stitch Machine Step 2, Cut Line and Tackdown.





5.

 Trim the corner of the napkin as closely as possible to the cut line. Be sure to trim on the side that will cut away the corner of the napkin and leave the body of the napkin intact.



6.

• Stitch Machine Step 3, Fabric Detail.









7.

 Match bobbin color for Machine Step 4, White Lace Detail.



STEP 4

· Load machine with Yellow thread.





8.

 Match bobbin color for Machine Step 5, Yellow Pineapple Lace.



STEP 5

Load machine with White thread.





9.

 Using Same color as Yellow Pineapple Lace, stitch Machine Step 6, White Pineapple Outlines.



STEP 6





10.

- Remove from hoop and trim the excess AquaMesh to ¼" from the outside of the design.
- Rinse away the remaining AquaMesh. Allow to dry, press and use.

