

5

Designs

Collection No: 12835 51 Designs Project instructions included

HOLLY JOLLY ORNAMENTS & ACCENTS

Fits hoop sizes 5" x 7" and larger

4

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2020 OESD, LLC. All rights reserved.

THREAD LIST



Isacord Thread Colors

0010	Silky White
0015	White
0020	Black
1161	Straw
1900	Geranium

- 2011 Fire Engine2051 Teaberry2101 Country Red3963 Hint of Blue4071 Glacier Green
- 4250 Snomoon 5643 Green Dust 5833 Limabean

DESIGNS

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-01 Santa Ornament FSA

	Size mm: 139.0 X 103.1 mm	
 2. Cut Line an 3. Tan Fabric 4. Cut Line an 5. Hat Shading 6. Loop and E 7. Skin Shading 8. White Detail 	Placement Stitch d Tackdown Placement Stitch d Tackdown g. yes yes I and Lace Stitch	2101 0010 0010 2101 0020 2051 0010
10. Nose Detail		2101




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-02 Mrs Claus Ornament FSA

Size Inches:	Size mm:	Stitch Count:
3.54 X 3.73 in.	89.9 X 94.7 mm	19511 St.
1. Red Fabric F	Placement Stitch	2101
2. Cut Line and	d Tackdown	2101
3. Tan Fabric F	Placement Stitch	2051
4. Cut Line and	d Tackdown	2051
5. Face/Cover	Stitches and Detail	2051
6. Nose Detail.		2101
7. Face Detail	and Loop	0020
8. White Detail	and Lace	0010
9. Hat Shading	and Berries	2101
10. Hat Cover S	titch and Berries	1900
11. Blue Detail		3963
12. Leaves		5833
13. Leaf Detail		5643





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

*Fabric Required

12835-04 Tree Words Ornament FSA

Size Inches:	Size mm:	Stitch Count:
5.58 X 4.42 in.	141.7 X 112.3 mm	29702 St.
1. Dark Green	Fabric Placement Stitch	า 5833
2. Cut Line and	d Tackdown	5833
3. Green Lace	and Cover Stitch	5833
4. White Word	S	
5. Inside Gree	n Detail	5833
6. Berries		1900

12835-05 Tree Ornament FSA

Size Inches:	Size mm:	Stitch Count:
5.58 X 4.42 in.	141.7 X 112.3 mm	20496 St.
1. Dark Green	Fabric Placement Stitcl	n 5833
2. Cut Line an	d Tackdown	5833
3. Green Lace	and Cover Stitch	5833




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12835-06 Fancy Ornament FSA

Size Inches: 4.51 X 3.87 in.	Size mm: 114.6 X 98.3 mm	
 2. Cut Line and 3. Green Lace 4. White Detai 5. Blue Detail. 	Fabric Placement Stitch d Tackdown and Cover Stitch I	5833 5833 0010 3963

12835-07 Car Snow Globe Ornament FSA







Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-08 Snow Globe Ornament FSA

Size Inches:	Size mm:	Stitch Count:
5.27 X 4.12 in.	133.9 X 104.6 mm	13855 St.
	c Placement Stitch	
	d Tackdown	
	ng	
4. Cover Stitcl	n and Detail	4250
5. Dark Green	Lace	5643
6. White Detail	l	0015

12835-09 Snowflake Ornament 1 FSL

Size Inches:	Size mm:	Stitch Count:
4.25 X 3.73 in.	108.0 X 94.7 mm	23475 St.
1. Single Colo	r Design	0010






Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-10 Snowflake Ornament 2 FSL

Size Inches:	Size mm:	Stitch Count:
3.71 X 3.29 in.	94.2 X 83.6 mm	16077 St.
1. Single Colo	r Design	




Size Inches:	Size mm:	Stitch Count:
3.28 X 2.90 in.	83.3 X 73.7 mm	13201 St.
1. Single Colo	r Design	0010





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-12 Poinsettia Petals 1 FSA

Size Inches:	Size mm:	Stitch Count:
2.78 X 2.60 in.	70.6 X 66.0 mm	4446 St.
1. Red Fabric	Placement Stitch	1900
2. Cut Line and	d Tackdown	1900
3. Cover Stitch	and Center Mark	1900

12835-13 Poinsettia Petals 2 FSL

Size Inches: 4.57 X 4.46 in.		Stitch Count: 28559 St.
2. Red Lace		1900
4. Dark Green	k ı Berries ı Berries	5643



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12835-14 Cardinal Ornament Body FSA



12835-15 Cardinal Ornament Wings FSL

Size Inches:	Size mm:	Stitch Count:
5.64 X 1.29 in.	143.3 X 32.8 mm	15539 St.
1. White Lace		0015
2. Black Lace		0020
3. Green Lace)	5833







12835-16 Cardinal Ornament Wings Brace FSL

Size Inches:	Size mm:	Stitch Count:
0.51 X 1.23 in.	13.0 X 31.2 mm	1625 St.
1. Single Color	r Design	5833



*Fabric Required	12835-17	Mini Box Ornament	t FSA
	Size Inches: 7.41 X 5.71 in.	Size mm: 188.2 X 145.0 mm	Stitch Count: 28578 St.
	 2. Cut Line ar 3. Dark Greer 4. Cut Line ar 5. Red Fabric 	n Fabric Placement Stitch nd Tackdown n Fabric Placement Stitch nd Tackdown Placement Stitch nd Tackdown	1161 1161 1161 1161
	 7. White Fabr 8. Cut Line ar 9. Eyelet 10. Lace and C 	ic Placement Stitch nd Tackdown Cover Stitch	1161
	12. Dark Greer13. White Deta14. Red Detail.	n Detail n Detail il itail	



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.




12835-18 Box Ornament FSA

1. Light Green Fabric Placement Stitch.11612. Cut Line and Tackdown11613. Dark Green Fabric Placement Stitch.11614. Cut Line and Tackdown11615. Red Fabric Placement Stitch.11616. Cut Line and Tackdown11617. White Fabric Placement Stitch11618. Cut Line and Tackdown11619. Lace and Cover Stitch116110. Light Green Detail583311. Dark Green Detail and Eyelet564312. White Detail001013. Red Detail1900	Size Inches:	Size mm:	Stitch Count:
	9.16 X 7.07 in.	232.7 X 179.6 mm	36166 St.
14. Maroon Detail	 Light Green Cut Line an Dark Green Cut Line an Red Fabric Cut Line an Cut Line an Cut Line an White Fabric Cut Line an Lace and C Lace and C Light Green Dark Green Red Detail. 	n Fabric Placement Stite d Tackdown Fabric Placement Stite d Tackdown Placement Stitch d Tackdown c Placement Stitch d Tackdown d Tackdown over Stitch Detail Detail and Eyelet	ch1161 1161 ch1161 1161 1161 1161 1161 1161 1161


12835-19 Mini Blank Box Ornament

Size Inches: 7.45 X 5.71 in.			Stitch Count: 17566 St.
 Dark Green Cut Line and Red Fabric Cut Line and Cut Line and White Fabric Cut Line and Cut Line and Light Green Cut Line and Lace and Communication Dark Green 	d Tackdown Placement Stite d Tackdown c Placement St d Tackdown Fabric Placem d Tackdown over Stitch	ch itch ent Stitch.	1161 1161 1161 1161 1161 1161 1161 1161





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-20 Blank Box Ornament


Size Inches:	Size mm:	Stitch Count:
9.17 X 7.03 in. 2	232.9 X 178.6 mm	n 22186 St.
 Dark Green F Cut Line and Red Fabric F Cut Line and Cut Line and White Fabric Cut Line and Cut Line and Light Green F Cut Line and Co Dark Green F 	Placement Stitch Tackdown Placement Stitch Tackdown Fabric Placement Sti Tackdown ver Stitch	



Size Inches: 7.40 X 5.69 in.	Size mm: 188.0 X 144.5 mm	
2. Light Greer	Lace	5833
4. White Lace	1 Lace	0010




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-22 Lace Box Ornament FSL

Size Inches: 9.08 X 6.97 in.	Size mm: 230.6 X 177.0 mm	
2. Light Green3. Dark Green4. White Lace	Lace	

*Fabric Required




12835-23 Light Box J Front FSA

	Size mm: 77.2 X 87.9 mm	
	Fabric Placement Stitc d Tackdown	
3. Green Back	ground	5643
4. Red Lace	-	1900
5. Tan Lace ar	nd Cover Stitch	1161



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


*Fabric Required



12835-24 Light Box O Front FSA

Size Inches: 3.04 X 3.46 in.	Size mm: 77.2 X 87.9 mm	
	Placement Stitch	
3. Light Gray D	etail	4071
4. Green Lace.		5643
5. Tan Lace and	d Cover Stitch	1161

*Fabric Required




12835-25 Light Box Y Front FSA

	Size mm: 77.2 X 87.9 mm	
	Placement Stitch d Tackdown	
3. Red Detail		1900
4. Light Green	Lace	5833
5. Tan Lace ar	nd Cover Stitch	1161



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12835-26 Light Box Tree Side FSA

Size Inches: 3.06 X 3.47 in.	Size mm: 77.7 X 88.1 mm	Stitch Count: 12315 St.
2. Cut Line and 3. Gray Detail .	Placement Stitch Tackdown	1161 4071
5. Tan Lace and	d Cover Stitch	1161

*Fabric Required



12835-27 Light Box Snowflake Side FSA

	Size mm: 77.2 X 87.9 mm	
2. Cut Line and 3. Dark Green	c Placement Stitch d Tackdown Detail	1161
	d Cover Stitch	



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


*Fabric Required



12835-28 Light Box Bell Side FSA

Size Inches:	Size mm:	Stitch Count:
3.04 X 3.46 in.	77.2 X 87.9 mm	12403 St.
1. Red Fabric F	Placement Stitch	
Cut Line and	l Tackdown	
3. Red Detail		
4. Green Lace.		
5. Tan Lace an	d Cover Stitch	1161

*Fabric Required



12835-29 Light Box Star Side FSA

	Size mm: 77.2 X 77.4 mm	
2. Cut Line and	Fabric Placement Stite	1161
	Detail	
	nd Cover Stitch	



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


*Fabric Required

12835-30 Light Box Bow Top FSA

	Size mm: 77.2 X 77.2 mm	
2. Cut Line and	c Placement Stitch d Tackdown	1161
	Detail	
5. Ian Lace an	d Cover Stitch	1161


12835-31 Light Box Base FSA

Size Inches:	Size mm:	Stitch Count:
3.47 X 3.48 in.	88.1 X 88.4 mm	8803 St.
2. Cut Line and	Fabric Placement Stitc d Tackdown d Cover Stitch	1161





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



*Fabric Required

12835-32 Light Box Top For Bow FSA

Size Inches: 3.04 X 3.04 in.	Size mm: 77.2 X 77.2 mm	Stitch Count: 9843 St.
2. Cut Line and 3. Green Detail	c Placement Stitch I Tackdown d Cover Stitch	


12835-33 Light Box Bow FSL

Size Inches:	Size mm:	Stitch Count:
9.56 X 2.40 in.	242.8 X 61.0 mm	39103 St.
1. Single Colo	r Design	2011





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.




12835-34 Small Flared Tree Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
6.25 X 5.29 in.	158.8 X 134.4 mm	25050 St.
1. Front and Ba	ck Light Green Fabric Place	ment Stitch . 5833
2. Cut Line an	d Tackdown	5833
3. Green Lace	and Cover Stitch	5833

12835-35 Small Flared Tree Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
6.00 X 5.28 in.	152.4 X 134.1 mm	25480 St.
1. Front and Ba	ck Light Green Fabric Placer	ment Stitch . 5833
2. Cut Line an	d Tackdown	5833
3. Green Lace	e and Cover Stitch	5833






Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-36 Medium Flared Tree Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
7.19 X 6.09 in.	182.6 X 154.7 mm	30351 St.
	ck Light Green Fabric Placer	
2. Cut Line an	d Tackdown	5833
3. Green Lace	and Cover Stitch	5833




Size Inches:	Size mm:	Stitch Count:
7.00 X 6.18 in.	177.8 X 157.0 mm	31355 St.
1. Front and Ba	ck Light Green Fabric Place	ment Stitch . 5833
2. Cut Line ar	nd Tackdown	5833
3. Green Lace	e and Cover Stitch	5833



*Fabric Required



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-38 Large Flared Tree Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
8.33 X 7.03 in.	211.6 X 178.6 mm	36019 St.
1. Front and Ba	ck Light Green Fabric Placer	nent Stitch . 5833
2. Cut Line an	d Tackdown	5833
3. Green Lace	and Cover Stitch	5833




12835-39 Large Flared Tree Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
8.07 X 7.10 in.	205.0 X 180.3 mm	37179 St.
1. Front and Ba	ck Light Green Fabric Placer	nent Stitch . 5833
2. Cut Line an	nd Tackdown	5833
3. Green Lace	e and Cover Stitch	5833



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-40 Small Woodland Tree Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
7.60 X 4.51 in.	193.0 X 114.6 mm	32709 St.
1. Front and B	ack Red Fabric Placeme	ent Stitch 2011
2. Cut Line an	d Tackdown	2011
3. Lace and C	over Stitch	2011


12835-41 Small Woodland Tree Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
7.32 X 4.51 in.	185.9 X 114.6 mm	33568 St.
1. Front and B	ack Red Fabric Placeme	ent Stitch 2011
2. Cut Line an	d Tackdown	2011
3. Lace and C	over Stitch	2011





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-42 Medium Woodland Tree Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
9.61 X 5.70 in.	244.1 X 144.8 mm	43682 St.
	ack Red Fabric Placeme d Tackdown	
3. Lace and C	over Stitch	2011


12835-43 Medium Woodland Tree Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
9.25 X 5.70 in. 2	35.0 X 144.8 mm	44595 St.
1. Front and Bac	ck Red Fabric Placeme	ent Stitch 2011
2. Cut Line and	Tackdown	2011
3. Lace and Cov	/er Stitch	





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12835-44 Large Woodland Tree Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
11.06 X 6.56 in.	280.9 X 166.6 mm	52125 St.
1. Front and B	ack Red Fabric Placeme	nt Stitch 2011
2. Cut Line an	d Tackdown	2011
3. Lace and C	over Stitch	2011


12835-45 Large Woodland Tree Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
10.61 X 6.54 in.	269.5 X 166.1 mm	52530 St.
1. Front and Ba	ack Red Fabric Placeme	ent Stitch 2011
2. Cut Line and	d Tackdown	
3. Lace and Co	over Stitch	










12835-46 Small Modern Tree Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
7.68 X 3.85 in.	195.1 X 97.8 mm	23743 St.
1. Front and Bac	k Dark Green Fabric Place	ment Stitch . 5643
2. Cut Line and	d Tackdown	5643
3. Lace and C	over Stitch	5643


12835-47 Small Modern Tree Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
7.04 X 3.80 in.	178.8 X 96.5 mm	22736 St.
1. Front and Bad	ck Dark Green Fabric Place	ment Stitch . 5643
2. Cut Line an	d Tackdown	5643
3. Lace and C	over Stitch	5643










12835-48 Medium Modern Tree Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
9.42 X 4.72 in.	239.3 X 119.9 mm	30464 St.
1. Front and Ba	ck Dark Green Fabric Placer	nent Stitch . 5643
2. Cut Line an	d Tackdown	5643
3. Lace and C	over Stitch	5643


12835-49 Medium Modern Tree Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
8.60 X 4.65 in.	218.4 X 118.1 mm	29433 St.
1. Front and Bac	k Dark Green Fabric Place	ment Stitch . 5643
2. Cut Line and	d Tackdown	5643
3. Lace and Co	over Stitch	5643










12835-50 Large Modern Tree Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
11.02 X 5.52 in.	279.9 X 140.2 mm	43476 St.
1. Front and Bad	ck Dark Green Fabric Placer	nent Stitch . 5643
2. Cut Line an	d Tackdown	5643
3. Lace and C	over Stitch	5643

12835-51 Large Modern Tree Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
10.01 X 5.41 in. 2	54.3 X 137.4 mm	35613 St.
1. Front and Back Dark Green Fabric Placement Stitch . 5643		
2. Cut Line and Tackdown 5643		
3. Lace and Cov	er Stitch	5643



COLLECTION SUPPLIES



Stabilizer

- AquaMesh WashAway
- BadgeMaster
- StabilStick CutAway (for backing applique fabric)

Supplies

- Alligator Clamps (recommended)
- Temporary Spray Adhesive
- Expert Embroidery Tape TearAway (optional)
- Fabric for applique (red, dark green, light green, white, tan)

ORNAMENT INSTRUCTIONS 12835-01 THROUGH 12835-08



STEP 1

- Prep fabric by applying 2 pieces of StabilStick CutAway to the wrong side of the fabric.
- Refer to templates for size.



STEP 2

Hoop 1 layer of AquaMesh WashAway and 1 layer of BadgeMaster.
Stitch Machine Step 1, the Placement Stitch.



- Lightly spray temporary adhesive on the wrong side of the fabric and place it directly over the placement stitch face up, covering it entirely.
- **Note:** Expert Embroidery Tape TearAway may be used as an alternative.



ORNAMENT INSTRUCTIONS 12835-01 THROUGH 12835-08



STEP 4

Stitch Machine Step 2, Cut Line and Tackdown.



STEP 5

•

Remove the hoop from the machine, but do not remove project from the hoop. Trim the fabric along the cut line.





Follow Steps 3 through 5 for the next applique if necessary.



ORNAMENT INSTRUCTIONS 12835-01 THROUGH 12835-08

- Stitch the remaining machine steps, matching the bobbin with the top thread.
- Remove the project from the hoop and trim away excess stabilizer to 1/8" 1/4" from design.
- Wash away the remaining stabilizer in warm running water.
- Lay flat face down to dry.



POINSETTIA INSTRUCTIONS TOP PETALS 12835-12



STEP 1

- **Note:** Match all bobbin thread to top thread.
- Cut applique fabric and StabilStick CutAway slightly larger than needed. Refer to the templates for size.
- Prep 2 pieces of the applique fabric with one layer of StabilStick CutAway on each piece.



- Hoop one sheet of AquaMesh WashAway and one sheet of BadgeMaster.
- Stitch Machine Step 1, Front and Back Red Fabric Placement Stitch.



- With right side up, place front applique piece directly over the placement stitch, covering it entirely.
- Tape in place with Expert Embroidery Tape TearAway.
- Remove the hoop from the machine, but not the project from the hoop.





POINSETTIA INSTRUCTIONS TOP PETALS 12835-12



STEP 4

• Flip the hoop over and repeat step 4 for the back-applique piece.



STEP 5

Stitch Machine Step 2, Cut Line and Tackdown.



STEP 6

- Remove the hoop from the machine, DO NOT remove the design from the hoop. Trim along the cut line of the front applique.
- Flip the hoop over and trim along the cut line of the back applique.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2020 OESD, LLC. All rights reserved.

POINSETTIA INSTRUCTIONS TOP PETALS 12835-12



STEP 7

• Return the hoop to the machine and stitch the remaining machine steps to complete the design.



- Remove the design from the hoop and cut away the extra stabilizer 1/4" from the design.
- Rinse the remaining stabilizer in warm running water and lay face down to dry.



POINSETTIA INSTRUCTIONS BOTTOM PETALS 12835-13



STEP 1

• Hoop one sheet of AquaMesh WashAway and one sheet of BadgeMaster.

STEP 2

Stitch the first 2 machine steps and stop after Red Lace. Make sure to match the bobbin to the top thread through out.



- Remove the hoop from the machine, DO NOT remove the design from the hoop.
- Use temporary spray adhesive and spray the bottom side of the design 12835-12. Place on top of design 12835-13 lining up the Center Mark stitch in the center of the designs. Put the hoop back on the machine.
- Stitch the remaining machine steps.



POINSETTIA INSTRUCTIONS BOTTOM PETALS 12835-13



- Remove the design from the hoop and cut away the extra stabilizer 1/4" from the design.
- Rinse the remaining stabilizer in warm water and lay face down to dry.




CARDINAL BODY APPLIQUE



STEP 1

- Note: Match bobbin thread to top thread throughout.
- Cut two pieces of fabric slightly larger than needed for applique. Refer to the templates for size.
- Prep 2 pieces of the applique fabric with one layer of StabilStick CutAway applied to the back of each piece.




STEP 2

- Hoop one piece of AquaMesh WashAway and one piece of BadgeMaster.
- Stitch Machine Step 1, Front and Back Red Fabric Placement Stitch.



STEP 3

- Use temporary spray adhesive to spray the wrong side of the applique piece.
- Place the fabric right side up, directly over the placement stitch, covering it entirely.
- **Tip:** Expert Embroidery Tape TearAway can be used in place of spray.



CARDINAL BODY APPLIQUE 12835-14



STEP 4

- Remove the hoop from the machine, do NOT remove the project from the hoop.
- Flip the hoop over and repeat step 3 for the backapplique piece.
- Place the hoop back on the machine.



STEP 5

Stitch Machine Step 2, Cut Line and Tackdown.





STEP 6

- Remove the hoop from the machine, DO NOT remove the design from the hoop.
- Trim next to the stitching of the front applique.
- Flip the hoop over and trim the excess fabric away from the backapplique.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2020 OESD, LLC. All rights reserved.

CARDINAL BODY APPLIQUE




STEP 7

• Return the hoop to the machine and stitch the remaining machine steps to complete the design.



STEP 8

- Remove the design from the hoop and cut away the extra stabilizer 1/4" from the design.
- Rinse away the remaining stabilizer in warm running water.
- Lay face down to dry.



CARDINAL WINGS AND BRACE 12835-14 & 12835-16



STEP 1

• Return the hoop to the machine and stitch the remaining machine steps to complete the design.

STEP 2

- Remove the design from the hoop and cut away the extra stabilizer 1/4" from the design.
- Rinse away the remaining stabilizer in warm running water.
- Lay face down to dry.



STEP 3

- Once stitching is complete, remove the hoop and trim stabilizer about a ¹/₄" from the lace.
- Rinse in warm running water. Rinse until just slightly sticky.
- Lay face down to dry.
- Note: These instructions also apply to 12835-09 through 12835-11, 12835-21, 12835-22, 12835-33.

CARDINAL ASSEMBLY 12835-14, 12835-15, & 12835-16




STEP 1

- FSA 12835-14 Cardinal Ornament Body
- FSL 12835-15 Cardinal Ornament Wings
- FSL 12835-16 Cardinal Ornament Wings Brace



STEP 2

Take the wing with the green straight edge facing up and slide it through the widest vertical slot on the cardinal body.







Stop when the middle seam of the wing is aligned with the body.





CARDINAL ASSEMBLY 12835-14, 12835-15, & 12385-16



STEP 3

- Slide in and center the wing brace in the smaller horizontal slot.
- Fold the wings back and attach the 2 buttonettes to the wing eyelets.





LIGHT BOX APPLIQUE 12835-23 THROUGH 12835-32




STEP 1

- Note: Match bobbin thread to top thread throughout.
- Cut one piece of applique fabric slightly larger than needed.
- Prep fabric by applying 2 pieces of StabilStick CutAway to the wrong side of the fabric.



STEP 2

- Hoop 1 layer of AquaMesh WashAway and 1 layer of BadgeMaster.
- Stitch Machine Step 1, the Placement Stitch.



STEP 3

Lightly spray temporary adhesive on the wrong side of fabric and place directly over the placement stitch face up, covering it entirely.



LIGHT BOX APPLIQUE 12835-23 THROUGH 12835-32



STEP 4

• Stitch Machine Step 2, Cut Line and Tackdown.



STEP 5

- Remove the hoop from the machine, but do NOT remove project from the hoop.
- Trim the fabric along the cut line on the inner and outer edges of the design.



STEP 6

- Stitch the remainder of the design.
- When complete, remove the design from the hoop and trim stabilizer to about 1/4" around the design.
- Wash away the remaining stabilizer in warm running water.
- Lay flat face down to dry.





- Designs 12835-23 through 12835-29 are the side pieces for the light box.
- Design 12835-30 is the top, 12835-31 is the Base.



STEP1

- Choose the side pieces and top for the lightbox.
- Using either a zigzag or serpentine stitch, sew the top of the side piece to the top piece. Do this for all 4 pieces.





•

Pull the buttonettes through the eyelets of the side pieces. Next pull the buttonette on the base through the corresponding eyelets in the sides.



LIGHT BOX BOW TOP 12835-32 & 12835-33



 Designs 12835-32 & 12835-33 are an alternative freestanding lace bow assembly for the top of the light box



STEP 1

- Choose the side pieces and top for the lightbox.
- Using either a zigzag or serpentine stitch, sew the top of the side piece to the top piece. Do this for all 4 pieces.



STEP 2

Attach the 2 buttonettes in the middle of the bow by pulling through the eyelets in the middle of the top piece.



- **Tip:** Shape the bow into a rounded shape before attaching.
- Continue attaching the remaining buttonettes as described above.

TREE APPLIQUE 12835-34 THROUGH 12835-51

Electronic designs are licensed to the original purchaser for use at one location. ©2020 OESD, LLC. All rights reserved.

STEP1

- **Note:** Match bobbin thread to top thread throughout.
- Cut 2 pieces of fabric slightly larger than needed for applique.
- Prep 2 pieces of applique fabric by adhering one layer of StabilStick CutAway to the wrong side of each piece.



Hoop one piece of AquaMesh WashAway and one piece of BadgeMaster.

Stitch Machine Step 1, Front and Back Red Fabric Placement Stitch.



STEP 2

- Remove the hoop from the machine, do NOT remove the project from the hoop.
- Using temporary spray adhesive, spray the wrong side of the applique piece and place directly over the placement stitch, covering it entirely.
- **Note:** Alternatively, Expert Embroidery Tape TearAway may be • used in place of spray.







TREE APPLIQUE 12835-34 THROUGH 12835-51



STEP 4

- Flip the hoop over and repeat Step 3 for the back-applique piece.
- Return the hoop to the machine.



STEP 5

Stitch Machine Step 2, Cut Line and Tackdown.



STEP 6

•

- Remove the hoop from the machine, DO NOT remove the design from the hoop. Trim close to the cut line of the front applique.
- Flip the hoop over and repeat for the back applique.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2020 OESD, LLC. All rights reserved.

TREE APPLIQUE 12835-34 THROUGH 12835-51



STEP 7

• Return the hoop to the machine and stitch the remaining machine steps to complete the design.



STEP 8

•

- Remove the design from the hoop and cut away the extra stabilizer 1/4" from the design.
- Rinse away the remaining stabilizer in warm running water, and lay face down to dry.




TREE ASSEMBLY 12835-34 THROUGH 12835-51



STEP 1


• Choose the Tree size and style.



STEP 2


•

The tree half with the open end on the upper half is the bottom. The tree half with the open end on the lower half is the top of the tree.



STEP 3

Slide the top of the tree into the open end of the lower part of the tree.



INSTRUCTIONS




Pre-Cut Applique Instructions

- 1. Print out the necessary pages from the PDF of the applique pattern(s).
- 2. Mark the right side of the pattern pieces so you'll know which direction to lay the pattern on the fabric.
- 3. Lightly spray the wrong side of the pattern pieces with temporary adhesive spray and allow it to set for a few minutes.
- 4. Place the pattern pieces on the right side of the fabric and carefully cut them out. PHOTO 1
- 5. Sew the placement stitch on your hooped fabric. PHOTO 2
- 6. With the paper still stuck to the right side of the applique fabric, spray the wrong side of the fabric with temporary spray adhesive.
- 7. Place the fabric inside the placement stitch, so that it completely covers the placement stitch and then remove the paper pattern. **PHOTO 3**
- 8. Sew the tackdown. PHOTO 4
- 9. Sew the remainder of the design and repeat for any remaining pieces. PHOTO 5

NOTE: The patterns are sized for the designs as they were made. If you resize the design, you will need to resize the pattern the same amount. You can print out the pattern at the normal size then copy it on a copy machine at the changed size. For example, resize the designs to 80%, resize the printed pattern to 80%.

TIP: When Printing the patterns, make sure that the "Fit to page" option is **UNCHECKED** in the Print Dialog Box. If this option is checked the printed patterns will not be actual size.



INSTRUCTIONS



General Freestanding Lace Guidelines

Supplies:

Embroidery Thread:

• Use the same embroidery thread in the bobbin as the needle. **Needles:**

- Use an Organ 80/12 Titanium needle for extended needle life. **Stabilizer:**
- Use OESD AquaMesh stabilizer.

Handy Hints:

For Stiffer Lace:

- DO NOT rinse away all of the stabilizer for a "stiffer" lace. Note that the thread may appear a shade darker if stabilizer is not removed completely.
- If you happen to wash too much out, easily re-stiffen by diluting some stabilizer scraps in water and dipping the item in the solution.

For Very Soft Lace:


• Cut away excess stabilizer. Remove remaining stabilizer by rinsing under warm running water until all traces of the stabilizer are gone. **NOTE**: If lace should become too limp to work with, dissolve stabilizer scraps in warm water and apply to the lace.

Drying Lace:


• The lace looks best when left to dry completely. Lay lace piece with right side down to dry. This will minimize the tendency for the lace to curl. Be sure to flatten the piece out entirely and allow ample time to dry.

General Instructions

- 1. Hoop two layers of OESD AquaMesh Stabilizer.
- 2. Attach the hoop to the machine and select the design of your choice.
- 3. Stitch the design.
- 4. Remove the hoop from the machine and the design from the hoop. Trim excess stabilizer from the design.
- 5. Rinse away remaining stabilizer and allow it to dry.










It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2020 OESD, LLC. All rights reserved.


























Cut


Out

12835-24

12835-24



















































































APPLIQUE PATTERNS











It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2020 OESD, LLC. All rights reserved.
















It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2020 OESD, LLC. All rights reserved.

































It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2020 OESD, LLC. All rights reserved.













































MIRRORED PATTERNS тм N. 12835-48 12835-49

