

WOODLAND FRIENDS GROWTH CHART



1

Design

Fits hoop sizes 6" x 10" and larger

THREAD LIST



Isacord Thread Colors

0015 White
0020 Black
0138 Heavy Storm
0176 Fog
0352 Marsh
1055 Bark
1061 Taupe
1233 Pony
1332 Harvest
3951 Azure Blue
6043 Yellowgreen

***Project instructions included after design list**

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12862-01 Tile 1 Applique

Size Inches: Size mm: Stitch Count:
6.00 X 6.00 in. **152.4 X 152.4 mm** **19033 St.**

■	1. Brown Fabric Placement	1061
■	2. Cut Line & Tackdown.....	1061
■	3. Orange Fabric Placement	1061
■	4. Cut Line & Tackdown.....	1061
■	5. Tan Fabric Placement.....	1061
■	6. Cut Line & Tackdown.....	1061
■	7. Tan Detail & Cover Stitch	1061
□	8. Eyes	0015
■	9. Eye Detail	0176
■	10. Pupils.....	0138
■	11. Orange Detail & Cover Stitch	1332
■	12. Owl Detail	1233
■	13. Owl Detail & Cover Stitch	1055
□	14. Owl Outline.....	0015
■	15. Tan Triangles	1061
■	16. Orange Triangles.....	1332
■	17. Blue Triangles.....	3951
■	18. Leaf Detail	0352
■	19. Leaves & Triangles.....	6043
■	20. Seam Stitch	0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12862-02 Tile 2 Applique

Size Inches: Size mm: Stitch Count:
6.00 X 3.00 in. **152.4 X 76.2 mm** **5797 St.**

- 1. Dark Green Fabric Placement..... 6043
- 2. Cut Line & Tackdown..... 6043
- 3. Large Leaf Detail, Cover Stitch & Triangle 6043
- 4. Leaf Detail & Triangles 0352
- 5. Small Leaf & Triangles 1332
- 6. Acorn Detail..... 1061
- 7. Acorn 1055
- 8. Blue Triangles..... 3951
- 9. Seam Stitch 0020

***Fabric Required**

12862-03 Tile 3 Applique

Size Inches: Size mm: Stitch Count:
9.00 X 3.00 in. **228.6 X 76.2 mm** **8896 St.**

- 1. Dark Green Fabric Placement..... 1055
- 2. Cut Line & Tackdown..... 1055
- 3. Green Fabric Placement 1055
- 4. Cut Line & Tackdown..... 1055
- 5. Leaf Detail & Tan Triangles 1061
- 6. Green Detail & Cover Stitch 6043
- 7. White Detail 0015
- 8. Light Green Detail & Cover Stitch 0352
- 9. Tan Detail 1061
- 10. Brown Detail..... 1055
- 11. Blue Leaf & Triangles 3951
- 12. Seam Stitch 0020





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**

12862-04 Tile 4 Applique

Size Inches: Size mm: Stitch Count:
6.00 X 3.00 in. **152.4 X 76.2 mm** **7524 St.**



	1. Orange Fabric Placement	3951
	2. Cut Line & Tackdown.....	3951
	3. Beak	3951
	4. Bird Detail & Cover Stitch.....	1332
	5. Eye	0138
	6. Bird Outline.....	0015
	7. Dark Green Fabric Placement.....	6043
	8. Cut Line & Tackdown.....	6043
	9. Green Leaf Detail, Cover Stitch & Triangles...	6043
	10. Light Green Triangles	0352
	11. Tan Leaf & Triangle	1061
	12. Seam Stitch	0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12862-05 Tile 5 Applique

Size Inches: Size mm: Stitch Count:
6.00 X 6.00 in. **152.4 X 152.4 mm** **14675 St.**

■ 1. Brown Fabric Placement	0176
■ 2. Cut Line & Tackdown.....	0176
■ 3. Light Grey Fabric Placement.....	0176
■ 4. Cut Line & Tackdown.....	0176
■ 5. Ears & Grey Fur	0176
■ 6. Squirrel Cover Stitch	1055
■ 7. Squirrel Outline.....	1332
■ 8. Face	0138
■ 9. Dark Green Fabric Placement.....	0352
■ 10. Cut Line & Tackdown.....	0352
■ 11. Leaf Detail	0352
■ 12. Leaf Detail/Cover Stitch & Triangle	6043
■ 13. Small Leaf & Acorn Detail.....	1061
■ 14. Acorn	1055
■ 15. Small Leaf & Triangles	1332
■ 16. Blue Triangles.....	3951
■ 17. Seam Stitch	0020






Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12862-06 Tile 6 Applique

Size Inches:	Size mm:	Stitch Count:
9.00 X 3.00 in.	228.6 X 76.2 mm	8791 St.

	1. Dark Green Fabric Placement.....	6043
	2. Cut Line & Tackdown.....	6043
	3. Big Leaf Cover Stitch.....	6043
	4. White Detail.....	0015
	5. Blue Leaf & Triangle.....	3951
	6. Orange Triangles.....	1332
	7. Leaf & Acorn Detail.....	0352
	8. Small Leaf & Triangles.....	6043
	9. Brown Triangle & Acorn.....	1055
	10. Tan Leaf Detail.....	1061
	11. Medium Leaf Detail.....	1233
	12. Seam Stitch.....	0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12862-07 Tile 7 Applique

Size Inches: **6.00 X 6.00 in.** Size mm: **152.4 X 152.4 mm** Stitch Count: **15717 St.**


■	1. Light Grey Fabric Placement.....	0176
■	2. Cut Line & Tackdown.....	0176
■	3. White Fabric Placement.....	0176
■	4. Cut Line & Tackdown.....	0176
■	5. Bunny Detail & Cover Stitch.....	0176
■	6. Face.....	0138
□	7. Ears & Face Detail.....	0015
■	8. Bunny Outline.....	1061
■	9. Orange Fabric Placement.....	1332
■	10. Cut Line & Tackdown.....	1332
■	11. Leaf Detail & Cover Stitch.....	1332
■	12. Tan Triangles.....	1061
■	13. Blue Triangles.....	3951
■	14. Green Fabric Placement.....	6043
■	15. Cut Line & Tackdown.....	6043
■	16. Dark Green Fabric Placement.....	6043
■	17. Cut Line & Tackdown.....	6043
■	18. Tree Detail & Cover Stitch.....	6043
■	19. Seam Stitch.....	0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**

12862-08 Tile 8 Applique

Size Inches: Size mm: Stitch Count:
6.00 X 3.00 in. **152.4 X 76.2 mm** **7403 St.**



■ 1. Light Grey Fabric Placement.....	3951
■ 2. Cut Line & Tackdown.....	3951
■ 3. Light Grey Fabric Placement.....	3951
■ 4. Cut Line & Tackdown.....	3951
■ 5. Blue Leaf, Triangles & Cover Stitch.....	3951
■ 6. Orange Fabric Placement	1332
■ 7. Cut Line & Tackdown.....	1332
■ 8. Light Green Fabric Placement.....	1332
■ 9. Cut Line & Tackdown.....	1332
■ 10. Orange Mushroom Detail & Cover Stitch	1332
■ 11. Leaf & Triangle	0352
■ 12. Green Detail & Cover Stitch	6043
□ 13. White Detail	0015
■ 14. Orange Arrow	1332
■ 15. Tan Leaf.....	1061
■ 16. Seam Stitch	0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12862-09 Tile 9 Applique

Size Inches: Size mm: Stitch Count:
9.00 X 3.00 in. **228.6 X 76.2 mm** **10222 St.**

- 1. Light Green Fabric Placement..... 1055
- 2. Cut Line & Tackdown..... 1055
- 3. Dark Green Fabric Placement..... 1055
- 4. Cut Line & Tackdown..... 1055
- 5. Tree Trunk 1055
- 6. Light Green Triangle & Leaf Detail 0352
- 7. Green Detail & Cover Stitch 6043
- 8. Tree Outline..... 0015
- 9. Orange Triangle & Leaf 1332
- 10. Leaf Detail 1061
- 11. Brown Detail 1233
- 12. Blue Triangles..... 3951
- 13. Seam Stitch 0020

***Fabric Required**



12862-10 Tile 10 Applique

Size Inches: Size mm: Stitch Count:
6.00 X 3.00 in. **152.4 X 76.2 mm** **7701 St.**

- 1. Green Fabric Placement Stitch 1055
- 2. Cut Line & Tackdown..... 1055
- 3. Dark Green Fabric Placement..... 1055
- 4. Cut Line & Tackdown..... 1055
- 5. Tree Trunks 1055
- 6. Small Tree Cover Stitch..... 6043
- 7. Large Tree Cover Stitch 6043
- 8. Tree Outline..... 0015
- 9. Light Grey Fabric Placement..... 3951
- 10. Cut Line & Tackdown..... 3951
- 11. Blue Leaf Cover Stitch..... 3951
- 12. Leaf Detail & Triangles 1061
- 13. Brown Detail 1233
- 14. Green Triangles..... 6043
- 15. Seam Stitch 0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12862-11 Tile 11 Applique

Size Inches: **6.00 X 6.00 in.** Size mm: **152.4 X 152.4 mm** Stitch Count: **14923 St.**

■	1. Orange Fabric Placement	0176
■	2. Cut Line & Tackdown.....	0176
■	3. White Fabric Placement	0176
■	4. Cut Line & Tackdown.....	0176
■	5. Face & Tail Detail	0176
■	6. Orange Detail	1332
■	7. Ears & Feet	1233
■	8. Fox Cover Stitch.....	1332
■	9. Face, Neck & Tail Cover Stitch.....	0176
■	10. Eyes & Nose.....	0138
■	11. Fox Outline	1233
■	12. Dark Green Fabric Placement.....	6043
■	13. Cut Line & Tackdown.....	6043
■	14. Leaf Cover Stitch.....	6043
■	15. Light Green Fabric Placement.....	6043
■	16. Cut Line & Tackdown.....	6043
■	17. Oak Leaf Cover Stitch	6043
□	18. White Leaf Detail	0015
■	19. Tan Leaf & Arrows	1061
■	20. Leaf Detail	1332
■	21. Blue Arrows	3951
■	22. Seam Stitch	0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**

12862-12 Tile 12 Applique

Size Inches: Size mm: Stitch Count:
9.00 X 3.00 in. **228.6 X 76.2 mm** **10267 St.**



- 1. Dark Green Fabric Placement..... 3951
- 2. Cut Line & Tackdown..... 3951
- 3. Brown Fabric Placement 3951
- 4. Cut Line & Tackdown..... 3951
- 5. Blue Tree..... 3951
- 6. Green Detail & Cover Stitch 6043
- 7. White Fabric Placement 1055
- 8. Cut Line & Tackdown..... 1055
- 9. Mountain Cover Stitch 1055
- 10. Snow Cap Cover Stitch 0176
- 11. Mountain Outline 1061
- 12. Light Green Detail 0352
- 13. Leaf Detail 6043
- 14. Arrows 1332
- 15. Seam Stitch 0020

***Fabric Required**

12862-13 Tile 13 Applique

Size Inches: Size mm: Stitch Count:
6.00 X 3.00 in. **152.4 X 76.2 mm** **7410 St.**



- 1. Light Grey Fabric Placement..... 1332
- 2. Cut Line & Tackdown..... 1332
- 3. Beak 1332
- 4. Azure Blue & Cover Stitch..... 3951
- 5. Eye 0138
- 6. Brown Fabric Placement 1055
- 7. Cut Line & Tackdown..... 1055
- 8. Brown Leaf Detail & Cover Stitch 1055
- 9. Arrows 6043
- 10. Leaf Detail 1061
- 11. Oak Leaf..... 1233
- 12. Bird Outline..... 0015
- 13. Seam Stitch 0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**




12862-14 Tile 14 Applique

Size Inches: **6.00 X 6.00 in.** Size mm: **152.4 X 152.4 mm** Stitch Count: **12332 St.**

- 1. Brown Fabric Placement 1061
- 2. Cut Line & Tackdown..... 1061
- 3. Tan Fabric Placement..... 1061
- 4. Cut Line & Tackdown..... 1061
- 5. Tan Detail & Cover Stitch 1061
- 6. Face 0138
- 7. Bear Cover Stitch 1055
- 8. Bear Outline 1233
- 9. Light Green Triangles 0352
- 10. Green Tree & Triangles 6043
- 11. Leaves 1332
- 12. Blue Triangles..... 3951
- 13. Seam Stitch 0020

***Fabric Required**



12862-15 Tile 15 Applique

Size Inches: **9.00 X 3.00 in.** Size mm: **228.6 X 76.2 mm** Stitch Count: **8948 St.**








- 1. Dark Green Fabric Placement..... 1055
- 2. Cut Line & Tackdown..... 1055
- 3. Tree Trunk 1055
- 4. Tall Tree Cover Stitch 6043
- 5. Tree Outline..... 0015
- 6. Leaf Detail 0352
- 7. Blue Leaves..... 3951
- 8. Tan Triangles 1061
- 9. Orange Triangles..... 1332
- 10. Green Tree & Triangles 6043
- 11. Seam Stitch 0020


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12862-16 Tile 16







Size Inches: Size mm: Stitch Count:
9.00 X 2.70 in. **228.6 X 68.6 mm** **5423 St.**

	1. Tan Number.....	1061
	2. Light Green Numbers.....	0352
	3. Blue Numbers.....	3951
	4. Orange Numbers.....	1332
	5. Green Numbers.....	6043
	6. Ruler.....	0020
	7. Seam Stitch.....	0020



12862-17 Tile 17

Size Inches: Size mm: Stitch Count:
9.00 X 2.70 in. **228.6 X 68.6 mm** **4669 St.**








	1. Tan Numbers.....	1061
	2. Blue Numbers.....	3951
	3. Light Green Number.....	0352
	4. Green Numbers.....	6043
	5. Ruler.....	0020
	6. Seam Stitch.....	0020


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12862-18 Tile 18







Size Inches: 9.00 X 2.70 in. Size mm: 228.6 X 68.6 mm Stitch Count: 5127 St.

	1. Blue Numbers.....	3951
	2. Tan Numbers.....	1061
	3. Green Numbers.....	6043
	4. Light Green Numbers.....	0352
	5. Orange Numbers.....	1332
	6. Ruler.....	0020
	7. Seam Stitch.....	0020



12862-19 Tile 19

Size Inches: 9.00 X 2.70 in. Size mm: 228.6 X 68.6 mm Stitch Count: 4581 St.








	1. Blue Numbers.....	3951
	2. Green Numbers.....	6043
	3. Tan Numbers.....	1061
	4. Orange Number.....	1332
	5. Ruler.....	0020
	6. Seam Stitch.....	0020


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12862-20 Tile 20





Size Inches: Size mm: Stitch Count:
9.00 X 2.70 in. **228.6 X 68.6 mm** **5157 St.**

	1. Green Number.....	6043
	2. Blue Numbers.....	3951
	3. Orange Numbers.....	1332
	4. Tan Numbers.....	1061
	5. Light Green Numbers.....	0352
	6. Ruler.....	0020
	7. Seam Stitch.....	0020



12862-21 Tile 21

Size Inches: Size mm: Stitch Count:
9.00 X 2.70 in. **228.6 X 68.5 mm** **4616 St.**


	1. Tan Numbers.....	1061
	2. Light Green Numbers.....	0352
	3. Ruler.....	0020
	4. Seam Stitch.....	0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12862-22 Tile 22


Size Inches:	Size mm:	Stitch Count:
9.00 X 2.70 in.	228.6 X 68.5 mm	4719 St.
■ 1. Orange Numbers.....		1332
■ 2. Green Numbers.....		6043
■ 3. Ruler.....		0020
■ 4. Seam Stitch.....		0020



12862-23 Tile 23

Size Inches:	Size mm:	Stitch Count:
9.00 X 2.70 in.	228.6 X 68.5 mm	4431 St.
■ 1. Blue Numbers.....		3951
■ 2. Tan Number.....		1061
■ 3. Ruler.....		0020
■ 4. Seam Stitch.....		0020


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12862-24 Tile 24

Size Inches: Size mm: Stitch Count:
9.00 X 2.70 in. **228.6 X 68.5 mm** **4934 St.**

- 1. Orange Numbers..... 1332
- 2. Light Green Numbers..... 0352
- 3. Green Numbers..... 6043
- 4. Ruler..... 0020
- 5. Seam Stitch..... 0020



12862-25 Tile 25

Size Inches: Size mm: Stitch Count:
9.00 X 2.70 in. **228.6 X 68.5 mm** **4294 St.**

- 1. Blue Numbers..... 3951
- 2. Tan Numbers..... 1061
- 3. Ruler..... 0020
- 4. Seam Stitch..... 0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**

12862-26 Leaf Marker FSA

Size Inches:	Size mm:	Stitch Count:
1.92 X 4.27 in.	48.6 X 108.6 mm	3437 St.

- 1. Front & Back Fabric Placement..... 6043
- 2. Front & Back Cut Line & Tackdown..... 6043
- 3. Inside Green Detail..... 6043
- 4. Lace Cover Stitch..... 6043



Stabilizer

- Fusible Woven 15" - 1 roll
- OESD Ultra Clean and Tear Fusible
- Optional: Stitch20 or Heat2Go topper

Fabric/Textiles

- 1/3 yard Light Yellow cotton
- 1/3 yard Light Gray cotton
- 1/3 yard Light Green cotton
- 1/3 yard Tan cotton
- 1/3 yard Light Tan cotton
- Batting 14" x 46"
- Backing 14" x 46"
- Binding 1/3 yard, cut 3 strips width of fabric x 2 1/2" strips, stitch together at 45° angle to create one long strip
- From binding fabric cut 1 strip 3" wide for the hanging tabs

Notions & Tools

- 505 Temporary Spray Adhesive
- Expert Point and Press Tool
- Perfect Embroidery Press Cloth
- Ruler, rotary cutter, mat
- OESD bobbin thread
- Water soluble thread or invisible thread (optional)
- Contrasting bobbin thread (seam stitch only, may be different colors)
- Expert Embroidery Tape TearAway
- Needle: 75/11 Embroidery Sharp
- Open toe sewing foot (recommended)
- Edge stitch sewing foot (recommended)
- Chalk or marking pen
- 1- 1" dowel rod or curtain rod to hang from

SUMMARY

12862-01



12862-04



12862-09



12862-12



Light Gray Fabric


12862-02



12862-10



12862-15



Light Green Fabric

12862-03



12862-05



12862-08



12862-14



Light Yellow Fabric

12862-07



12862-06



12862-11




12862-13



Tan Fabric

Light Green Fabric

SUMMARY



Light Tan Fabric


*Use Designs 21-25 for Metric Numbering

EMBROIDERY



STEP 1

- Apply Fusible Woven to the back of the background fabrics.
- Apply two layers of Ultra Clean and Tear Fusible to the back of the prepped fabric, fusing one layer at a time.
- **Tips:** The last color change in each block is called “Seam”. This line is the guide when trimming and stitching the tiles together and needs to be highly visible on the back side of the tile. Stitch the top color in a thread that blends with the fabric, invisible thread, or water-soluble thread. For the bobbin, use a color which contrasts sharply with the back of the tile.
- **Note:** Since the bobbin color does not have to be the same on each tile, this is a great time to use up those partially wound bobbins.
- Instructions are for Block 1. All the blocks are stitched in the same manner. For each tile, stitch the colors per the thread chart.



STEP 2

- Hoop fabric and stabilizers.
- Thread with recommended thread color.



STEP 3

- Stitch Machine Step 1, Brown Fabric Placement.
- If necessary, remove the hoop from the machine, but NOT the project from the hoop. Lay the hoop on a flat surface.




STEP 4

- Cover the placement line completely with applique fabric that is larger than the placement line.
- **Note:** Use templates for size information.
- Tape in place to secure.
- Return the hoop to the machine if removed.




STEP 5

- Stitch Machine Step 2, the Cut Line and Tackdown.




STEP 6

- Remove the hoop from the machine, but NOT the project from the hoop. Lay on a flat surface.
- Trim the excess fabric as close to the tackdown stitching as possible.
- Note: If the outermost row of stitching is accidentally cut, the inner stitches will still hold the applique in place.



STEP 7

- Return the hoop to the machine and stitch Machine Step 3, Orange Fabric Placement.



STEP 8

- Cover the placement line completely with applique fabric that is larger than the placement line.
- Tape in place to secure.
- Return the hoop to the machine if removed.




STEP 9

- Stitch Machine Step 4, Cut Line and Tackdown.




STEP 10

- Remove the hoop from the machine, but NOT the project from the hoop. Lay on a flat surface.
- Trim the excess fabric as close to the tackdown stitching as possible.




STEP 11

- Return the hoop to the machine and stitch Machine Step 5, Tan Fabric Placement.




STEP 12

- Cover the placement line completely with applique fabric that is larger than the placement line.
- Tape in place to secure.
- Return the hoop to the machine if removed.



STEP 13

- Stitch Machine Step 6, Cut Line and Tackdown.



STEP 14

- Remove the hoop from the machine, but NOT the project from the hoop. Lay on a flat surface.
- Trim the excess fabric as close to the tackdown stitching as possible.
- Return the hoop to the machine.
- Tip: If the applique cover stitch is a satin stitch or if the fabric frays some, cover the design with StitchH2O or Heat2Go for a better-quality cover stitch. Tape in place to secure.



STEP 15


- Continue stitching through the thread chart, changing threads as required.
- Remove the project from the hoop and any excess stabilizer from the project.
- After embroidery is complete, press each block face down on a Perfect Embroidery Press Cloth.
- Write the number of the block on the back so it is easily identified during construction! Use a pen or pencil that will not bleed through to the front side.
- Stabilizer remains in the project, however the stabilizer in the seam allowance may be removed either before stitching together or after.



ASSEMBLY

STEP 1

- At the cutting mat, place the block right side down. Identify the "seam" stitch line. Trim 1/2" inch out from the seam stitch line, on all four sides, to create the seam allowance. Accuracy here will greatly facilitate the construction of the scene.



STEP 2

- Arrange the tiles in the layout for the scene.




ASSEMBLY



STEP 3

- Stitch Tile 1 to Tile 2, right sides together; the right edge of Tile 1 to the left edge of Tile 2. Align the matching edges and stitch just inside of the seam line.



STEP 4

- Press each seam open. While warm, open the seam allowance with the large ball of the Expert Point and Press tool. Press again and allow to cool.
- Once cool, remove the excess stabilizer in the seam allowance. Do not remove excess stabilizer from inside the seam line.



ASSEMBLY

STEP 5

- Align the top edge of Tile 3 to the bottom edge of the combined Tile 1 and 2, place right sides together and stitch just inside the seam line.
- Press seam open.



STEP 6

- Arrange the tiles in the layout for the scene.



ASSEMBLY


STEP 7

- Right sides together, place the bottom edge of Tile 4 with the top edge of Tile 5, stitch just inside the seam line.
- Press seam open.
- Right sides together, place the right edge of Tile 6 together with the left edge of combined Tiles 4 and 5, stitch just inside the seam line.
- Press seam open.



STEP 8

- Arrange the tiles in the layout for the scene.



ASSEMBLY


STEP 9

- Right sides together, place the bottom edge of Tile 7 with the top edge of Tile 8, stitch just inside the seam line.
- Press seam open.
- Right sides together, place the right edge of Tile 9 together with the left edge of combined Tiles 7 and 8, stitch just inside the seam line.
- Press seam open.



STEP 10

- Arrange the tiles in the layout for the scene.



ASSEMBLY

STEP 11

- Right sides together, place the left edge of Tile 10 with the right edge of Tile 11, stitch just inside the seam line.
- Press seam open.
- Right sides together, place the bottom edge of combined Tiles 10 and 11 together with the top edge of Tile 12, stitch just inside the seam line.
- Press seam open.



STEP 12

- Arrange the tiles in the layout for the scene.



ASSEMBLY

STEP 13

- Right sides together, place the bottom edge of Tile 14 with the top edge of Tile 13, stitch just inside the seam line.
- Press seam open.
- Right sides together, place the left edge of Tile 15 with the right edge of combined Tiles 13 and 14, stitch just inside the seam line.
- Press seam open.



STEP 14

- Right sides together, place the bottom edge of Block 1 with the top of edge of Block 2.
- Sew just inside the seam line.
- Press seams open.
- Then continue the stitching and pressing process until all five blocks are sewn together.



ASSEMBLY



STEP 15

- Select either the Imperial Numbering designs 16-20 or the Metric Numbering designs 21-25.
- Sew the short edges together in the same manner to form the 'ruler'.



STEP 16

- The ruler will be aligned with the left side of the combined blocks.
- Place right sides together, matching and pinning at the seams.
- Sew together just inside the seam stitch.
- Press open.



ASSEMBLY




STEP 17

- Cut batting and backing at least 2" larger than the tiling scene.
- Layer the backing (right side down), batting, and center the tiling scene (right side up).
- Spray baste all 3 layers with temporary spray adhesive.



STEP 18

- Thread the sewing machine with a thread color that blends with the scene or invisible thread.
- Stitch in the ditch where the tiles connect to attach the batting and backing to the top.
- Trim 1/4" from the edge of the top through all three layers to square up the finished scene.



ASSEMBLY

STEP 19

- Press the 3" strip in half long ways (wrong sides together).
- Open back up with right side down.
- Fold the outer edges into the center crease and press.
- Fold on the center crease and press.




STEP 20

- Edgestitch along the opening. Repeat on the folded side.
- Cut 4- 4" strips.
- Fold each in half, matching the raw edges.




STEP 21

- Turn the growth chart to the back and mark the top edge.
- 1" from each side edge and approximately 3.25" from each 1" mark, for a total of 4 marks



STEP 22

- Place the raw edges of the folded tabs along the top raw edge of the growth chart, centering on the marked lines.
- Baste in place.



ASSEMBLY



STEP 23

- Bind as desired.
- Fold and press the tabs away from the body of the growth chart, as shown.
- Hang so the 20" marking is exactly 20" from the floor.



Stabilizer

- AquaMesh
- BadgeMaster
- StabilStick CutAway

Fabric/Textiles


- 2 - 3" x 5" fabric pieces

Notions & Tools

- Expert Embroidery Tape WashAway
- Perfect Embroidery Press Cloth

STEP 1

- Prep the front and back applique fabrics with one layer each of StabilStick CutAway.



STEP 2

- Hoop one piece of AquaMesh and one piece of BadgeMaster.



STEP 3

- Match thread in the top and bobbin for this design.
- Stitch Machine Step 1, the Placement Stitch.



STEP 4

- Remove the hoop from the machine, but NOT the project from the hoop. Lay the hoop on a flat surface. Cover the placement line completely with the prepared fabric. Tape in place with WashAway tape.



STEP 5

- Turn the hoop over and place the fabric right side up covering the placement stitch. Carefully tape to secure. Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.



STEP 6

- Return hoop to machine. Stitch Machine Step 2, the Cut Line and Tackdown.



STEP 5

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the tackdown stitching as possible. If the outermost stitches are cut, the inner stitches will still hold the applique in place.
- **Tip:** If the AquaMesh is cut or a hole is created while trimming the fabric. Simply use OESD Expert Embroidery Tape WashAway or Aqua Mesh Plus as a patch.



STEP 6

- Turn the hoop over and trim the excess fabric as close to the tackdown stitching as possible.



STEP 5

- Return hoop to machine. Stitch the remainder of the design.



STEP 6

- When design is complete, remove the project from the hoop and trim the stabilizer $\frac{1}{4}$ " - $\frac{1}{2}$ " outside the design.



EMBROIDERY




STEP 5

- Rinse in warm running water until the design is only slightly sticky. Lay face down on a non-stick surface to dry. Parchment paper or a cooling rack work well. This prevents the piece from curling. Press right side down, on a Perfect Embroidery Press Cloth.
- To attach to growth chart, glue a clothes pin to the back or pin to chart




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.




TO SAVE PAPER







Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.








APPLIQUE PATTERNS




APPLIQUE PATTERNS










APPLIQUE PATTERNS




APPLIQUE PATTERNS







APPLIQUE PATTERNS




APPLIQUE PATTERNS



APPLIQUE PATTERNS




APPLIQUE PATTERNS




12862-14




12862-14



12862-14




12862-26









12862-15





MIRRORED PATTERNS






MIRRORED PATTERNS



MIRRORED PATTERNS







12862-07







MIRRORED PATTERNS





MIRRORED PATTERNS



MIRRORED PATTERNS

