

CUTWORK MEDALLIONS & BORDERS



15
Designs

Fits hoop sizes 5" x 7" and larger

THREAD LIST



Isacord Thread Colors

0020 Black

***Project instructions included after design list**

DESIGNS

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12866-01 Cutwork Medallion 1

Size Inches:	Size mm:	Stitch Count:
5.17 X 5.28 in.	131.2 X 134.2 mm	34424 St.

■ 1. Single Color Design..... 0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12866-02 Cutwork Medallion 2

Size Inches:	Size mm:	Stitch Count:
5.43 X 4.57 in.	137.9 X 116.0 mm	28203 St.

■ 1. Single Color Design..... 0020

***Fabric Required**



12866-03 Cutwork Medallion 3

Size Inches:	Size mm:	Stitch Count:
5.14 X 4.93 in.	130.5 X 125.2 mm	37033 St.

■ 1. Single Color Design..... 0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**




12866-04 Cutwork Medallion 4

Size Inches:	Size mm:	Stitch Count:
4.74 X 5.25 in.	120.4 X 133.2 mm	37872 St.

■ 1. Single Color Design..... 0020

***Fabric Required**




12866-05 Cutwork Medallion 5

Size Inches:	Size mm:	Stitch Count:
4.90 X 4.90 in.	124.4 X 124.5 mm	32296 St.

■ 1. Single Color Design..... 0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**




12866-06 Cutwork Continuous Border 1

Size Inches: Size mm: Stitch Count:
6.08 X 3.45 in. 154.5 X 87.6 mm 28791 St.

■ 1. Single Color Design..... 0020

***Fabric Required**



12866-07 Cutwork Continuous Border 2

Size Inches: Size mm: Stitch Count:
5.94 X 3.81 in. 151.0 X 96.8 mm 40447 St.

■ 1. Single Color Design..... 0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12866-08 Cutwork Continuous Border 3

Size Inches:	Size mm:	Stitch Count:
5.84 X 3.60 in.	148.4 X 91.4 mm	33381 St.

■ 1. Single Color Design..... 0020

***Fabric Required**




12866-09 Cutwork Continuous Border 4

Size Inches:	Size mm:	Stitch Count:
5.91 X 3.59 in.	150.0 X 91.1 mm	31255 St.

■ 1. Single Color Design..... 0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12866-10 Cutwork Continuous Border 5

Size Inches:	Size mm:	Stitch Count:
5.86 X 3.66 in.	148.9 X 93.0 mm	27677 St.

■ 1. Single Color Design..... 0020

***Fabric Required**



12866-11 Cutwork Border Medallion 1

Size Inches:	Size mm:	Stitch Count:
6.48 X 3.26 in.	164.6 X 82.7 mm	24842 St.

■ 1. Single Color Design..... 0020

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12866-12 Cutwork Border Medallion 2

Size Inches:	Size mm:	Stitch Count:
6.61 X 2.88 in.	167.8 X 73.2 mm	26193 St.

***Fabric Required**



12866-13 Cutwork Border Medallion 3

Size Inches:	Size mm:	Stitch Count:
6.46 X 3.46 in.	164.2 X 88.0 mm	25235 St.

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**




12866-14 Cutwork Border Medallion 4

Size Inches:	Size mm:	Stitch Count:
6.37 X 3.15 in.	161.8 X 80.0 mm	23347 St.

■ 1. Single Color Design..... 0020

***Fabric Required**



12866-15 Cutwork Border Medallion 5

Size Inches:	Size mm:	Stitch Count:
6.28 X 2.99 in.	159.5 X 75.8 mm	23246 St.

■ 1. Single Color Design..... 0020

COLLECTION SUPPLIES



Stabilizers


- AquaMesh Plus

Supplies

- StabilStick Template Sheets
- 40 wt. Isacord thread in machine and bobbin
- 80/12 Embroidery Ballpoint Titanium needle for extended needle life
- OESD Tea Towel in White
- OESD Expert Embroidery Press Cloth
- Optional: Expert Embroidery Tape WashAway


STEP 1 Continuous Borders

- Hoop 1 layer of AquaMesh Plus paper(shiny) side up.
- Score with a needle or pin and remove the paper to reveal the adhesive surface.
- Attach the hoop and select the desired design.
- Design used in instructions is 12866-06.




STEP 2

- Stitch Machine Step 1, The Placement Stitch.



STEP 3

- Remove the hoop from the machine, but NOT the project from the hoop.
- Lay on a flat surface.
- Mark the center lower edge of the towel.
- Place the towel edge along the placement stitch, matching the center mark with the center of the towel.
- Finger press in place.



STEP 4

- Return the hoop to the machine.
- Remember to check that the towel is not under the hoop!
- Stitch Machine Step 2, Lace and Cover Stitch.



EMBROIDERY



STEP 5

- Stitch Machine Step 3, Cut Line and Tackdown.



STEP 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Lay on a flat surface.
- Carefully trim the inner circle of fabric away from the towel.
- Tip: If the AquaMesh Plus is cut or a hole is created while trimming the fabric. Simply use OESD Expert Embroidery Tape WashAway or AquaMesh Plus as a patch.



EMBROIDERY




STEP 7

- Return the hoop to the machine.
- Remember to check that the towel is not under the hoop!
- Stitch machine Step 4, Lace and Cover Stitch.
- Remove the hoop from the machine and the project from the hoop.
- Trim excess stabilizer 1/4"-1/2" from the design.




STEP 8

- Use software to print a template onto a sheet of StabilStick Template material. Print at 100% (1:1), following the package instructions. Each template includes a 1" square to ensure the printed size is correct.
- Trim most of the excess paper from around the template.
- Peel the paper backing from the template.
- Place the template next to the first stitch out.
- Tip: Save the paper backing as this template is reusable.




STEP 9

- Hoop 1 layer of AquaMesh Plus paper(shiny) side up.
- Score with a needle or pin and remove the paper to reveal the adhesive surface.
- Attach the hoop and continue using design 12866-06.



STEP 10

- Stitch Machine Step 1, The Placement Stitch.



STEP 11

- Remove the hoop from the machine, but NOT the project from the hoop.
- Lay on a flat surface.
- Place the towel edge along the placement stitch, matching the center mark with the center of the template.
- Finger press in place.
- Remove the template from the towel.



STEP 12

- Return the hoop to the machine.
- Remember to check that the towel is not under the hoop!
- Stitch Machine Step 2, Lace and Cover Stitch.



STEP 13

- Stitch Machine Step 3, Cut Line and Tackdown.



STEP 14

- Remove the hoop from the machine, but NOT the project from the hoop.
- Lay on a flat surface.
- Carefully trim away the inner circle of fabric from the towel.
- Tip: If the AquaMesh Plus is cut or a hole is created while trimming the fabric. Simply use OESD Expert Embroidery Tape WashAway or AquaMesh Plus as a patch.



STEP 15

- Return the hoop to the machine.
- Remember to check that the towel is not under the hoop!
- Stitch machine Step 4, Lace and Cover Stitch.




STEP 16

- Remove the hoop from the machine and the design from the hoop. Trim excess stabilizer 1/4"-1/2" from the design.
- Follow the previous instructions until all the borders are sewn.
- Rinse remaining stabilizer under warm running water.
- For very soft lace, rinse under warm running water until all traces of the stabilizer are gone and the item is no longer sticky.
- Lay flat, right side down on a non-stick surface, such as a cooling rack, parchment paper or Teflon sheet. This minimizes the tendency for the lace to curl. Flatten the piece out entirely and allow ample time to dry.
- Once dry, press right side down on a Perfect Embroidery Press Cloth.




STEP 1 Border Medallions Construction

- Hoop 1 layer of AquaMesh Plus paper (shiny) side up.
- Score with a needle or pin and remove the paper to reveal the adhesive surface.
- Attach the hoop and continue using design 12866-12.



STEP 2

- Stitch Machine Step 1, The Placement Stitch.



STEP 3

- Remove the hoop from the machine, but NOT the project from the hoop.
- Lay on a flat surface.
- Mark the center edge of the towel. Fold towel in half lengthwise, right sides together.
- Place the towel edge along the placement stitch, matching the center mark with the center of the towel.
- Unfold the towel and finger press in place.



STEP 4

- Return the hoop to the machine.
- Remember to check that the towel is not under the hoop!
- Stitch Machine Step 2, the Cut Line and Tackdown stitch.



EMBROIDERY



STEP 5

- Remove the hoop from the machine, but NOT the project from the hoop.
- Lay on a flat surface.
- Carefully trim away the lower edge of the towel.
- Tip: If the AquaMesh Plus is cut or a hole is created while trimming the fabric. Simply use OESD Expert Embroidery Tape WashAway or AquaMesh Plus as a patch.



STEP 6

- Return the hoop to the machine.
- Remember to check that the towel is not under the hoop!
- Stitch machine Step 4, Lace and Cover Stitch.



STEP 7

- Remove the hoop from the machine and the design from the hoop. Trim excess stabilizer 1/4"-1/2" from the design.



STEP 8

- Rinse remaining stabilizer under warm running water.
- For very soft lace, rinse under warm running water until all traces of the stabilizer are gone and the item is no longer sticky.
- Lay flat, right side down, on a non-stick surface, such as a cooling rack, parchment paper or Teflon sheet. This minimizes the tendency for the lace to curl. Flatten the piece out entirely and allow ample time to dry.
- Once dry, press right side down on a Perfect Embroidery Press Cloth.

