





It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2022 OESD, LLC. All rights reserved.

THREAD LIST



Isacord Thread Colors

0101	Eggshell	1912	Winterberry
0105	Ash Mist	3030	Amethyst
0112	Leadville	4133	Deep Ocean
0800	Golden Rod	4752	Vintage Blue
1134	Light Cocoa	5555	Deep Green
1600	Spanish Tile	5743	Asparagus
1755	Hyacinth		

* Project instructions included after design list.

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

TABLE OF CONTENTS

Interactive Menu

Click to navigate to section.

Designs	3
Collection Supplies - Cards	11
Embroidery - Cards	12
Collection Supplies - Ornaments	17
Embroidery - Ornaments	18
Applique Patterns	25
Mirrored Patterns	35





Stitch Count:

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

Size Inches:

*Fabric Required



12905-01 Together Card

Size mm:

S	6.25	5 X	4.62 in.	158.8	\mathbf{X}	117.5 mm	11789	St.
L	7.00) X	5.00 in.	177.8	X	127.0 mm	13113	St.
	1.	Car	d Placem	ent Guid	de.			3030
	2.	Wh	ite Fabric	Placem	ent	Stitch		3030
	3.	Fab	ric Tackd	own				3030
	4.	Pin	k Detail					1755
	5.	Ligl	nt Blue De	etail				4752
	6.	Me	dium Gree	en Detai	١			5743
	8.	Red	d Detail					1600
	9.	Dar	k Green I	Detail				5555
	10.	Dar	k Blue Le	ttering				4133
	11.	Dar	k Blue Ho	ouse Def	tail			4133
	12.	Wh	ite Detail					0101
	13.	Bro	wn Detail					.1134

*Fabric Required



12905-02 Christmas Lights Card

Size Inches:	Size mm:	Stitch Count:
S 6.25 X 4.62 in.	158.8 X 117.5 mm	9025 St.
L 7.00 X 5.00 in.	177.8 X 127.0 mm	10226 St.
1. Card Placement	ent Guide	0800
2. White Fabric	Placement Stitch	0800
3. Fabric Tackdo	own	0800
 4. Light Blue De 	tail	4752
5. Light Purple I	Detail	3030
 6. Light Pink De 	tail	1755
8. Dark Blue De	tail	4133
 9. Light Blue De 	tail	4752
10. Dark Gray De	etail	0112
11. White Detail		0101





*Fabric Required



12905-03 Home For The Holidays Card

		•
Size Inches:	Size mm:	Stitch Count:
S 6.25 X 4.62 in.	158.8 X 117.5 mm	14680 St.
L 7.00 X 5.00 in.	177.8 X 127.0 mm	16436 St.
 1. Card Placeme 	ent Guide	3030
2. White Fabric I	Placement Stitch	3030
 3. Fabric Tackdo 	wn	3030
 4. Medium Gree 	n Detail	5743
5. Dark Green D	etail	5555
	ail	
_	tail	
•	ail	
	tail	
	tail	
	etail	
- 14. Dark bluell D	Elaii	4 I 3 3

*Fabric Required



12905-04 We Wish You Card

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	8041 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	8817 St.
	1. Card Placeme	ent Guide	5743
	2. White Fabric	Placement Stitch	5743
	3. Fabric Tackdo	own	5743
	4. Purple Detail.		3030
	5. Dark Blue De	tail	4133
	6. Green Detail .		5743
	7. Yellow Detail.		0800
	8. Pink Detail		1755





*Fabric Required



12905-05 Let It Snow Card

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	8193 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	9084 St.
	Card Placem	ent Guide	1755
	2. White Fabric	Placement Stitch	1755
	3. Fabric Tackd	own	1755
	4. Purple Detail		3030
	•	etail	
	6. Light Blue De	etail	4752
	-		

*Fabric Required



12905-06 Believe Card

Size Inches:	Size mm:	Stitch Count:
S 6.25 X 4.62 in.	158.8 X 117.5 mm	9758 St.
L 7.00 X 5.00 in.	177.8 X 127.0 mm	10743 St.
1. Card Placement	ent Guide	1755
2. White Fabric I	Placement Stitch	1755
3. Fabric Tackdo	wn	1755
4. Medium Gree	n Detail	5743
5. Dark Green D	etail	5555
6. Pink Detail		1755
7. Red Detail		1600
8. Purple Bulbs.		3030
10. White Detail		0101
11. Purple Letteri	ng	3030





*Fabric Required



12905-07 Merry Christmas Card

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	13659 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	15196 St.
	1 Card Placem	ent Guide	0800
		Placement Stitch	
		own	
	4. Pink Detail		1755
	5. Red Detail		1600
	6. Dark Gray De	etail	0112
-	7. Light Gray De	etail	0105
	Dark Blue Gif	t	4133
	10. Medium Gree	en Detail	5743
	11. Dark Green D	Detail	5555
	12. Purple Detail		3030
	13. Dark Blue Le	ttering	4133

*Fabric Required



12905-08 All Is Bright Card

Size Inches:	Size mm:	Stitch Count:
S 6.25 X 4.62 in.	158.8 X 117.5 mm	10667 St.
L 7.00 X 5.00 in.	177.8 X 127.0 mm	11999 St.
1. Card Placement	ent Guide	1600
2. White Fabric	Placement Stitch	1600
3. Fabric Tackdo	own	1600
4. White Candle		0101
 5. Light Gray De 	tail	0105
 6. Light Blue De 	tail	4752
7. Medium Gree	n Detail	5743
8. Light Red Det	ail	1600
9. Pink Detail		1755
10. Dark Red Det	ail	1912
11. Yellow Detail.		0800
12. Dark Gray De	tail	0112
= 13. White Leaf De	etail	0101

DESIGNS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen



12905-09 House Ornament 1 FSA

	Size mm: 118.7 X 98.3 mm	
1. Red Fabric I	Placement Stitch	0800
2. Cut Line and	l Tackdown	0800
3. Yellow Detail	I	0800
4. Pink Detail		1755
5. Dark Red De	etail	1912
6. Dark Gray D	etail	0112
-	or Detail	
 8. Back Fabric 	Cut Line and Tackdow	n 1755
9. Pink Lace D	etail/ Match Bobbin	1755
─ 10. White Lace	Detail/ Match Bobbin	0101

*Fabric Required



12905-10 House Ornament 2 FSA

	Size Inches:	Size	mm:	Stitch Count:
4.	43 X 2.67 in.	112.5 X	67.9 mm	10572 St.
	 Pink Fabric 	Placement	Stitch	4133
	2. Cut Line and	d Tackdowr	າ	4133
	3. Dark Blue D	etail		4133
	4. White Detail			0101
	5. Light Red D	etail		1600
	6. Back Fabric	Cut Line a	nd Tackdov	vn 1600
	7. Light Red La	ace Detail/	Match Bobl	oin 1600
	8. Dark Blue La	ace Detail/	Match Bob	bin 4133

DESIGNS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12905-11 House Ornament 3 FSA

9	Size Inches:	Size mm:	Stitch Count:
3.9	92 X 3.58 in.	99.6 X 90.9 mm	17117 St.
	1. Blue Fabric	Placement Stitch	1600
		Tackdown	
	Light Red De	etail	1600
	4. Pink Detail		1755
	5. Yellow Detai	I	0800
	6. White Detail		0101
_	7. Back Fabric	Cut Line and Tackdow	n 0105
	8. Light Lace D	etail/ Match Bobbin	0105
	9. Red Lace De	etail/ Match Bobbin	1600

*Fabric Required



12905-12 Tree Ornament FSA

Ş	Size Inches:	Size	mm:	Stitch Count:
4.0	63 X 3.11 in.	117.6 X	78.9 mm	8041 St.
	1. Green Fabri	c Placeme	nt Stitch	0101
	2. Cut Line and	d Tackdowi	1	0101
	3. White Detail	l		0101
	4. Back Fabric	Cut Line a	ind Tackdow	n 5743
	5. Dark Blue L	ace Detail/	Match Bobb	oin 4133
	6. Green Lace	Detail/ Ma	tch Bobbin .	5743
	7. Star Lace D	etail/ Matcl	n Bobbin	0800

DESIGNS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12905-13 Poinsettia Ornament FSA

Size Inches: 4.25 X 3.94 in.	0.20	
1. Red Fabric	Placement Stitch	0800
2. Cut Line ar	nd Tackdown	0800
3. Yellow Deta	ail	0800
4. White Starr	nen Detail	0101
5. Light Gray	Detail	0105
 6. Back Fabric 	c Cut Line and Tackdow	n 4752
 7. Blue Lace I 	Detail/ Match Bobbin	4752
8. White Lace	Detail/ Match Bobbin	0101
9. Red Lace [Detail/ Match Bobbin	1600

*Fabric Required



12905-14 Mitten Ornament FSA

9	Size Inches:	Size mm:	Stitch Count:
3.9	97 X 3.01 in.	100.9 X 76.4 mm	7048 St.
_	1. Gray Fabric	Placement Stitch	0105
_	2. Cut Line and	d Tackdown	0105
	3. Light Gray [Detail	0105
	4. Back Fabric	Cut Line and Tackdow	n 0101
	5. White Lace	Detail/ Match Bobbin	0101
_	6. Light Gray L	ace Detail/ Match Bob	bin 0105





*Fabric Required



12905-15 Skate Ornament FSA

9	Size Inches:	Size	mm:	Stitch Count:
4.6	62 X 3.83 in.	117.3 X	97.2 mm	11143 St.
	1. Pink Fabric	Placement	Stitch	1600
	2. Cut Line and	d Tackdowi	1	1600
	3. Red Detail			1600
	4. Back Fabric	Cut Line a	nd Tackdow	n 1600
	5. White Lace	Detail/ Mat	ch Bobbin	0101
	6. Purple Lace	Detail/ Ma	tch Bobbin	3030
	7. Red Lace D	etail/ Matcl	n Bobbin	1600

*Fabric Required



12905-16 Snow Globe Ornament FSA

	Size Inches: 61 X 3.46 in.	Size mm: 117.2 X 87.8 mm	
-	1. White Fabric	Placement Stitch	1755
	2. Cut Line and	d Tackdown	1755
	3. Pink Detail.		1755
	4. Purple Deta	il	3030
	5. Front Vinyl/B	ack Fabric Cut Line and	Tackdown 5743
	6. Green Lace	Detail/ Match Bobbin .	5743
_	7. Blue Lace D	etail/ Match Bobbin	4752



Stabilizers

- OESD StabilStick TearAway
- OESD Fuse and Seal
- OESD Applique Fuse and Fix

Fabrics/Textiles

- OESD Start Here Greeting Cards, size A7 (5" x 7")
- OESD Start Here Greeting Cards, size A6 (4.5" x 6.25")
- White quilter's cotton 5" x 7"
- Note: Two sizes of cards are included in this collection. Card designs ending in the letter 'S' use the Start Here Greeting Cards, size A6 (4.5" x 6.25"). Card designs ending with 'L' use Start Here Greeting Cards, A7 (5" x 7").

Notions & Tools

- OESD Expert Embroidery Tape TearAway
- Embroidery Needle Sharp 75/11

Isacord Thread Colors

· Per thread chart



Notes

- The greeting card instructions included in the design pack are general instructions for all
 the greeting card designs. For demonstration purposes, a sample design is used that best
 demonstrates the general technique. Fabric and thread requirements will vary by design,
 consult the templates at the end of the instructions for specific size requirements.
- The sample design is 12905-06L.
- Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

STEP 1

- Print the mirrored version of the templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix.
- Roughly cut out the template about a 1/4" from the outer edge.
- Following the package instructions, fuse the trimmed templates to the wrong side of the applique fabric with the printed template paper side up. Trim the prepared applique on the outer edge of the black outline. Set aside.
- Hoop one layer of StabilStick TearAway paper (shiny) side up.



STEP 2

• Use a pin or needle to score the paper.






STEP 3

- Remove the paper to reveal the adhesive surface.
- · Place hoop on the machine.



STEP 4

- Thread the machine per thread chart.
- · Stitch Machine Step 1, Card Placement Guide.
- Remove the hoop from the machine, but NOT the project from the hoop.



- Place the hoop on a flat surface.
- Place the front of the card face up within the placement stitch, lining up all edges.
- Gently finger press the card to secure to the adhesive surface.
- Return the hoop to the machine.





STEP 6

- Stitch Machine Step 2, White Fabric Placement Stitch.
- Remove the hoop from the machine, but NOT the project from the hoop.



STEP 7

- Use a pin or needle to score the paper on the template back.
- · Remove the paper to reveal the adhesive surface.
- Position the fabric, sticky side down, within placement stitch, aligning all edges.
- · Return the hoop to the machine.



- Thread the machine per the thread chart.
- Stitch Machine Step 3, Fabric Tackdown.





STEP 9

• Stitch the remaining Machine Steps, per the thread chart.



STEP 10

- Remove the card and stabilizer from the hoop. Place the card face down and fold the stabilizer towards the card. Carefully cut the stabilizer away, close to the stitching.
- Note: Cutting away the excess tearaway stabilizer will prevent creasing and bending the cardstock.



- Cut coordinating cardstock paper (or scrapbook paper) slightly smaller than the front of the card.
- Cut a piece of Fuse and Seal to fit.
- Following the package instructions, with a medium-warm iron, press the Fuse and Seal to the wrong side of the cardstock (scrapbook paper).
- Let cool.





- Remove paper from Fuse and Seal, line up cardstock (scrapbook paper) over the backside of the card, and press to fuse.
- The card is complete.





COLLECTION SUPPLIES - ORNAMENTS



Stabilizers

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD StabilStick CutAway

Fabrics/Textiles

Design	Fabric	Cut Size
12905-09	Red quilter's cotton	(2) 5" x 4 ½"
12905-10	Pink quilter's cotton	(2) 5" x 3"
12905-11	Blue quilter's cotton	(2) 4" x 3"
12905-12	Green quilter's cotton	(2) 4 ½" x 4"
12905-13	Red quilter's cotton	(2) 4 ½" x 4 ½"
12905-14	Dark gray quilter's cotton	(2) 4" x 4"
12905-15	Pink quilter's cotton	(2) 4" x 4"
12905-16	White quilter's cotton	(2) 4 ½" x 4 ½"
12905-16	OESD Clear Vinyl	(1) 4 ½" x 4 ½"

Notions & Tools

- OESD Expert Embroidery Tape TearAway
- OESD Expert Embroidery Tape WashAway
- OESD Perfect Embroidery Press Cloth
- Embroidery Needles Sharp 75/11

Isacord Thread Colors

· Per thread chart



Notes

- The freestanding applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, but the general technique is the same.
- · All designs are stitched with matching thread, top and bobbin.
- Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

STEP 1

• Hoop one layer of AquaMesh and one layer of BadgeMaster for all designs.



- Adhere one layer of StabilStick CutAway to the wrong side of all applique fabrics (except the vinyl), to provide stiffness to the finished structure.
- Note: The structure interior is finished with the white interior lining fabric. Since this is a double-sided applique only 1 layer per fabric is needed to provide stiffness to the structure.





STEP 3

- · Load selected design into the machine.
- Example design is 12905-16.
- Thread the machine per the thread chart.
- Stitch Machine Step 1, White Fabric Placement Stitch.



STEP 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with one of the prepared applique fabrics.
- · Tape in place to secure.



- · Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.





STEP 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.
- Tip: If the AquaMesh is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway as a patch.



STEP 7

- Return the hoop to the machine and stitch machine steps 3 and 4, according to the thread chart.
- STOP after machine step 4.



- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the OESD Clear Vinyl.
- Tape in place to secure.





STEP 9

- Turn the hoop over and place the remaining applique fabric, right side up, completely covering the placement stitch.
- Carefully tape to secure. Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.



STEP 10

- Return the hoop to the machine.
- Stitch Machine Step 5, Front Vinyl/Back Fabric Cut Line and Tackdown.





- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess vinyl as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.





STEP 12

• Turn the hoop over and trim the excess fabric as close to the cut line as possible.



STEP 13

- Return the hoop to the machine and stitch the remaining machine steps, according to the thread chart.
- Match the bobbin thread to the upper thread.



STEP 14

• When the design is complete, remove the project from the hoop and trim the stabilizer 1/4"- 1/2" outside the design.





STEP 15

- Rinse each piece in warm running water until the design is only slightly tacky.
- Lay right side down on a non-stick surface to dry.
 Parchment paper or a cooling rack work well to prevent curling. Dry completely.



- Once dry, press right side down on a Perfect Embroidery Press Cloth with a low temperature iron.
- Note: do not press directly on clear vinyl.




PRINTING INSTRUCTIONS




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



TO SAVE PAPER

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.





12905-01S

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12905-01L



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12905-02L



|--|

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12905-03L



12905-04S

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12905-04



12905-058	

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12905-05L



|--|

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12905-06L



|--|

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12905-07L




12905-08S

12905-08L

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.


12905-10


12905-11







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.











12905-01S Mirrored	

PPirinttatt 100%. Noto sucalling. Thiistbook nnecessures 1"xx11.". Usee the box assaan acccuracy guidte when printiing templates.

12905-01L Mirrored



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12905-02L Mirrored



129 Mi	
12905-03S Mirrored	

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12905-03L Mirrored



	12905-04S Mirrored	

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12905-04L Mirrored



12905-05S Mirrored	

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12905-05L Mirrored



12905-06S Mirrored	

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12905-06L Mirrored



12905-07S Mirrored	

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12905-07L Mirrored




	12905-08S Mirrored	

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12905-08L Mirrored






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12905-10 Mirrored

12905-11 Mirrored





Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

