OESD™

HOLIDAY CELEBRATION FREESTANDING HOUSES

10 Designs

THREAD LIST

Isacord Thread Colors

0101	Eggshell	1755	Hyacinth
0105	Ash Mist	4133	Deep Ocean
0112	Leadville	4752	Vintage Blue
1600	Spanish Tile	5555	Deep Green

* Project instructions included after design list.
Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

TABLE OF CONTENTS

## Interactive Menu

Click to navigate to section.

OESD™

*Fabric Required

12906-01 House 1 Front FSA

Size Inches:	Size mm:	Stitch Count:
6.98 X 2.96 in.	177.3 X 75.2 mm	11978 St.

1. Green Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Gray Lace Detail/ Match Bobbin.................... 0105
4. White Lace Detail/ Match Bobbin 0101
5. Pink Detail 1755

*Fabric Required

12906-02 House 1 Back FSA

Size Inches:	Size mm:	Stitch Count:
6.98 X 2.96 in.	177.3 X 75.2 mm	11138 St.

1. Green Front/White Back Fabric
   Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Gray Lace Detail/ Match Bobbin.................... 0105
4. White Lace Detail/ Match Bobbin 0101
5. Pink Detail 1755

OESD™

*Fabric Required

12906-03 House 1 Sides FSA

Size Inches:	Size mm:	Stitch Count:
6.01 X 5.15 in.	152.7 X 130.7 mm	20342 St.

1. Green Front/White Back Fabric
   Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Gray Lace Detail/ Match Bobbin..................... 0105
4. White Lace Detail/ Match Bobbin 0101
5. Pink Detail 1755

*Fabric Required

12906-04 House 1 Floor FSA

Size Inches:	Size mm:	Stitch Count:
2.53 X 2.52 in.	64.1 X 64.1 mm	4866 St.

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

DESIGNS

*Fabric Required

12906-05 House 1 Roof FSA

Size Inches:	Size mm:	Stitch Count:
5.88 X 3.17 in.	**149.2 X 80.5 mm**	**14305 St.**

1. Light Gray Front/White Back
    Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Light Gray Detail... 0105
4. White Lace Detail/ Match Bobbin 0101
5. Pink Detail 1755

*Fabric Required

12906-06 House 2 Front FSA

Size Inches:	Size mm:	Stitch Count:
4.54 X 3.19 in.	**115.2 X 81.0 mm**	**11654 St.**

1. Blue Front/White Back
    Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Pink Lace Detail/ Match Bobbin 1755
4. White Lace Detail/ Match Bobbin 0101
5. Pink Interior Detail 1755

OESD™

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


*Fabric Required

12906-07 House 2 Back FSA

Size Inches:	Size mm:	Stitch Count:
4.54 X 3.19 in.	**115.2 X 81.0 mm**	**11552 St.**

1. Blue Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Pink Lace Detail/ Match Bobbin 1755
4. White Lace Detail/ Match Bobbin 0101
5. Pink Interior Detail 1755

*Fabric Required

12906-08 House 2 Sides FSA

Size Inches:	Size mm:	Stitch Count:
5.28 X 5.25 in.	**134.2 X 133.5 mm**	**18811 St.**

1. Blue Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Pink Lace Detail/ Match Bobbin 1755
4. White Lace Detail/ Match Bobbin 0101
5. Pink Interior Detail 1755

OESD™

*Fabric Required

12906-09 House 2 Floor FSA

Size Inches:	Size mm:	Stitch Count:
2.11 X 2.75 in.	53.6 X 69.8 mm	4708 St.

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

*Fabric Required

12906-10 House 2 Roof FSA

Size Inches:	Size mm:	Stitch Count:
3.93 X 3.40 in.	99.8 X 86.3 mm	12640 St.

1. Pink Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Pink Detail 1755
4. White Lace Detail/ Match Bobbin 0101
5. Light Blue Detail 4752

OESD™

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12906-11 House 3 Front FSA

| Size Inches:	Size mm:	Stitch Count:
3.64 X 3.89 in.	92.5 X 98.9 mm	7986 St.

1. Pink Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Dark Gray Lace Detail/ Match Bobbin 0112
4. White Lace Detail/ Match Bobbin 0101
5. Light Blue Detail 4752

*Fabric Required

12906-12 House 3 Back FSA

Size Inches:	Size mm:	Stitch Count:
3.64 X 3.89 in.	92.5 X 98.9 mm	8431 St.

1. Pink Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Dark Gray Lace Detail/ Match Bobbin 0112
4. White Lace Detail/ Match Bobbin 0101
5. Light Blue Detail 4752

DESIGNS

*Fabric Required

12906-13 House 3 Sides FSA

Size Inches:	Size mm:	Stitch Count:
3.61 X 3.12 in.	**91.6 X 79.4 mm**	**7442 St.**

- 1. Pink Front/White Back
  Fabric Placement Stitch 0101
- 2. Cut Line and Tackdown 0101
- 3. Dark Gray Lace Detail/ Match Bobbin 0112
- 4. White Lace Detail/ Match Bobbin 0101

*Fabric Required

12906-14 House 3 Floor FSA

Size Inches:	Size mm:	Stitch Count:
2.68 X 3.45 in.	**68.2 X 87.7 mm**	**5563 St.**

- 1. White Front and Back
  Fabric Placement Stitch 0101
- 2. Cut Line and Tackdown 0101
- 3. White Lace Detail/ Match Bobbin 0101

OESD™

*Fabric Required

12906-15 House 3 Roof FSA

Size Inches:	Size mm:	Stitch Count:
6.52 X 3.33 in.	165.7 X 84.5 mm	15605 St.

1. Dark Gray Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Dark Gray Detail..0112
4. White Lace Detail/ Match Bobbin 0101
5. Pink Detail 1755

*Fabric Required

12906-16 House 4 Front FSA

Size Inches:	Size mm:	Stitch Count:
2.71 X 3.43 in.	68.8 X 87.0 mm	7304 St.

1. Light Gray Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Red Lace Detail/ Match Bobbin...................... 1600
4. White Lace Detail/ Match Bobbin 0101
5. Dark Gray Detail..0112

OESD™

*Fabric Required

12906-17 House 4 Back FSA

Size Inches:	Size mm:	Stitch Count:
2.71 X 3.43 in.	68.8 X 87.0 mm	8009 St.

1. Light Gray Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Red Lace Detail/ Match Bobbin 1600
4. White Lace Detail/ Match Bobbin 0101
5. Dark Gray Detail 0112

*Fabric Required

12906-18 House 4 Sides FSA

Size Inches:	Size mm:	Stitch Count:
5.89 X 3.94 in.	149.7 X 100.0 mm	13389 St.

1. Light Gray Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Red Lace Detail/ Match Bobbin 1600
4. White Lace Detail/ Match Bobbin 0101
5. Dark Gray Detail 0112

DESIGNS

*Fabric Required

12906-19 House 4 Floor FSA

Size Inches:	Size mm:	Stitch Count:
2.38 X 2.99 in.	60.5 X 75.9 mm	5056 St.

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

*Fabric Required

12906-20 House 4 Roof FSA

Size Inches:	Size mm:	Stitch Count:
4.79 X 3.64 in.	121.6 X 92.5 mm	13876 St.

1. Red Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Red Detail.. 1600
4. White Lace Detail/ Match Bobbin 0101

DESIGNS

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12906-21 House 5 Front FSA

Size Inches:	Size mm:	Stitch Count:
4.61 X 2.69 in.	**117.1 X 68.3 mm**	**7402 St.**

1. Red Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Dark Blue Lace Detail/ Match Bobbin............. 4133
4. White Lace Detail/ Match Bobbin 0101
5. Light Blue Detail 4752

*Fabric Required

12906-22 House 5 Back FSA

Size Inches:	Size mm:	Stitch Count:
4.61 X 2.69 in.	**117.1 X 68.3 mm**	**6572 St.**

1. Red Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Dark Blue Lace Detail/ Match Bobbin............. 4133
4. White Lace Detail/ Match Bobbin 0101
5. Light Blue Detail 4752

DESIGNS

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12906-23 House 5 Sides FSA

| Size Inches:	Size mm:	Stitch Count:
5.33 X 2.68 in.	**135.3 X 68.1 mm**	**11004 St.**

1. Red Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Dark Blue Lace Detail/ Match Bobbin.............. 4133
4. White Lace Detail/ Match Bobbin 0101
5. Light Blue Detail 4752

*Fabric Required

12906-24 House 5 Floor FSA

Size Inches:	Size mm:	Stitch Count:
2.25 X 2.25 in.	**57.2 X 57.0 mm**	**4511 St.**

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

OESD™

*Fabric Required

12906-25 House 5 Roof FSA

Size Inches:	Size mm:	Stitch Count:
6.24 X 2.90 in.	158.4 X 73.6 mm	14377 St.

1. Blue Front/White Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. Dark Blue Detail 4133
4. White Lace Detail/ Match Bobbin 0101
5. Light Blue Detail 4752

*Fabric Required

12906-26 Background Trees Scene 1 FSA

Size Inches:	Size mm:	Stitch Count:
5.95 X 3.62 in.	151.1 X 91.9 mm	14301 St.

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

OESD™

*Fabric Required

12906-27 Background Trees Scene 2 FSA

Size Inches:	Size mm:	Stitch Count:
5.94 X 5.02 in.	**151.0 X 127.4 mm**	**19437 St.**

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

*Fabric Required

12906-28 Background Trees Scene 3 FSA

Size Inches:	Size mm:	Stitch Count:
6.53 X 5.02 in.	**165.8 X 127.4 mm**	**21071 St.**

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12906-29 Background Trees Scene 4 FSA

Size Inches: Size mm: Stitch Count:
6.32 X 5.01 in. 160.6 X 127.3 mm   21123 St.

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

*Fabric Required

12906-30 Background Trees Scene 5 FSA

Size Inches: Size mm: Stitch Count:
5.95 X 3.62 in. 151.1 X 92.0 mm   13663 St.

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

*Fabric Required

12906-31 Tree 1 Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
5.20 X 2.58 in.	132.2 X 65.6 mm	4988 St.

1. Dark Blue Front and Back
   Fabric Placement Stitch 4133
2. Cut Line and Tackdown 4133
3. Dark Blue Lace Detail/ Match Bobbin............. 4133

*Fabric Required

12906-32 Tree 1 Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
4.79 X 2.59 in.	121.7 X 65.8 mm	4731 St.

1. Dark Blue Front and Back
   Fabric Placement Stitch 4133
2. Cut Line and Tackdown 4133
3. Dark Blue Lace Detail/ Match Bobbin............. 4133

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12906-33 Tree 2 Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
4.22 X 2.80 in.	**107.2 X 71.2 mm**	**4763 St.**

1. Green Front and Back
   Fabric Placement Stitch 5555
2. Cut Line and Tackdown 5555
3. Green Lace Detail/ Match Bobbin 5555

*Fabric Required

12906-34 Tree 2 Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
4.01 X 2.82 in.	**102.0 X 71.6 mm**	**4585 St.**

1. Green Front and Back
   Fabric Placement Stitch 5555
2. Cut Line and Tackdown 5555
3. Green Lace Detail/ Match Bobbin 5555

OESD™

*Fabric Required

12906-35 Tree 3 Section 1 FSA

Size Inches:	Size mm:	Stitch Count:
3.76 X 3.07 in.	**95.5 X 78.1 mm**	**3902 St.**

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

*Fabric Required

12906-36 Tree 3 Section 2 FSA

Size Inches:	Size mm:	Stitch Count:
3.50 X 3.08 in.	**89.0 X 78.3 mm**	**3729 St.**

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101

OESD™

*Fabric Required

12906-37 Together Sign FSA

Size Inches:	Size mm:	Stitch Count:
7.55 X 1.66 in.	**191.8 X 42.1 mm**	**8231 St.**

1. White Front and Back
   Fabric Placement Stitch 0101
2. Cut Line and Tackdown 0101
3. White Lace Detail/ Match Bobbin 0101
4. Pink Detail 1755
5. Gray Detail 0105

COLLECTION SUPPLIES

OESD™

Stabilizers

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD StabilStick CutAway

Notions & Tools

- OESD Alligator Clamps
- OESD Button Clips
- OESD Expert Embroidery Tape TearAway
- OESD Expert Embroidery Tape WashAway
- OESD Perfect Punch Tool
- OESD Perfect Embroidery Press Cloth
- Embroidery Needles Sharp 75/11

Isacord Thread Colors

- Per thread chart
- Match the bobbin thread to the upper thread.

Fabrics/Textiles

House 1
Completed Size: 7" H x 3 ¼" W x 3 1/8" D

Design	Front Fabric	Back Fabric
12906-01	Green (1) 8" x 3 ½"	White (1) 8" x 3 ½"
12906-02	Green (1) 8" x 3 ½"	White (1) 8" x 3 ½"
12906-03	Green (2) 6" x 3 ½"	White (2) 6" x 3 ½"
12906-04	White (1) 3 ½" x 3 ½"	White (1) 3 ½" x 3 ½"
12906-05	Light Gray (1) 7" x 4"	White (1) 7" x 4"

12906-01

Requires 1 Design

12906-02

Requires 1 Design

12906-03

Requires 1 Design

12906-04

Requires 1 Design

12906-05

Requires 1 Design

O⊛SD™

Fabrics/Textiles

House 2
Completed Size: 5 1/8" H x 3 3/8" W x 3" D

Design	Front Fabric	Back Fabric
12906-06	Blue (1) 5" x 4"	White (1) 5" x 4"
12906-07	Blue (1) 5" x 4"	White (1) 5" x 4"
12906-08	Blue (2) 6" x 3"	White (2) 6" x 3"
12906-09	White (1) 4" x 3"	White (1) 4" x 3"
12906-10	Pink (1) 5" x 4 ½"	White (1) 5" x 4 ½"

12906-06

Requires 1 Design

12906-07

Requires 1 Design

12906-08

Requires 1 Design

12906-09

Requires 1 Design

12906-10

Requires 1 Design

Fabrics/Textiles

House 3
Completed Size: 3 ½" H x 4 ¼" W x 3 ¼" D

Design	Front Fabric	Back Fabric
12906-11	Pink (1) 4 ½" x 4 ½"	White (1) 4 ½" x 4 ½"
12906-12	Pink (1) 4 ½" x 4 ½"	White (1) 4 ½" x 4 ½"
12906-13	Pink (2) 4" x 2 ½"	White (2) 4" x 2 ½"
12906-14	White (1) 4 ½" x 4"	White (1) 4 ½" x 4"
12906-15	Dark Gray (1) 7 ½" x 4 ½"	White (1) 7 ½" x 4 ½"

12906-11

Requires 1 Design

12906-12

Requires 1 Design

12906-13

Requires 1 Design

12906-14

Requires 1 Design

12906-15

Requires 1 Design

Fabrics/Textiles

House 4
Completed Size: 4" H x 3 ½" W x 3" D

Design	Front Fabric	Back Fabric
12906-16	Light Gray (1) 4" x 3 ½"	White (1) 4" x 3 ½"
12906-17	Light Gray (1) 4" x 3 ½"	White (1) 4" x 3 ½"
12906-18	Light Gray (2) 5" x 3 ½"	White (2) 5" x 3 ½"
12906-19	White (1) 4" x 3 ½"	White (1) 4" x 3 ½"
12906-20	Red (1) 6" x 5"	White (1) 6" x 5"

12906-16

Requires 1 Design

12906-17

Requires 1 Design

12906-18

Requires 1 Design

12906-19

Requires 1 Design

12906-20

Requires 1 Design

Fabrics/Textiles

House 5
Completed Size: 4 ½" H x 2 ¾" W x 3" D

Design	Front Fabric	Back Fabric
12906-21	Red (1) 6" x 3 ½"	White (1) 6" x 3 ½"
12906-22	Red (1) 6" x 3 ½"	White (1) 6" x 3 ½"
12906-23	Red (2) 3 ½" x 3 ½"	White (2) 3 ½" x 3 ½"
12906-24	White (1) 3 ½" x 3 ½"	White (1) 3 ½" x 3 ½"
12906-25	Blue (1) 7" x 4"	White (1) 7" x 4"

12906-21

Requires 1 Design

12906-22

Requires 1 Design

12906-23

Requires 1 Design

12906-24

Requires 1 Design

12906-25

Requires 1 Design

OESD™

Fabrics/Textiles

Background Trees
Completed Size: 6 ½" H x 22" W

Design	Front Fabric	Back Fabric
12906-26	White (1) 7" x 5"	White (1) 7" x 5"
12906-27	White (1) 7" x 6"	White (1) 7" x 6"
12906-28	White (1) 7 ½" x 6"	White (1) 7 ½" x 6"
12906-29	White (1) 7 ½" x 6"	White (1) 7 ½" x 6"
12906-30	White (1) 7" x 5"	White (1) 7" x 5"

12906-26

Requires 1 Design

12906-27

Requires 1 Design

12906-28

Requires 1 Design

12906-29

Requires 1 Design

12906-30

Requires 1 Design

Fabrics/Textiles

Tree 1
Completed Size: 5" H x 2 ½" W x 2 ½" D

Design	Front Fabric	Back Fabric
12906-31	Blue (1) 6" x 3 ½"	Blue (1) 6" x 3 ½"
12906-32	Blue (1) 6" x 3 ½"	Blue (1) 6" x 3 ½"

12906-31

Requires 1 Design

12906-32

Requires 1 Design

Fabrics/Textiles

Tree 2
Completed Size: 4" H x 2 ¾" W x 2 ¾" D

Design	Front Fabric	Back Fabric
12906-33	Green (1) 5" x 4"	Green (1) 5" x 4"
12906-34	Green (1) 5" x 4"	Green (1) 5" x 4"

12906-33

Requires 1 Design

12906-34

Requires 1 Design

OESD™

Fabrics/Textiles

Tree 3
Completed Size: 3 ¾" H x 3" W x 3" D

Design	Front Fabric	Back Fabric
12906-35	White (1) 5" x 4"	White (1) 5" x 4"
12906-36	White (1) 5" x 4"	White (1) 5" x 4"

12906-35

Requires 1 Design

12906-36

Requires 1 Design

SUMMARY

Fabrics/Textiles

Together Sign
Completed Size: 1 ½" H x 5" W x 1 ¾" D

Design	Front Fabric	Back Fabric
12906-37	White (1) 8 ½" x 3"	White (1) 8 ½" x 3"

12906-37

Requires 1 Design

EMBROIDERY

General Instructions

The freestanding applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, but the general technique is the same.
All designs are stitched with matching thread, top and bobbin.
Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

STEP 1

- Hoop one layer of AquaMesh and one layer of BadgeMaster for all designs.

STEP 2

- Adhere one layer of StabilStick CutAway to the wrong side of all applique fabrics, to provide stiffness to the finished structure.
- Note: The structure interior is finished with white interior lining fabric. Since this is a double-sided applique only one layer per fabric is needed to provide stiffness to the structure.

EMBROIDERY

STEP 3

- Load selected design into the machine.
- Example design is 12906-07.
- Thread the machine per the thread chart.
- Stitch Machine Step 1, Blue Front/White Back Fabric Placement Stitch.

STEP 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the prepared fabric.
- Tape in place to secure.

STEP 5

- Turn the hoop over and place the white interior lining fabric, right side up, completely covering the placement stitch.
- Carefully tape to secure. Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.

BACK OF HOOP

EMBROIDERY

STEP 6

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.

BACK OF HOOP

STEP 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess exterior blue fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.
- Tip: If the AquaMesh is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway as a patch.

STEP 8

- Turn the hoop over and trim the excess white interior lining fabric as close to the cut line as possible.
- Tip: Avoid pushing too hard when trimming the fabric to prevent the stabilizer from dislodging from the hoop.

BACK OF HOOP

EMBROIDERY

STEP 9

- Return the hoop to the machine and stitch the remaining machine steps, according to the thread chart.
- Match the bobbin thread to the upper thread throughout.

STEP 10

- When the design is complete, remove the project from the hoop and trim the stabilizer 1/4"- 1/2" outside the design.

STEP 11

- Rinse each piece in warm running water until the design is only slightly tacky.
- Lay right side down on a non-stick surface to dry.

STEP 12

- Once dry, press right side down on a Perfect Embroidery Press Cloth.

STEP 13

- Using the OESD Perfect Punch Tool fitted with the 3mm tip, punch out the designated eyelets on all House Roof FSA sections,12906-05, 12906-10, 12906-15, 12906-20 and 12906-25.
- Punch tool guides are located on page 41.

STEP 14

- To connect the house walls, line up the pieces, right sides up as shown.
- Thread the sewing machine with matching thread in the top and bobbin.
- Stitch together using a multi-step zigzag stitch (also known as a serpentine stitch). Back stitch at the beginning and end to secure. Trim thread tails.
- TIP: An open toe or edge stitch foot is helpful.

STEP 15

- Fold each wall up and match the eyelets to the buttonettes. Pull each buttonette through the corresponding eyelet. Attach a button clip to hold the eyelet in place temporarily when needed.

STEP 16

- Place the roof on the structure and match the eyelets to the buttonettes. Pull each buttonette through the corresponding eyelet. Attach a button clip to hold the eyelet in place temporarily when needed.

STEP 17

- To connect the background scene, line up the pieces, right sides up as shown.
- Use washaway tape on the backsides to close the gaps and stabilize the pieces for sewing.

EMBROIDERY

STEP 18

- Thread the sewing machine with matching thread in the top and bobbin.
- Stitch together using a multi-step zigzag stitch (also known as a serpentine stitch). Back stitch at the beginning and end to secure. Trim thread tails.
- TIP: An open toe or edge stitch foot is helpful.

STEP 19

- Choose the tree upper and the corresponding tree bottom style.
- The Tree Section 1 FSA (12906-33) with the open end on the lower half is the tree top.
- The Tree Section 2 FSA (12906-34) with the open end on the upper half is the tree bottom.

STEP 20

- Slide the top of the tree (12906-33) into the open end of the lower part of the tree (12906-34).

STEP 21

- Locate the sign props at each end of the sign and fold backwards at the hinge.

PUNCH TOOL GUIDES

OeSD™

12906-05

12906-10

12906-15

12906-20

12906-25

● = 2 MM

● = 3 MM

● = 4 MM

PRINTING INSTRUCTIONS

ATTENTION
When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.

TO SAVE PAPER
Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.

APPLIQUE PATTERNS

O&SD™

12906-01

Cut Out

Cut Out

Cut Out

12906-02

Cut Out

Cut Out

12906-04

Cut Out

APPLIQUE PATTERNS

O⊜SD™

12906-03

Cut Out

Cut Out

12906-03

Cut Out

Cut Out

12906-05

12906-05

44

APPLIQUE PATTERNS

O SD™

12906-06

Cut Out

Cut Out

Cut Out

Cut Out

12906-09

Cut Out

12906-07

Cut Out

Cut Out

Cut Out

Cut Out

12906-10

12906-10

APPLIQUE PATTERNS

O SD™

12906-08

Cut Out

Cut Out

12906-08

Cut Out

Cut Out

APPLIQUE PATTERNS

OESD™

Print at 100%. No scaling. This box measures 1″ x 1″. Use the box as an accuracy guide when printing templates.

12906-11

Cut Out   Cut Out

12906-13

12906-12

Cut Out   Cut Out

12906-13

12906-14

Cut Out

APPLIQUE PATTERNS

OⅇSD™

Print at 100%. No scaling. This box measures 1″ x 1″. Use the box as an accuracy guide when printing templates.

12906-15

12906-15

12906-20

12906-20

APPLIQUE PATTERNS

OSD™

Print at 100%. No scaling. This box measures 1″ x 1″. Use the box as an accuracy guide when printing templates.

12906-16

Cut Out

Cut Out

12906-18

Cut Out

12906-17

Cut Out

Cut Out

12906-18

Cut Out

12906-19

Cut Out

APPLIQUE PATTERNS

OeSD™

Cut Out

12906-21

Cut Out

12906-22

Cut Out

12906-23

Cut Out

12906-24

Cut Out

12906-23

Cut Out

OSD™

12906-25

12906-25

OESD™

12906-26

OESD™

Cut Out

12906-27

OESD™

Cut Out

12906-28

O SD™

12906-30

OESD™

Print at 100%. No scaling. This box measures 1″ x 1″. Use the box as an accuracy guide when printing templates.

Cut Out

12906-29

# MIRRORED PATTERNS

O⊜SD™

12906-01
Mirrored

Cut Out

Cut Out

Cut Out

12906-02
Mirrored

Cut Out

Cut Out

12906-04
Mirrored

Cut Out

MIRRORED PATTERNS

OESD™

Cut Out   Cut Out   12906-03
Mirrored

Cut Out   Cut Out   12906-03
Mirrored

12906-05
Mirrored

12906-05
Mirrored

MIRRORED PATTERNS

OESD™

12906-06
Mirrored

Cut Out

Cut Out

Cut Out

Cut Out

12906-09
Mirrored

Cut Out

12906-07
Mirrored

Cut Out

Cut Out

Cut Out

Cut Out

12906-10
Mirrored

12906-10
Mirrored

MIRRORED PATTERNS

OESD™

12906-08
Mirrored

Cut Out

Cut Out

12906-08
Mirrored

Cut Out

Cut Out

MIRRORED PATTERNS

OESD™

12906-11
Mirrored

Cut Out

Cut Out

12906-13
Mirrored

12906-12
Mirrored

Cut Out

Cut Out

12906-13
Mirrored

12906-14
Mirrored

Cut Out

OⓈSD™

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12906-15
Mirrored

12906-20
Mirrored

12906-15
Mirrored

12906-20
Mirrored

MIRRORED PATTERNS

O●SD™

12906-16
Mirrored

Cut Out

Cut Out

12906-17
Mirrored

Cut Out

Cut Out

12906-19
Mirrored

Cut Out

Cut Out

12906-18
Mirrored

Cut Out

12906-18
Mirrored

MIRRORED PATTERNS

OⲈSD™

Cut Out

12906-21
Mirrored

Cut Out

12906-22
Mirrored

Cut Out

12906-23
Mirrored

Cut Out

12906-24
Mirrored

Cut Out

12906-23
Mirrored

Cut Out

OESD™

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12906-25
Mirrored

12906-25
Mirrored

O SD™

12906-26
Mirrored

OESD™

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

Cut Out

12906-27
Mirrored

O SD™

Cut Out

12906-28
Mirrored

OeSD™

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12906-30
Mirrored

MIRRORED PATTERNS

O**SD**™

Cut Out

12906-29
Mirrored