# OESD™

NIFTY NOTES

10 Designs

THREAD LIST

Isacord Thread Colors

0015 White
0132 Dark Pewter
0832 Sisal
1600 Spanish Tile
2550 Soft Pink

4423 Marine Aqua
4430 Island Waters
5531 Pear

* Project instructions included after design list.
Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

TABLE OF CONTENTS

Interactive Menu
Click to navigate to section.

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12913-01 Yes You Can

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	3954 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	4087 St.

1. Card Placement Guide 0015
2. Words.. 0132
3. Leaves... 5531
4. Brown Detail 0832

12913-02 Make Today Amazing

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	4292 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	4506 St.

1. Card Placement Guide 0015
2. Words.. 0132
3. Heart... 2550
4. Brown Detail 0832
5. Aqua Detail.. 4423

OESD™

12913-03 Make Some Waves

Size Inches:	Size mm:	Stitch Count:
S 6.25 X 4.62 in.	158.8 X 117.5 mm	4879 St.
L 7.00 X 5.00 in.	177.8 X 127.0 mm	5262 St.

1. Card Placement Guide 0015
2. Light Green Detail 4430
3. Word Waves 4423
4. Word Some 0832

12913-04 Shine On

Size Inches:	Size mm:	Stitch Count:
S 6.25 X 4.62 in.	158.8 X 117.5 mm	4652 St.
L 7.00 X 5.00 in.	177.8 X 127.0 mm	4874 St.

1. Card Placement Guide 0015
2. Words.. 0132
3. Pink Detail 2550
4. Brown Detail 0832

12913-05 Take Me to the Moon

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	6814 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	7270 St.

1. Card Placement Guide 0015
2. Light Blue Background 4430
3. Brown Detail 0832
4. Aqua Detail 4423
5. Dark Gray Words and Detail 0132

12913-06 Hooray

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	3933 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	4183 St.

1. Card Placement Guide 0015
2. Light Blue Detail 4430
3. Dark Gray Word and Detail 0132
4. Brown Detail 0832

12913-07 You Rock

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	4438 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	4712 St.

1. Card Placement Guide 0015
2. Dark Gray Detail.. 0132
3. Brown Detail 0832
4. Pink Detail 2550
5. Light Blue Detail 4430
6. Aqua Detail.. 4423

12913-08 Do What You Love

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	2827 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	3000 St.

1. Card Placement Guide 0015
2. Words.. 0132
3. Brown Detail 0832

12913-09 You Can Change the World

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	3011 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	3210 St.

1. Card Placement Guide 0015
2. Dark Gray Detail.. 0132
3. Brown Detail 0832

12913-10 Good Vibes Only

	Size Inches:	Size mm:	Stitch Count:
S	6.25 X 4.62 in.	158.8 X 117.5 mm	4008 St.
L	7.00 X 5.00 in.	177.8 X 127.0 mm	4215 St.

1. Card Placement Guide 0015
2. Dark Gray Detail.. 0132
3. Brown Detail 0832
4. Aqua Detail.. 4423
5. Red Detail..1600
6. Seeds... 0132

COLLECTION SUPPLIES

OESD™

Stabilizers

- OESD StabilStick TearAway
- OESD Medium Weight TearAway

Fabrics/Textiles

- Start Here Embroidery Blanks by OESD – Greeting Card size A7 (5" x 7") folded
- Start Here Embroidery Blanks by OESD – Greeting Card size A6 (4.5" x 6.25") folded

Notions & Tools

- OESD Expert Embroidery Tape TearAway
- OESD Fuse and Seal
- Embroidery Needle Sharp 75/11

Isacord Thread Colors

- Per thread chart

EMBROIDERY VARIATION 1

Notes

- The card instructions, included in the collection, are general instructions.

  For demonstration purposes, a sample card design that best demonstrates the technique is shown.

  Thread requirements will vary by design.

STEP 1

- Hoop a piece of StabilStick TearAway paper side up.

STEP 2

- Score with scissors or a pin and remove paper to reveal adhesive.

EMBROIDERY VARIATION 1

STEP 3

- Load selected design into the machine.
- Design in the example is from the collection, Stitched Sentiments - 12874-01L.
- Thread the machine per the thread chart.
- Stitch Machine Step 1, Card Placement Guide.

STEP 4

- Place the front of the card face up within the placement stitch, lining up all edges.

STEP 5

- Stitch the remaining machine steps, per thread chart.

EMBROIDERY VARIATION 1

STEP 6

- Remove the card and stabilizer from the hoop.
- Place the card face down and fold the stabilizer towards the card.
- Carefully cut the stabilizer away, close to the stitching.

- Note: Cutting the excess TearAway stabilizer will prevent creasing and bending the cardstock.

STEP 7

- Cut coordinating cardstock paper (or scrapbook paper) slightly smaller than the front of the card. Cut a piece of Fuse and Seal to fit. Following the package instructions, iron the Fuse and Seal to the wrong side of the cardstock (scrapbook paper).
- Let cool completely.

STEP 8

- Remove paper from Fuse and Seal, line up card over the back side of card and iron to adhere.

## STEP 9

- Your card is complete. Enjoy!

EMBROIDERY VARIATION 2

STEP 1

- 2 cards folded to 5" x 7"
- Cut one card in half on the fold.
- Note: Instruction uses designs not included in this collection.

STEP 2

- Load selected design into the machine.
- Design in the example is 51246-01L, Scissortail collection Cheeky Cards.
- Thread the machine per the threadchart.
- Hoop 1 piece of OESD Medium Weight TearAway stabilizer.
- Stitch Machine Step 1, Card Placement Guide.

STEP 3

- Place 5" x 7" piece of cardstock within the Card Placement Line, lining up all edges.
- Tape in place.
- Note: Expert Embroidery Tape TearAway will not leave residue on the paper or tear the cardstock.

OESD™

STEP 4

- Stitch the remaining machine steps, per thread chart.

STEP 5

- Remove the card and stabilizer from the hoop.
- Place the card face down and fold the stabilizer towards the card.
- Carefully cut the stabilizer away, close to the stitching.
- Note: Cutting the excess TearAway stabilizer will prevent creasing and bending the cardstock.

BACK OF PROJECT

STEP 6

- Cut 1 piece of Fuse and Seal slightly smaller than the size of your card.

OESD™

STEP 7

- Following the package instructions, iron the Fuse and Seal to the wrong side of the embroidered card.


STEP 8

- Once cool, remove the paper backing.

STEP 9

- Place the embroidered half of the card over the front of the second card and fuse with a medium warm iron.
- The back of the embroidery is now hidden.

STEP 10

- The card is now complete. Enjoy!