

WHIMSICAL BORDERS 12 Designs

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2022 OESD, LLC. All rights reserved.





Isacord Thread Colors

0020 Black 3241 Amethyst Frost

* Project instructions included after design list. Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

TABLE OF CONTENTS

Designs	3
Collection Supplies	9
Embroidery	10
Applique Patterns	14
Mirrored Patterns	19






Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12925-01 Flower Applique Border

Size Inches:	Size mm:	Stitch Count:
9.01 X 1.94 in.	229.0 X 49.2 mm	2308 St.
1. Fabric Place	ement Stitch Match Fab	oric 0020
2. Linework/Ta	ackdown	3241



Size Inches:	Size mm:	Stitch Count:
9.00 X 1.95 in.	228.6 X 49.6 mm	2284 St.
	ement Stitch Match Fat	



*Fabric Required




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12925-03 Leaf Applique Border

Size Inches:	Size mm:	Stitch Count:
9.00 X 2.05 in.	228.6 X 52.1 mm	2835 St.
1. Fabric Place	ement Stitch Match Fat	oric 0020
2. Linework/Ta	ackdown	3241



*Fabric Required	12925-0	4 Rose Applique Bo	order
	Size Inches: 9.25 X 2.24 in.	Size mm: 235.0 X 56.9 mm	Stitch Count: 2984 St.
		ement Stitch Match Fat ackdown	
7. 05 7 20 5 7 20 5			




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12925-05 Watermelon Applique Border

Size Inches:	Size mm:	Stitch Count:
9.00 X 1.99 in.	228.6 X 50.7 mm	3270 St.
1. Fabric Plac	ement Stitch Match Fat	oric 0020
2. Linework/Ta	ackdown	3241



12925-06 Rainbow Applique Border

Size Inches:	Size mm:	Stitch Count:
9.03 X 2.03 in.	229.4 X 51.6 mm	2803 St.
1. Fabric Place	ement Stitch Match Fat	oric 0020
2. Linework/Ta	ckdown	3241



*Fabric Required



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12925-07 Seashell Applique Border

Size Inches:	Size mm:	Stitch Count:
9.01 X 2.10 in.	228.8 X 53.4 mm	2899 St.
1. Fabric Plac	ement Stitch Match Fab	oric 0020
2. Linework/Ta	ackdown	3241



*Fabric Required	12925-08	Diamond Applique	Border
	Size Inches: 9.01 X 2.13 in.	Size mm: 228.8 X 54.2 mm	Stitch Count: 2683 St.
		ement Stitch Match Fab ackdown	



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12925-09 Ice Cream Applique Border

Size Inches:	Size mm:	Stitch Count:
9.00 X 2.42 in.	228.6 X 61.4 mm	2288 St.
1. Fabric Place	ement Stitch Match Fab	oric 0020
2. Linework/Ta	ackdown	3241



*Fabric Required	12925-10 Thread Applique Border		
	Size Inches: 9.00 X 1.91 in.	Size mm: 228.6 X 48.5 mm	Stitch Count: 3474 St.
		ement Stitch Match Fat ackdown	



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12925-11 Cowboy Boot Applique Border

Size Inches:	Size mm:	Stitch Count:
9.00 X 2.36 in.	228.7 X 60.0 mm	3114 St.
	ement Stitch Match Fab ackdown	



*Fabric Required	12925-12 House Applique Border		
	Size Inches: 8.99 X 2.01 in.	Size mm: 228.5 X 50.9 mm	Stitch Count: 1777 St.
		ement Stitch Match Fab ackdown	

COLLECTION SUPPLIES



Stabilizers

- OESD Applique Fuse and Fix
- OESD Ultra Clean and Tear

Fabrics/Textiles

- Assorted colors cotton fabric 3" squares
- White quilter's cotton
- Note: Fabric sizes are estimates and may result in overage.

Notions & Tools

- OESD Perfect Embroidery Press Cloth
- Embroidery Needle Sharp 75/11

Isacord Thread Colors

Per thread chart

Note: The applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown.Fabric and thread requirements will vary by design, but the general technique is the same.

EMBROIDERY



STEP 1

• Print the mirrored version of the templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix.





STEP 2

- Cut the prepared applique fabrics 1/4"-1/2" larger than the applique templates.
- Fuse the trimmed templates to the wrong side of the applique fabric with the paper side of the printed template up.





Trim the prepared appliques on the outer edge of the black outline. Set aside.



EMBROIDERY



STEP 4

- Hoop the desired stabilizer and fabric for the project.
- In the example, we used Ultra Clean and Tear stabilizer and white quilter's cotton fabric.





- Load selected design into the machine.
- Example design is 12925-01.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Fabric Placement Stitch/ Match Fabric.


Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.



STEP 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- On the back of the prepared applique fabric, score and remove the paper backing to reveal the adhesive surface.
- Place the applique within the placement stitching.
- Finger press to secure.
- Return the hoop to the machine.
- Tip: Applique Fuse and Fix is repositionable.





EMBROIDERY



STEP 7

• Stitch Machine Step 2, Linework/Tackdown.



STEP 8

- When the design is complete, remove the hoop from the machine AND remove the project from the hoop.
- Rehoop fabric and stabilizer.
- Use machine placement features to align the design to connect with the previous stitchout.
- Continue the length of the project as desired.
- The project is complete. Enjoy!



PRINTING INSTRUCTIONS





ATTENTION


When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.


Printer	
Name: Savin C3535 PCL5c	
Status: Ready	Comments and Forms:
Type: Savin C3535 PCL5c	Document and Markups
Print Range	Preview: Composite
© All	K
Current view	↑ □
Ourrent page	
Pages 1-51	
Subset: All pages in range	
Reverse pages	
Page Handling	
Copies: 1 🚔 🗌 Collate	11
Page Scaling: None	-
Page scaling: [None	
Auto-Rotate and Center	
Choose paper source by PDF page size	
Use custom paper size when needed	×
	Document: 8.5 x 11.0in
Print to file	Paper: 8.5 x 11.0in
Print color as black	1/52

go to File > F	TO SAVE PAPER desired image by navigating to the image's pa rint and select "Current page" in the print dialo ox. Repeat for each desired image.	
	Print Range All Current view Current page Pages 1 - 51 Subset: All pages in range Reverse pages	










ТМ


APPLIQUE PATTERNS








MIRRORED PATTERNS











MIRRORED PATTERNS



