

FREESTANDING AUTUMN LEAVES



8

Designs

THREAD LIST



Isacord Thread Colors

| | | |
|-------------------|-------------------|---------------------|
| 0230 Easter Dress | 0821 Honey Gold | 1725 Terra Cotta |
| 0352 Marsh | 0853 Pecan | 2022 Rio Red |
| 0504 Mimosa | 0934 Fawn | 5740 Mint |
| 0520 Daffodil | 0941 Golden Grain | 5832 Celery |
| 0600 Citrus | 1300 Tangerine | 5833 Limabean |
| 0630 Buttercup | 1301 Paprika | 5912 Erin Green |
| 0800 Golden Rod | 1600 Spanish Tile | 5944 Backyard Green |

*** Project instructions included after design list.**







Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12927-01 Autumn Leaf 1 FSL






Size Inches: Size mm: Stitch Count:
3.18 X 3.94 in. 80.8 X 100.1 mm 19842 St.

| | | |
|--|------------------------------|------|
|  | 1. Bright Orange Detail..... | 1301 |
|  | 2. Yellow Detail..... | 0821 |
|  | 3. Dark Red Detail..... | 2022 |
|  | 4. Medium Orange Detail..... | 1300 |
|  | 5. Medium Red Detail..... | 1725 |
|  | 6. Light Red Detail..... | 1600 |



12927-02 Autumn Leaf 2 FSL

Size Inches: Size mm: Stitch Count:
3.63 X 4.48 in. 92.3 X 113.9 mm 25105 St.

| | | |
|---|---------------------------------|------|
|  | 1. Orange Detail..... | 0800 |
|  | 2. Yellow Detail..... | 0600 |
|  | 3. Dark Red Inner Detail..... | 1725 |
|  | 4. Light Red Detail..... | 1600 |
|  | 5. Dark Red Outline Detail..... | 1725 |

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12927-03 Autumn Leaf 3 FSL

Size Inches: Size mm: Stitch Count:
4.95 X 3.17 in. 125.8 X 80.5 mm 18241 St.

- 1. Medium Gold Detail..... 0504
- 2. Dark Gold Detail..... 0941
- 3. Tan Detail 0934
- 4. Yellow Detail..... 0630
- 5. Gold Detail..... 0821



12927-04 Autumn Leaf 4 FSL

Size Inches: Size mm: Stitch Count:
4.94 X 3.98 in. 125.4 X 101.2 mm 23281 St.

- 1. Dark Yellow Detail..... 0504
- 2. Gold Detail..... 0821
- 3. Bright Yellow Detail..... 0600
- 4. Pale Yellow Detail..... 0520
- 5. Medium Yellow Detail 0630

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12927-05 Autumn Leaf 5 FSL

Size Inches: Size mm: Stitch Count:
4.95 X 4.34 in. 125.7 X 110.1 mm 21817 St.

| | | |
|--|------------------------------|------|
| | 1. Bright Yellow Detail..... | 0600 |
| | 2. Gold Detail..... | 0821 |
| | 3. Green Detail..... | 5740 |
| | 4. Dark Yellow Detail..... | 0504 |
| | 5. Light Yellow Detail..... | 0520 |



12927-06 Autumn Leaf 6 FSL

Size Inches: Size mm: Stitch Count:
3.83 X 4.98 in. 97.4 X 126.4 mm 17937 St.

| | | |
|--|------------------------------|------|
| | 1. Dark Yellow Leaf..... | 0504 |
| | 2. Brown Detail..... | 0853 |
| | 3. Gold Detail..... | 0821 |
| | 4. Green Detail..... | 5832 |
| | 5. Light Yellow Detail..... | 0630 |
| | 6. Bright Yellow Detail..... | 0600 |
| | 7. Dark Yellow Detail..... | 0504 |

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12927-07 Autumn Leaf 7 FSL

Size Inches: Size mm: Stitch Count:
4.37 X 4.01 in. 111.1 X 101.9 mm 27774 St.

| | | |
|--|------------------------------|------|
| | 1. Light Green Leaf..... | 5832 |
| | 2. Tan Detail | 0934 |
| | 3. Medium Green Detail | 5833 |
| | 4. Yellow Detail..... | 0352 |
| | 5. Light Red Detail..... | 1600 |
| | 6. Dark Red Detail..... | 2022 |
| | 7. Medium Red Detail..... | 1725 |
| | 8. Light Green Detail | 5832 |



12927-08 Autumn Leaf 8 FSL

Size Inches: Size mm: Stitch Count:
4.70 X 2.55 in. 119.5 X 64.8 mm 18688 St.

| | | |
|--|-------------------------------|------|
| | 1. Green Leaf | 5912 |
| | 2. Yellow Detail..... | 0230 |
| | 3. Dark Green Detail..... | 5944 |
| | 4. Medium Green Detail | 5833 |
| | 5. Medium Yellow Detail | 0352 |
| | 6. Green Outline Detail..... | 5912 |
| | 7. Light Yellow Detail | 0520 |

Stabilizer

- OESD AquaMesh
- OESD BadgeMaster

Notions/Tools

- 80/12 Embroidery Ballpoint Titanium needle for extended needle life
- OESD Alligator Clamps
- OESD Button Clips
- OESD Perfect Point and Press Tool

Isacord Thread Colors

- All OESD designs are digitized with Isacord 40 wt. polyester thread as the top thread and in the bobbin.
- Refer to the thread chart for color specifications.
- Match bobbin thread color to the top thread.

Instructions

Step 1 - Hoop

For FSL structures, hoop one layer of OESD AquaMesh and one layer of OESD BadgeMaster. BadgeMaster contains more starch so, combined with the AquaMesh, the lace is more rigid. For other FSL, where a softer lace is desired, hoop two layers of AquaMesh.

Step 2 - Embroider

Stitch the design per the thread chart with matching thread in the bobbin at each color change. When complete, remove from the hoop and trim away excess stabilizer about 1/4"-1/2" from the stitching.

Step 3 - Rinse

Rinse remaining stabilizer out in warm running water. For stiffer lace and FSL structures, DO NOT rinse away all of the stabilizer. The lace should be just slightly tacky. For softer lace, rinse until all traces of the stabilizer are removed.

Step 4 - Dry

Lay right side down flat on a non-stick surface, such as a cooling rack, parchment paper or Teflon sheet. This minimizes the tendency for the lace to curl. Let the pieces dry completely before proceeding with any assembly.

Step 5 - Press

Once completely dry, press right side down on a OESD Perfect Embroidery Press Cloth.

Step 6 - Assemble Structure

Note: Specific assembly instructions for a design/collection may be found in the thread chart pdf following the individual design color charts.

Lace must be COMPLETELY DRY before assembly. Wetting the buttonettes or eyelets to assemble is not recommended and may result in them stretching and coming "unbuttoned" when dry.

Use a pair of OESD Alligator Clamps to insert the buttonettes into the eyelets. Insert the tip of the OESD Alligator Clamps into the eyelet, grasp the buttonette and pull through the eyelet. Alternatively, use a stiletto or tweezers to push the buttonette through the eyelet.

Helpful Tips

Limp Lace

If the design is not stiff enough, press the lace pieces on the wrong side while applying spray starch. After ironing, spray again with starch and allow to dry completely. This will stiffen the lace pieces nicely and aid in construction. Or easily re-stiffen by diluting some stabilizer scraps in water (or use liquid starch) and dipping the item in the solution. Lay flat to dry.

Eyelets Too Small

If any of the eyelets appear closed or too small to penetrate with Alligator Clamps, they may be stretched by inserting the small end of the OESD Perfect Point and Press Tool into the eyelet opening and stretching it open wide enough to accommodate the OESD Alligator Clamps.

Button Clips

During the assembly process, some structures pull on buttonettes that have already been inserted and could pull them out altogether. Putting a Button Clip on the assembled buttonette will keep it in position during the assembly process. Remove the Button Clips when the assembly is complete.

Alternative Construction Option

In some cases, the buttonettes may be pulled to the inside of a project, instead of being visible on the outside. Insert the OESD Alligator Clamps through the eyelet from the wrong, or inside, of the lace and grasp the corresponding buttonette. Pull the buttonette to the wrong side of the lace.

Pulling the buttonettes to the inside may cause stress on the ones already done. Button clips may be placed on the completed buttonette(s) to prevent them from pulling out of the eyelet during construction.