









Isacord Thread Colors

1114 Clay4421 Light Mallard1334 Spice - 2 Spools4515 Spruce2153 Dusty Mauve5822 Kiwi2506 Cerise5934 Moss Green

* Project instructions included after design list.

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

TABLE OF CONTENTS

Designs	3
Collection Supplies	11
Summary	12
Embroidery	15
Punch Tool Guide.	23
Applique Patterns	25
Mirrored Patterns	29





*Fabric Required



12928-01 Mum Pumpkin Section 1 FSA

Size Inches:

Size mm:

Stitch Count:

 6.79 X 4.35 in. 172.4 X 110.5 mm
 41089 St.

 1. Purple Fabric Placement Stitch
 5934

 2. Cut Line and Tackdown
 5934

 3. Green Detail
 5934

 4. Orange Lace
 1114

 5. Dark Orange Lace
 1334

 6. Pink Lace
 2153

 7. Dark Pink Lace
 2506

 8. Teal Lace
 4421

 9. Dark Teal Lace
 4515

*Fabric Required



12928-02 Mum Pumpkin Section 2 FSA

Size Inches:		
6.79 X 4.35 in. 172	.4 X 110.5 m	m 44196 St.
1. Purple Fabric Pl	acement Stitch.	2153
2. Cut Line and Tag	ckdown	2153
3. Pink Lace		2153
4. Dark Pink Lace.		2506
5. Teal Lace		4421
6. Dark Teal Lace .		4515
7. Green Detail		5934
8. Orange Lace		1114
9. Dark Orange La	ce	1334
10. Orange Inner Co	over Stitch	1334
11. Dark Pink Outer	Cover Stitch an	d Lace 2506






*Fabric Required



12928-03 Mum Pumpkin Section 3 FSA

Size Inches:	Size	mm:	Stitch Count:
6.79 X 4.35 in.	172.4 X	110.5 mm	41309 St.
1. Purple Fabr	ic Placeme	nt Stitch	1114
2. Cut Line and	d Tackdowr	າ	1114
3. Orange Lac	e		1114
4. Dark Orang	e Lace		1334
5. Green Deta			
6. Teal Lace			4421
7. Dark Teal La	ace		4515
8. Pink Lace			2153
9. Dark Pink L	ace		2506
10. Orange Inne	er Cover St	itch	1334
11. Dark Pink C			




12928-04 Mum Pumpkin Stem FSL

Size	Inches:	5	Size	mm:	Stitch Count:
6.16 X	3.58 in.	156.4	X	91.0 mm	34840 St.
1.	Green Lace)			5822
2.	Dark Green	Lace			5934





*Fabric Required



12928-05 Mum Pumpkin Base FSA

	e Inches: X 4.87 in. 117.8			Stitch Count: 15668 St.
1 .	Purple Fabric Plac	eme	ent Stitch	1334
2.	Cut Line and Tack	dow	n	1334
3.	Dark Orange Deta	il		1334
4.	Dark Orange Cove	er St	itch and Lace	1334
5 .	Dark Pink Cover S	Stitch	١	2506



12928-06 Mum Pumpkin Leaf FSL

Size Inches:	Size mm:	Stitch Count:
3.42 X 3.55 in.	86.8 X 90.2 mm	15221 St.
1. Orange Lac	e	1114
2. Dark Orang	e Lace	1334







12928-07 Mum Pumpkin Vine FSL

Size Inches:	Size mm:	Stitch Count:
2.68 X 2.56 in.	68.1 X 65.0 mm	10459 St.
1. Teal Lace		4421
2. Dark Teal La	ace	4515




12928-08 Leaf Pumpkin Section FSA

Size Inches:	Size	mm:	Stitch Count:
6.79 X 4.35 in.	172.4 X	110.5 mm	32246 St.
1. Teal Fabric	Placement	Stitch	1114
2. Cut Line an			
3. Orange Lac	e		1114
4. Dark Orang			
5. Pink Detail			2153
6. Dark Pink F	lower		2506
7. Green Deta	ıil		5934
8. Teal Detail.			4421
9. Dark Pink I	nner Cover	Stitch	2506
10. Teal Outer	Cover Stitcl	h and Lace	4515








12928-09 Leaf Pumpkin Stem FSL

Size Inches:	Size mm:	Stitch Count:
6.16 X 3.58 in.	156.4 X 91.0 mm	34840 St.
1. Orange Lac	e	1114
2. Dark Orange	e Lace	1334



12928-10 Leaf Pumpkin Base FSA

Size	Inches:	Size mm:	Stitch Count:
4.64 X	X 4.87 in. 117.8	8 X 123.7 mm	15684 St.
1 .	Teal Fabric Place	ement Stitch	2506
2.	Cut Line and Tac	kdown	2506
3.	Dark Pink Detail.		2506
4.	Dark Pink Cover	Stitch and Lace	2506
5 .	Dark Teal Cover	Stitch	4515







12928-11 Leaf Pumpkin Leaf FSL

Size In	iches:	Size	e mm:	Stitch Count:
3.43 X	3.55 in.	87.1 X	90.2 mm	15242 St.
1. G	reen Lace.			5822
2. Da	ark Green	Lace		5934




12928-12 Leaf Pumpkin Vine FSL

Size Inches:	Size mm:	Stitch Count:
2.68 X 2.56 in.	68.1 X 65.0 mm	10459 St.
1. Pink Lace		2153
2. Dark Pink L	ace	2506






*Fabric Required



12928-13 Small Mum Pumpkin Section FSA

Size	Inches:	Size	mm:	Stitch Count:
5.12 X	3.40 in.	130.2 X	86.5 mm	23560 St.
1 .	Orange Fab	ric Placeme	ent Stitch	1114
2.	Cut Line and	d Tackdowr	١	1114
3.	Orange Lea	f		1114
4.	Dark Pink F	lower		2506
5 .	Teal Lace			4421
6.	Dark Teal La	ace		4515
7 .	Dark Teal In	ner Cover S	Stitch	4515
8.	Dark Orang	e Outer Co	ver Stitch and	I Lace 1334




12928-14 Small Mum Pumpkin Stem FSL

Size Inches:		Size mm:		Stitch Count:	
5.38	X 2.81 in.	136.5	X	71.4 mm	21321 St.
1 .	Green Lace)			5822
2.	Dark Green	Lace			5934





*Fabric Required



12928-15 Small Mum Pumpkin Base FSA

Size Inches:	Size	mm:	Stitch Count:
3.71 X 3.73	in. 94.2 X	94.6 mm	11505 St.
1. Orange	Fabric Placeme	ent Stitch	4515
2. Cut Line	and Tackdown	١	4515
3. Dark Te	al Detail		4515
4. Dark Te	al Cover Stitch	and Lace	4515
5. Dark Or	ange Cover Stit	tch	1334



12928-16 Small Mum Pumpkin Leaf FSL

Size Inches:	Size mm:	Stitch Count:
3.07 X 3.21 in.	78.0 X 81.6 mm	13416 St.
1. Pink Lace		2153
2. Dark Pink L	ace	2506

COLLECTION SUPPLIES



Stabilizers

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD StabilStick CutAway

Fabrics/Textiles

- Teal fabric—½ yard
- Purple fabric—1/2 yard
- Orange fabric—½ yard
- Large sections 4 ½" x 7 ½" applique fabric
- Small sections 4" x 6" applique fabric
- Large base 6" x 5" applique fabric
- Small base 5" x 4" applique fabric
- Note: Fabric sizes are estimates and may result in overage.

Notions & Tools

- OESD Alligator Clamps
- OESD Button Clips
- OESD Expert Embroidery Tape TearAway
- OESD Expert Embroidery Tape WashAway
- OESD Perfect Punch Tool
- OESD Perfect Embroidery Press Cloth

Isacord Thread Colors

- As per thread chart
- Match bobbin thread to top thread



Requires 2 Designs






Completed Size: 8" W x 7" D x 8" H

Mum Pumpkin

Purple quilter's cotton - 1/2 yard

- Large Sections Purple quilter's cotton 4 ½" x 7 1/2 "
- Large base Purple quilter's cotton 6" x 5"



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.

Electronic designs are licensed to the original purchaser for use at one location. ©2022 OESD, LLC. All rights reserved.

Requires 1 Design

Requires 1 Design

Requires 1 Design








Completed Size: 8" W x 7" D x 8" H

Leaf Pumpkin

Teal quilter's cotton - 1/2 yard

- Large Sections Teal quilter's cotton 4 1/2" x 7 1/2"
- Large base Teal quilter's cotton 6" x 5"










Completed Size: 6 1/4" W x 5 3/4"D x 6 1/4" H

Small Mum Pumpkin

Orange quilter's cotton - 1/2 yard

- Small sections Orange quilter's cotton 4" x 6"
- Small base Orange quilter's cotton 5" x 4"



Requires 1 Design Requires 1 Design

EMBROIDERY



Notes

The project includes freestanding applique designs and freestanding lace designs. All applique designs are stitched the same as shown in the instructions.

Design Mum Pumpkin Section 1 FSA (12928-01) is shown in the instructions.

All designs are stitched with matching thread in the top and bobbin. Designs 12928-04, 12928-06, 12928-07, 12928-09, 12928-11, 12928-12, 12928-14, 12928-16 are freestanding lace. Follow the General Lace Instructions for these designs.

STEP 1

 Hoop one piece of AquaMesh and one piece of BadgeMaster in the hoop for all designs.



STEP 2

 Adhere two layers of StabilStick CutAway to the wrong side of all applique fabrics to provide stiffness to the finished structure.

Note: Each pumpkin requires six sections, six stems and one base.





STEP 3

 Stitch Machine Step 1, Purple Fabric Placement Stitch.



STEP 4

- Remove the hoop from the machine, but NOT the project from the hoop. Place the hoop on a flat surface.
- Cut a piece of prepared fabric slightly larger than the placement line.
- Cover the placement line completely with the prepared fabric.
- Tape in place to secure.
- Note: If using the pre-cut applique with fuse and fix method place pre-cut fabric here, right side up.



STEP 5

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.





STEP 6

- Remove the hoop from the machine, but NOT the project from the hoop. Place the hoop on a flat surface.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.
- Tip: If the AquaMesh is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway as a patch.



STEP 7

- Return the hoop to the machine and stitch the remaining machine steps, according to the thread chart.
- Remember to match the bobbin thread to the upper thread colors.



STEP 8

• When design is complete, remove the project from the hoop and trim the stabilizer 1/4" - 1/2" outside the design.





STEP 9

- Rinse each piece in warm running water until the design is only slightly sticky.
- Lay face down on a non-stick surface to dry.
 Parchment paper or a cooling rack work well.
 This prevents the piece from curling.




STEP 10

 Press each piece, right side down, on a Perfect Embroidery Press Cloth.



STEP 11

 Use the OESD Punch Tool fitted with the 3mm tip to create the eyelets indicated in the Punch Tool guides located on pg. 23.





STEP 12

- With the right side facing up, attach Mum Pumpkin Section 1 FSA (12928-01) to Mum Pumpkin Stem FSL (12928-04) pulling the buttonettes through the eyelets using alligator clamps.
- Repeat this process for the remaining pumpkin sections and stems.





STEP 13

• Arrange the pumpkin sections so they are in order 01, 02, 03, 01, 02, 03.





STEP 14

 Attach the bottom of each section to the Mum Pumpkin Base FSA (12928-05) by inserting the buttonettes from the base into the eyelets of the pumpkin section.







STEP 15

 Once the sections are attached to the base, attach each neighboring section.







STEP 16

 When the sections are completely attached, attach each stem to its neighbor.





STEP 17

- Attach Mum Pumpkin Leaf FSL (12928-06) by pulling the buttonette through one of the eyelets in the middle of a stem.
- Repeat step to attach the vine.









FINISHING TOUCHES

- Add tea lights or pixie lights to create a glow.
- The pumpkin is complete. Enjoy!



GENERAL FREESTANDING LACE GUIDE



Stabilizer

- · OESD AquaMesh
- OESD BadgeMaster

Notions/Tools

- 80/12 Embroidery
 Ballpoint Titanium needle
 for extended needle life
- OESD Alligator Clamps
- OESD Button Clips
- OESD Perfect Point and Press Tool

Isacord Thread Colors

- All OESD designs are digitized with Isacord 40 wt. polyester thread as the top thread and in the bobbin.
- Refer to the thread chart for color specifications.
- Match bobbin thread color to the top thread.

Instructions

Step 1 - Hoop

For FSL structures, hoop one layer of OESD AquaMesh and one layer of OESD BadgeMaster. BadgeMaster contains more starch so, combined with the AquaMesh, the lace is more rigid. For other FSL, where a softer lace is desired, hoop two layers of AquaMesh.

Step 2 - Embroider

Stitch the design per the thread chart with matching thread in the bobbin at each color change.

When complete, remove from the hoop and trim away excess stabilizer about 1/4"-1/2" from the stitching.

Step 3 - Rinse

Rinse remaining stabilizer out in warm running water.

For stiffer lace and FSL structures, DO NOT rinse away all of the stabilizer. The lace should be just slightly tacky. For softer lace, rinse until all traces of the stabilizer are removed.

Step 4 - Dry

Lay right side down flat on a nonstick surface, such as a cooling rack, parchment paper or Teflon sheet. This minimizes the tendency for the lace to curl.

Let the pieces dry completely before proceeding with any assembly.

Step 5 - Press

Once completely dry, press right side down on a OESD Perfect Embroidery Press Cloth.

Step 6 - Assemble Structure

Note: Specific assembly instructions for a design/collection may be found in the thread chart pdf following the individual design color charts.

Lace must be COMPLETELY DRY before assembly. Wetting the buttonettes or eyelets to assemble is not recommended and may result in them stretching and coming "unbuttoned" when dry.

Use a pair of OESD Alligator Clamps to insert the buttonettes into the eyelets. Insert the tip of the OESD Alligator Clamps into the eyelet, grasp the buttonette and pull through the eyelet. Alternatively, use a stiletto or tweezers to push the buttonette through the eyelet.

Helpful Tips

Limp Lace

If the design is not stiff enough, press the lace pieces on the wrong side while applying spray starch. After ironing, spray again with starch and allow to dry completely. This will stiffen the lace pieces nicely and aid in construction. Or easily restiffen by diluting some stabilizer scraps in water (or use liquid starch) and dipping the item in the solution. Lay flat to dry.

Eyelets Too Small

If any of the eyelets appear closed or too small to penetrate with Alligator Clamps, they may be stretched by inserting the small end of the OESD Perfect Point and Press Tool into the eyelet opening and stretching it open wide enough to accommodate the OESD Alligator Clamps.

Button Clips

During the assembly process, some structures pull on buttonettes that have already been inserted and could pull them out altogether. Putting a Button Clip on the assembled buttonette will keep it in position during the assembly process. Remove the Button Clips when the assembly is complete.

Alternative Construction Option

In some cases, the buttonettes may be pulled to the inside of a project, instead of being visible on the outside. Insert the OESD Alligator Clamps through the eyelet from the wrong, or inside, of the lace and grasp the corresponding buttonette. Pull the buttonette to the wrong side of the lace.

Pulling the buttonettes to the inside may cause stress on the ones already done. Button clips may be placed on the completed buttonette(s) to prevent them from pulling out of the eyelet during construction.

PUNCH TOOL GUIDES




12928-01



12928-02



12928-03



12928-08



12928-13



= 2 MM



= 4 MM


CRAFT KNIFE

PRINTING INSTRUCTIONS




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.




TO SAVE PAPER

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.
















12928-13








Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.





Print at 100%. No scaling. This box measures 1" x 1".
Use the box as an accuracy guide when printing templates.


12928-05 Mirrored




Cut Out



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

