





HAWAIIAN QUILTING



12
Designs

THREAD LIST

Isacord Thread Colors

0182 Saturn Grey
0504 Mimosa
0630 Buttercup
1010 Toast
1600 Spanish Tile
1805 Strawberry
2508 Hot Pink

2910 Grape
3722 Empire Blue
4610 Deep Aqua
5210 Trellis Green
5510 Emerald
5730 Apple Green

*** Project instructions included after design list.**

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

Stabilizers

- OESD Fusible Fleece
- OESD Fusible Woven

Fabrics/Textiles

- ½ yard- White quilter's cotton for background
- (4) 5" squares- Aqua quilter's cotton for applique
- Note: Fabric sizes are estimates and may result in overage.

Notions & Tools

- OESD Expert Embroidery Tape TearAway
- OESD Perfect Embroidery Press Cloth
- OESD Grippy GRID
- Embroidery Needle Titanium Sharp 75/11

Isacord Thread Colors

- Per the thread chart
- 1 additional bobbin with contrasting thread

SUMMARY



Embroidery Hoop to accommodate: 5.52" x 5.51"

12940-01



Requires 4 Designs
12940-05

12940-02



Requires 4 Designs
12940-06

12940-03



Requires 4 Designs
12940-07

12940-04



Requires 4 Designs
12940-08



Requires 4 Designs
12940-09



Requires 4 Designs
12940-10



Requires 4 Designs
12940-11



Requires 4 Designs
12940-12



Requires 4 Designs



Requires 4 Designs



Requires 4 Designs



Requires 4 Designs

Notes


The project includes applique designs. All applique designs are stitched the same as shown in the instructions.

For demonstration purposes, a sample design that best represents the entire collection is shown. Fabric and thread requirements will vary by design, but the general technique will be the same.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.


STEP 1

- Cut the applique fabrics 1/4"-1/2" larger than the templates.
- Press Fusible Woven to the wrong side of the applique fabric.
- Set it aside.



STEP 2

- Cut white fabric large enough to fit in hoop.
- Press Fusible Woven to the wrong side.
- Press Fuse and Fleece to the Fusible Woven.




STEP 3

- Hoop the fabric/stabilizer combination.




STEP 4

- Load selected design into the machine.
- Example design is 12940-12.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Aqua Fabric Placement Stitch.




STEP 5

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Place the prepared applique fabric, right side up, completely covering the placement stitch.
- Tape in place to secure.




STEP 6

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.



STEP 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Trim the excess fabric as close to the tackdown stitching as possible.
Note: If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.



STEP 8

- Return the hoop to the machine.
- Stitch Machine Step 3, Cover Stitch and Detail.



STEP 9

- Place contrasting bobbin in the machine.
- Thread machine with thread to match background.
- Stitch Machine Step 4, Seam Stitch/Match Fabric.



STEP 10

- Place white bobbin in the machine.
- Stitch Machine Step 5, Gray Quilting.




STEP 11

- When the design is complete, remove the hoop from the machine and the project from the hoop.
- Press each block face down on a Perfect Embroidery Press Cloth.
- Place the block right side down on a cutting mat.
- Identify the "seam" stitch line.
- Trim 1/2" away from the seam stitch.



STEP 12

- Stitch 3 more blocks.
- Arrange in the order as shown.




STEP 13

- Sew blocks together, using a 1/2" seam allowance.




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.




TO SAVE PAPER

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.







APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.










APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.







APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.


APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




APPLIQUE PATTERNS


Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




12940-11




12940-11



12940-12





12940-12



12940-12




MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.





MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

