



MATERIALS



#### **Isacord Thread Colors**

0015 White

1140 Meringue

1154 Penny

1900 Geranium

2532 Pretty in Pink

2560 Azalea Pink

4620 Jade

4952 Mystic Ocean

5450 Basic Seafoam

5542 Garden Moss

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

## MATERIALS



#### **Stabilizers**

- OESD StabilStick TearAway
- OESD SoftWeb

#### Fabrics/Textiles

- OESD Iridescent Vinyl
- Gold Quilter's Cotton
- Blue Quilter's Cotton
- White Quilter's Cotton
- Pink Quilter's Cotton
- OESD Easy Sew Pillow Blank, Teal

#### **Notion & Tools**

- OESD Grippy Grid
- OESD Expert Embroidery Tape TearAway
- OESD Perfect Embroidery Press Cloth
- Embroidery Needle Sharp 75/11

#### **Isacord Thread Colors**

· Per thread chart

## SUMMARY





13018-01



Design Size: 6.11 X 5.11 in.

13018-02



Design Size: 5.36 X 5.27 in.

13018-03



Design Size: 5.24 X 4.57 in.

13018-04



Design Size: 6.06 X 5.01 in.

13018-05



Design Size: 5.07 X 5.08 in.

13018-06



Design Size: 5.08 X 4.85 in.



13018-07



Design Size: 6.82 X 3.84 in.

13018-08



Design Size: 4.98 X 4.97 in.

13018-09



Design Size: 5.61 X 3.67 in.

13018-10



Design Size: 5.76 X 3.24 in.

13018-11



Design Size: 4.61 X 3.33 in.

13018-12



Design Size: 4.56 X 3.36 in.

13018-13



Design Size: 5.10 X 4.04 in.

13018-14



Design Size: 5.27 X 3.35 in.

13018-15



Design Size: 4.48 X 2.79 in.

13018-16



Design Size: 3.80 X 2.21 in.

13018-17



Design Size: 5.72 X 2.43 in.

13018-18



Design Size: 3.14 X 2.16 in.

13018-19



Design Size: 4.41 X 2.21 in.

13018-20



Design Size: 3.19 X 3.20 in.



#### **General Instructions**

The applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Design 13018-06 is shown here. Fabric and thread requirements will vary by design, but the general technique is the same. Applique technique shown is cut in place. Pre-cut applique patterns are included at the end of the instructions.

Note: Some thread colors in the instructions have been changed or digitally enhanced for better visibility.

#### Step 1

- Cut the applique fabric 1/4" 1/2" larger than the applique pattern. The applique patterns are included at the end of the instructions.
- Adhere one layer of SoftWeb to the wrong side of the applique fabric to provide body to the fabric.
- Note: Do not apply SoftWeb to the Iridescent Vinyl.






## EMBROIDERY OF



### Step 2


- Using the OESD Grippy Grid, hoop the desired stabilizer for the project.
- Note: The stabilizer shown is StabilStick TearAway with an OESD Start Here Pillow Blank on top.





#### Step 3

- Load the selected design into the machine.
- Example design is 13018-06.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Pink Fabric Placement Stitch.
- Note: A basting stitch is shown. Basting stitches assist in holding the fabric to the stabilizer. This is helpful when floating fabric and is extra security to prevent fabric shifting.




## EMBROIDERY OF




#### Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the paper backing off the SoftWeb on the pink applique fabric.
- Completely cover the placement stitch with the prepared pink applique fabric.
- Tape in place with OESD Expert Embroidery Tape TearAway to secure.




#### Step 5

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.



#### Step 6


- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.





#### Step 7

- · Return the hoop to the machine.
- Stitch Machine Step 3, Gold Fabric Placement Stitch.




#### Step 8

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the prepared gold applique fabric.
- Tape in place to secure.



#### Step 9

- Return the hoop to the machine.
- Stitch Machine Step 4, Cut Line and Tackdown.





#### Step 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible.




#### Step 11

- Return the hoop to the machine.
- Stitch Machine Step 5, White Fabric Placement Stitch.



#### Step 12

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the prepared white applique fabric.
- Tape in place to secure.





#### Step 13

- Return the hoop to the machine.
- Stitch Machine Step 6, Cut Line and Tackdown.



#### Step 14

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible.



#### Step 15


- · Return the hoop to the machine.
- Stitch Machine Step 7, Blue Fabric and Iridescent Vinyl Placement Stitch.





### Step 16

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the prepared blue applique fabric.
- Tape in place to secure.
- Cover the prepared blue applique fabric with Iridescent Vinyl.
- Tape in place to secure.





#### Step 17

- Return the hoop to the machine.
- Stitch Machine Step 8, Cut Line and Tackdown.





#### Step 18

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible.
- Tip: Trim one layer at a time for best results.





#### Step 19


- Return the hoop to the machine.
- Stitch Machine Step 9, Blue Fabric and Iridescent Vinyl Placement Stitch.






#### Step 20

- · Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the prepared blue applique fabric.
- Tape in place to secure.
- Cover the prepared blue applique fabric with Iridescent Vinyl.
- Tape in place to secure.





### Step 21


- · Return the hoop to the machine.
- Stitch Machine Step 10, Cut Line and Tackdown.





#### Step 22

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible.
- Tip: Trim one layer at a time for best results.





#### Step 23

- Return the hoop to the machine.
- Stitch the remaining steps per the thread chart.





#### Step 24

- When the design is complete, remove the project from the hoop.
- · Tear away the excess stabilizer.



#### Step 25

 Press right side down on an OESD Perfect Embroidery Press Cloth with low heat.




#### Step 26

• The project is complete. Enjoy!




#### **ATTENTION**

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.




#### TO SAVE PAPER

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



## APPLIQUE PATTERNS OSE






## APPLIQUE PATTERNS O SD PREMIER COLLECTION



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates. 13018-02 Fabric 13018-02 13018-02 Vinyl Fabric 13018-02 Fabric 13018-02 13018-02 Fabric Fabric 13018-02 Fabric

### APPLIQUE PATTERNS






### APPLIQUE PATTERNS C




Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.



## APPLIQUE PATTERNS O SD PREMIER COLLECTION






### APPLIQUE PATTERNS O



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.



## APPLIQUE PATTERNS O SD PREMIER COLLECTION




13018-07 Vinyl 13018-07 Fabric 13018-07 Fabric 13018-07 Fabric 13018-08 Fabric

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

## APPLIQUE PATTERNS OSSI




Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.




## APPLIQUE PATTERNS OSSI






## APPLIQUE PATTERNS OSI






## APPLIQUE PATTERNS OSSI








## APPLIQUE PATTERNS O SD PREMIER COLLECTION















Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.






Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.








Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.


Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.











Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

