





3 Designs/19 Files

MATERIALS



#### **Isacord Thread Colors**

0010 Silky White 1133 Peru 1252 Dark Tan

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

# MATERIALS



#### **Stabilizers**

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD StabilStick CutAway
- OESD Fiber Form
- OESD Applique Fuse and Fix

#### Fabrics/Textiles

- Gold Quilter's Cotton
   1/2 yard per gift box
- · Note: Fabric amounts are estimates and may result in overages.

#### **Notion & Tools**

- OESD Grippy Grid
- OESD Expert Embroidery Tape TearAway
- OESD Expert Embroidery Tape WashAway
- OESD Perfect Embroidery Press Cloth
- OESD Perfect Scoring Tool
- OESD Alligator Clamps
- OESD Button Clips
- Embroidery Needle Sharp 75/11

#### **Isacord Thread Colors**

Per thread chart

# SUMMARY



#### Cabin




Finished Size: 4" L x 4 1/4" W x 9" H

#### 13020-01



Design Size: 5.72 X 4.43 in. Requires 1

#### 13020-02



Design Size: 5.72 X 4.43 in. Requires 1

#### 13020-03



Design Size: 8.92 X 4.12 in. Requires 2

#### 13020-04



Design Size: 3.51 X 4.07 in. Requires 1

#### 13020-05



Design Size: 3.56 X 4.12 in. Requires 2

# SUMMARY



#### Townhouse



Finished Size:  $4 \frac{1}{4}$ " L x  $\frac{3}{3}$ / $\frac{4}$ " W x  $\frac{11}{4}$ " H

13020-06



Design Size: 7.50 X 3.85 in. Requires 1

13020-07



Design Size: 7.50 X 3.85 in. Requires 1

13020-08



Design Size: 7.47 X 4.72 in. Requires 2

13020-09



Design Size: 3.51 X 4.07 in. Requires 1

13020-10



Design Size: 3.56 X 4.12 in. Requires 2

13020-11



Design Size: 3.16 X 3.46 in. Requires 2

# SUMMARY



#### **Apartment**



Finished Size:4 1/4" L x 4 1/4" W x 15 1/2" H

13020-12




Design Size: 5.72 X 4.43 in. Requires 1



Design Size: 5.72 X 4.43 in. Requires 1

13020-13



Design Size: 5.72 X 4.71 in. Requires 2

13020-18



Design Size: 5.72 X 4.43 in. Requires 2

13020-16



Design Size: 5.72 X 4.72 in. Requires 2



Design Size: 4.11 X 4.11 in. Requires 1



Design Size: 4.04 X 4.05 in. Requires 2



Design Size: 3.81 X 4.08 in. Requires 2



#### **General Instructions**

The freestanding applique (FSA) instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Design 13020-18 is shown here. Fabric and thread requirements will vary by design, but the general technique is the same.

Applique techniques shown are pre-cut (Fiber Form) and cut in place (fabric). Pre-cut applique patterns are included at the end of the instructions.

Note: Some thread colors in the instructions have been changed or digitally enhanced for better visibility.

### Step 1

- Print the mirrored version of the applique patterns (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix. The applique patterns are included at the end of the instructions.
- Cut approximately 1/4" 1/2" outside the printed applique patterns.





## Step 2

- Cut the Fiber Form 1/4" 1/2" larger than the applique patterns.
- Fuse the trimmed patterns to the back of the Fiber Form with the paper side of the printed patterns up. Hold the iron on the pattern for 10– 15 seconds for a secure fuse.



### Step 3

- Trim the Fiber Form on the outer edges of the black outline.
- · Set aside.





## Step 4


- Cut the prepared applique fabrics 1/4" 1/2" larger than the applique patterns.
- Adhere one layer of StabilStick CutAway to the wrong side of all applique fabrics to provide stiffness to the finished structure.





### Step 5


 Using the OESD Grippy Grid, hoop one layer of Aquamesh and one layer of BadgeMaster for all designs.





## Step 6

- Load the selected design into the machine.
- Example design is 13020-18.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Fiber Form and Gold Fabric Placement Stitch.



### Step 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- On the back of the Fiber Form, use the OESD Perfect Scoring Tool to score and remove the paper backing to reveal the adhesive surface.
- Place the Fiber Form within the placement stitching.
- Finger press to secure.
- Tip: Applique Fuse and Fix is repositionable.









### Step 8

- Completely cover the Fiber Form with the prepared gold applique fabric.
- Tape in place with OESD Expert Embroidery Tape TearAway to secure.



#### Step 9

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.



#### Step 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.
- Tip: If the stabilizer is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway as a patch.





## Step 11

- Return the hoop to the machine.
- Stitch Machine Step 3, Window.
- Stitch Machine Step 4, Roof.



### Step 12

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over and place the prepared applique fabric, right side up, completely covering the placement stitch.
- Carefully tape to secure.
- Tip: Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.



### Step 13

- · Return the hoop to the machine.
- Stitch Machine Step 5, Back Fabric Cut Line and Tackdown.





### Step 14

- Remove the hoop from the machine, but NOT the project from the hoop.
- · Turn the hoop over.
- Trim the excess fabric as close to the cut line as possible.



### Step 15

- · Return the hoop to the machine.
- Stitch the remaining machine steps per the thread chart with matching bobbin thread.



### Step 16

- When the design is complete, remove the project from the hoop.
- Trim the stabilizer 1/4" 1/2" outside the design.





## Step 17

- Rinse each piece in warm running water until the design is only slightly tacky.
- Place right side down on a non-stick surface to dry. Parchment paper or a cooling rack work well. Dry completely.
- Once dry, press right side down on an OESD Perfect Embroidery Press Cloth.




#### Step 18

- Line up the Apartment Front FSA (13020-12), Apartment 2nd Story 1 FSA (13020-15) and Apartment Handle FSA (13020-18) to connect.
- Thread the sewing machine with matching thread on top and bobbin.
- Stitch together using a multi-step zigzag stitch.
- Back stitch at the beginning and end to secure.
- Trim thread tails.
- Set aside.

## Step 19

- Line up the Apartment Back FSA (13020-13), Apartment 2nd Story 1 FSA (13020-15) and Apartment Handle FSA (13020-18) to connect.
- Stitch together with a multi-step zigzag stitch.








### Step 20

- Line up one Apartment Side FSA (13020-14), one Apartment 2nd Story 2 FSA (13020-16) and one Apartment Side Roof FSA (13020-19) to connect.
- Stitch together with a multi-step zigzag stitch.
- · Repeat for the other set.



### Step 21


- Line up the Apartment Front, Apartment Sides, and Apartment Back with Apartment Bottom FSA (13020-17).
- The Apartment Front and Back will be across from each other.
- Stitch together with a multi-step zigzag stitch.






### Step 22


- Fold the sides of the box upwards from the bottom.
- Match the eyelets on the Apartment Front to the buttonettes on the Apartment Sides.
- · Pull each buttonette through the corresponding eyelet.





### Step 23

- Match the eyelets on the Apartment Back to the buttonettes on the Apartment Sides.
- · Pull each buttonette through the corresponding eyelet.







## Step 24

- To close the box, fold the Apartment Handles towards each other.
- Slot the Apartment Side Roofs into the notches of the Apartment Handles.




### Step 25

• The project is complete. Enjoy!




#### **ATTENTION**

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



#### **TO SAVE PAPER**

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-01 Fiber Form & Front Fabric

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-01 Back Fabric


Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-02 Fiber Form & Front Fabric

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.


13020-02 Back Fabric

# APPLIQUE PATTERNS O SD PREMIER COLLECTION



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13020-03 Fiber Form & Front Fabric



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13020-03 Back Fabric

# APPLIQUE PATTERNS O SD PREMIER COLLECTION


Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13020-04 Fiber Form & Front Fabric

> 13020-04 Back Fabric


# APPLIQUE PATTERNS OSE





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13020-05 Fiber Form & Front Fabric



13020-05 Back Fabric



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13020-06 Fiber Form & Front Fabric



13020-06 Back Fabric Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13020-07 Fiber Form & Front Fabric

# APPLIQUE PATTERNS O SD PREMIER COLLECTION

13020-07 Back Fabric Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13020-08 Fiber Form & Front Fabric



13020-08 Back Fabric Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.


Print at 100%. No scaling. This box measures 1"x 1".
Use the box as an accuracy guide when printing templates.

13020-09 Fiber Form & Front Fabric

> 13020-09 Back Fabric


# APPLIQUE PATTERNS OSI





Print at 100%. No scaling. This box measures 1"x 1".
Use the box as an accuracy guide when printing templates.

13020-10 Fiber Form & Front Fabric




13020-10 Back Fabric

## APPLIQUE PATTERNS O



13020-11 Fiber Form & Front Fabric Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-12 Fiber Form & Front Fabric

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-12 Back Fabric

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-13 Fiber Form & Front Fabric

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-13 Back Fabric

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-14 Fiber Form & Front Fabric

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-14 Back Fabric



13020-15 Fiber Form & Front Fabric

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13020-15 Back Fabric

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-16 Fiber Form & Front Fabric

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-16 Back Fabric



13020-17 Fiber Form & Front Fabric Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13020-17 Back Fabric


#### APPLIQUE PATTERNS OSE



13020-18
Fiber Form & Front Fabric

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.


13020-18 Fiber Form & Front Fabric




13020-18 Back Fabric

#### APPLIQUE PATTERNS OSSI





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.





13020-01 Fiber Form & Front Fabric Mirrored




13020-01 Back Fabric Mirrored



13020-02 Fiber Form & Front Fabric Mirrored




13020-02 Back Fabric Mirrored



13020-03 Fiber Form & Front Fabric Mirrored







13020-03 Back Fabric Mirrored

13020-04 Fiber Form & Front Fabric Mirrored

> 13020-04 Back Fabric Mirrored



13020-05 Fiber Form & Front Fabric Mirrored



13020-05 Back Fabric Mirrored



13020-06 Fiber Form & Front Fabric Mirrored



13020-06 Back Fabric Mirrored



13020-07 Fiber Form & Front Fabric Mirrored



13020-07 Back Fabric Mirrored

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.



13020-08 Fiber Form & Front Fabric Mirrored




13020-08 **Back Fabric** Mirrored


Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

13020-09 Fiber Form & Front Fabric Mirrored

> 13020-09 Back Fabric Mirrored




13020-10 Fiber Form & Front Fabric Mirrored




13020-10 Back Fabric Mirrored

## MIRRORED PATTERNS O SD PREMIER COLLECTION

Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.







13020-12 Fiber Form & Front Fabric Mirrored



13020-12 Back Fabric Mirrored



13020-13
Fiber Form & Front Fabric
Mirrored



13020-13 Back Fabric Mirrored



13020-14 Fiber Form & Front Fabric Mirrored



13020-14 Back Fabric Mirrored



13020-15 Fiber Form & Front Fabric Mirrored



13020-15 Back Fabric Mirrored



13020-16 Fiber Form & Front Fabric Mirrored




13020-16 Back Fabric Mirrored




scaling. This box measures 1" x 1".
Use the box as an accuracy guide when printing templates.

13020-17
Fiber Form & Front Fabric
Mirrored

13020-17 Back Fabric Mirrored Print at 100%. No




13020-18 Fiber Form & Front Fabric Mirrored



13020-18 Back Fabric Mirrored

## MIRRORED PATTERNS O SD PREMIER COLLECTION



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

