


Freestanding Apothecary



Collection No. 13039
1 Design/19 Files

Isacord Thread Colors

0010 Silky White
0020 Black
1030 Passion Fruit
1321 Dark Orange
2153 Dusty Mauve
2222 Burgundy
3951 Azure Blue
3953 Ocean Blue

KingStar Thread Colors

MA24 Orange
MA27 Fuchsia
MA7 Pacific Blue

 **Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.**

Stabilizers

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD SoftWeb
- OESD Fiber Form (2 rolls)
- OESD Applique Fuse and Fix

Fabrics/Textiles

- Dark Purple Quilter's Cotton
1/4 yard
- Light Purple Quilter's Cotton
1/2 yard
- Orange Quilter's Cotton
1/4 yard
- Blue Quilter's Cotton
1/2 yard
- White Quilter's Cotton
4" x 2 1/2"
- OESD Clear Vinyl
1 roll
- White Rainbow Lame
1/4 yard

Notion & Tools

- OESD Grippy Grid
- OESD Expert Embroidery Tape TearAway
- OESD Expert Embroidery Tape WashAway
- OESD Perfect Embroidery Press Cloth
- OESD Perfect Scoring Tool
- OESD Perfect Punch Tool
- OESD MiniMat
- OESD Alligator Clamps
- OESD Button Clips
- Embroidery Needle Sharp 75/11 (FSA)
- Craft Knife

Thread Colors

- Per thread chart



SUMMARY



Completed Size:

7 1/2" L x 5" W x 10" H

13039-01



Design Size:
4.36 X 5.01 in.

13039-02



Design Size:
8.67 X 4.64 in.

13039-03



Design Size:
4.35 X 4.69 in.

13039-04



Design Size:
8.67 X 4.77 in.

13039-05



Design Size:
6.17 X 5.78 in.

13039-06



Design Size:
5.67 X 5.78 in.

13039-07



Design Size:
4.35 X 3.46 in.

13039-08



Design Size:
7.56 X 3.77 in.

SUMMARY

13039-09



Design Size:
4.35 X 3.48 in.

13039-10



Design Size:
4.96 X 4.62 in.

13039-11



Design Size:
4.48 X 4.29 in.

13039-12




Design Size:
5.70 X 3.73 in.

13039-13




Design Size:
4.57 X 3.44 in.

13039-14



Design Size:
4.59 X 3.40 in.

13039-15




Design Size:
8.15 X 4.84 in.

13039-16



Design Size:
8.16 X 4.88 in.

13039-17




Design Size:
6.35 X 4.80 in.

13039-18



Design Size:
3.41 X 2.83 in.

13039-19



Design Size:
5.39 X 4.63 in.

GENERAL INSTRUCTIONS

The freestanding applique (FSA) instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Designs 13039-02 and 13039-13 are shown here. Fabric and thread requirements will vary by design, but the general technique is the same. Applique techniques shown are pre-cut (Fiber Form) and cut in place (fabric & vinyl). Pre-cut applique patterns are included at the end of the instructions.

 **Note: Some thread colors in the instructions have been changed or digitally enhanced for better visibility.**

Embroidery - Single Sided Applique

Apothecary Left Inner Wall FSA	13039-01
Apothecary Front Wall 1 FSA	13039-02
Apothecary Right Inner Wall FSA	13039-03
Apothecary Back Wall 1 FSA	13039-04
Apothecary Back Wall 2 FSA	13039-07
Apothecary Side Wall FSA	13039-08
Apothecary Front Wall 2 FSA	13039-09
Apothecary Dormer Window & Roof FSA	13039-12*
Apothecary Tower Walls 1 FSA	13039-15
Apothecary Tower Walls 2 FSA	13039-16
Apothecary Tower Roof FSA	13039-17
Apothecary Side Floor FSA	13039-18
Apothecary Main Floor FSA	13039-19

*Dormer Window is Single Sided

Step 1

- Print the mirrored version of the applique pattern (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix. The applique patterns are included at the end of the instructions.
- Cut approximately 1/4" – 1/2" outside the printed applique pattern.



Step 2

- Cut the Fiber Form 1/4" – 1/2" larger than the applique pattern.
- Fuse the trimmed pattern to the back of the Fiber Form with the paper side of the printed pattern up. Hold the iron on the pattern for 10–15 seconds for a secure fuse.



☐ Step 3

- Trim the Fiber Form on the outer edges of the black outline.
- Set aside.




☐ Step 4

- Cut the applique fabrics 1/4" - 1/2" larger than the applique patterns.
- Fuse one layer of SoftWeb to the wrong side of all cotton applique fabrics to provide body to the fabric.




☐ Step 5

- Using the OESD Grippy Grid, hoop one layer of Aquamesh and one layer of BadgeMaster for all designs.



Step 6

- Load the selected design into the machine.
- Example design is 13039-02 Apothecary Front Wall 1.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Fiber Form Placement Stitch.



Step 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- On the back of the Fiber Form, use the OESD Perfect Scoring Tool to score and remove the paper backing to reveal the adhesive surface.
- Place the Fiber Form within the placement stitching.
- Finger press to secure.

 **Tip: Applique Fuse and Fix is repositionable.**



☐ Step 8

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.
- Stitch Machine Step 3, Orange Fabric Placement Stitch.



☐ Step 9

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the paper backing off the SoftWeb on the orange applique fabric.
- Completely cover the placement stitch with the prepared applique fabric.
- Tape in place with OESD Expert Embroidery Tape TearAway to secure.



☐ Step 10

- Return the hoop to the machine.
- Stitch Machine Step 4, Cut Line and Tackdown.



☐ Step 11

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.

 **Tip: If the stabilizer is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway as a patch.**




☐ Step 12

- Return the hoop to the machine.
- Stitch Machine Step 5, Light Purple Fabric Placement Stitch.



□ Step 13

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the paper backing off the SoftWeb on the light purple applique fabric.
- Completely cover the placement stitch with the prepared applique fabric.
- Tape in place to secure.



□ Step 14

- Return the hoop to the machine.
- Stitch Machine Step 6, Cut Line and Tackdown.



□ Step 15

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible.



☐ Step 16

- Return the hoop to the machine.
- Stitch Machine Step 7, Dark Purple Fabric Placement Stitch.



☐ Step 17

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the paper backing off the SoftWeb on the dark purple applique fabric.
- Completely cover the placement stitch with the prepared applique fabric.
- Tape in place to secure.



☐ Step 18

- Return the hoop to the machine.
- Stitch Machine Step 8, Cut Line and Tackdown.



☐ Step 19

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible.



☐ Step 20

- Return the hoop to the machine.
- Stitch Machine Step 9, Blue Fabric Placement Stitch.



☐ Step 21

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the paper backing off the SoftWeb on the blue applique fabric.
- Completely cover the placement stitch with the prepared applique fabric.
- Tape in place to secure.



☐ Step 22

- Return the hoop to the machine.
- Stitch Machine Step 10, Cut Line and Tackdown.



☐ Step 23

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible.



☐ Step 24

- Return the hoop to the machine.
- Stitch Machine Step 11, White Fabric Placement Stitch.



☐ Step 25

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the paper backing off the SoftWeb on the white applique fabric.
- Completely cover the placement stitch with the prepared applique fabric.
- Tape in place to secure.



☐ Step 26

- Return the hoop to the machine.
- Stitch Machine Step 12, Cut Line and Tackdown.



☐ Step 27

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible.



Step 28

- Return the hoop to the machine.
- Stitch Machine Step 13, Clear Vinyl/Lame Placement Stitch.



Step 29

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with clear vinyl.
- Tape in place to secure.
- Completely cover the placement stitch with white sparkle lame.
- Tape in place to secure.



☐ Step 30

- Return the hoop to the machine.
- Stitch Machine Step 14, Cut Line and Tackdown.



☐ Step 31

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess vinyl and white sparkle lame as close to the cut line as possible.

 **Tip: Trim one layer at a time for best results.**



☐ Step 32

- Return the hoop to the machine.
- Stitch Machine Steps 15 - 20 per the thread chart.



☐ Step 33

- Stitch Machine Steps 21 – 27 per the thread chart **with matching bobbin thread**.



☐ Step 34

- Stitch the remaining machine steps per the thread chart.



☐ Step 35

- When the design is complete, remove the project from the hoop.
- Trim the stabilizer 1/4" – 1/2" outside the design.



Embroidery - Double Sided Applique

Apothecary Center Roof 1 FSA	13039-05
Apothecary Center Roof 2 FSA	13039-06
Apothecary Little Roof 1 FSA	13039-10
Apothecary Little Roof 2 FSA	13039-11
Apothecary Dormer Window & Roof FSA	13039-12*
Apothecary Chimney 1 FSA	13039-13
Apothecary Chimney 2 FSA	13039-14

*Dormer Roof is Double Sided



Step 36

- Print the mirrored version of the applique patterns (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix. The applique patterns are included at the end of the instructions.
- Cut approximately 1/4" – 1/2" outside the printed applique patterns.




Step 37

- Cut the Fiber Form 1/4" – 1/2" larger than the applique patterns.
- Fuse the trimmed patterns to the back of the Fiber Form with the paper side of the printed patterns up. Hold the iron on the pattern for 10–15 seconds for a secure fuse.



Step 38

- Trim the Fiber Form on the outer edges of the black outline.
- Set aside.



Step 39

- Cut the applique fabrics 1/4" – 1/2" larger than the applique patterns.
- Fuse one layer of SoftWeb to the wrong side of all applique fabrics to provide body to the fabric.




Step 40

- Using the OEESD Grippy Grid, hoop one layer of Aquamesh and one layer of BadgeMaster for all designs.



Step 41


- Load the selected design into the machine.
- Example design is 13039-13 Apothecary Chimney 1.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Fiber Form Placement Stitch.



Step 42


- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- On the back of the Fiber Form, use the OEESD Perfect Scoring Tool to score and remove the paper backing to reveal the adhesive surface.
- Place the Fiber Form within the placement stitching.
- Finger press to secure.

 **Tip: Applique Fuse and Fix is repositionable.**




Step 43

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.
- Stitch Machine Step 3, Front and Back Orange Fabric Placement Stitch.



□ Step 44

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the paper backing off the SoftWeb on the orange applique fabric.
- Completely cover the placement stitch with the prepared applique fabric.
- Tape in place with OESD Expert Embroidery Tape TearAway to secure.



□ Step 45


- Turn the hoop over and place the prepared orange applique fabric, right side up, completely covering the placement stitch.
- Carefully tape to secure.

 **Tip: Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.**



□ Step 46


- Return the hoop to the machine.
- Stitch Machine Step 4, Cut Line and Tackdown.



☐ Step 47

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.

 **Tip: If the stabilizer is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway as a patch.**



☐ Step 48

- Turn the hoop over. Trim the excess fabric as close to the cut line as possible.



☐ Step 49

- Return the hoop to the machine.
- Stitch the remaining machine steps per the thread chart **with matching bobbin thread.**



☐ Step 50

- When the design is complete, remove the project from the hoop.
- Trim the stabilizer 1/4" - 1/2" outside the design.



☐ Step 51

- Rinse each piece in warm running water until the design is only slightly tacky.
- Place right side down on a non-stick surface to dry. Parchment paper or a cooling rack work well. Dry completely.
- Once dry, press right side down on an OESD Perfect Embroidery Press Cloth.



 **Note:** Using the Perfect Embroidery Press Cloth when pressing your design helps prevent the stitches from becoming crushed and absorbs steam for a perfectly pressed finish.

☐ Step 52

- Before assembly, use the OESD MiniMAT and the OESD Perfect Punch Tool with the 3mm attachment to create the eyelets indicated in the diagram.
- Use the OESD MiniMAT and a craft knife to cut through all the layers of the tab entries.
- Reference the Punch Tool Guide on page 41.

 **Tip:** Take care to not cut the satin stitching.




☐ Step 53

- Line up the Apothecary Left Inner Wall FSA (13039-01), Apothecary Front Wall 1 FSA (13039-02), Apothecary Right Inner Wall FSA (13039-03) and Apothecary Back Wall 1 FSA (13039-04) to connect.
- Thread the sewing machine with matching thread on top and bobbin.
- Stitch together using a multi-step zigzag stitch.
- Back stitch at the beginning and end to secure.
- Trim thread tails.
- Set aside.



☐ Step 54

- Line up the Apothecary Center Roof 1 FSA (13039-05) and Apothecary Center Roof 2 FSA (13039-06) to connect.
- Stitch together with a multi-step zigzag stitch.
- Set aside.



☐ Step 55

- Line up the Apothecary Back Wall 2 FSA (13039-07), (Apothecary Side Wall FSA (13039-08) and Apothecary Front Wall 2 FSA (13039-09) to connect.
- Stitch together with a multi-step zigzag stitch.
- Set aside.



☐ Step 56

- Line up the Apothecary Little Roof 1 FSA (13039-10) and Apothecary Little Roof 2 FSA (13039-11) to connect.
- Stitch together with a multi-step zigzag stitch.
- Set aside.



☐ Step 57

- Line up the Apothecary Tower Walls 1 FSA (13039-15) and Apothecary Tower Walls 2 FSA (13039-16) to connect.
- Stitch together with a multi-step zigzag stitch.
- Set aside.




Step 58

- Match the buttonettes on the Apothecary Left Inner Wall to the corresponding eyelets on the Apothecary Back Wall 1.
- Pull the buttonettes through the corresponding eyelets.




Step 59

- Match the buttonettes on the Apothecary Left Inner Wall and Apothecary Front and Back Walls to the corresponding eyelets on the Apothecary Center Roof 1.
- Pull the buttonettes through the corresponding eyelets.




Step 60

- Match the buttonettes on the Apothecary Right Inner Wall and Apothecary Front and Back Walls to the corresponding eyelets on the Apothecary Center Roof 2.
- Pull the buttonettes through the corresponding eyelets.



Step 61

- Match the buttonettes on the Apothecary Dormer Window FSA (13039-12) to the eyelets on the Apothecary Dormer Roof FSA (13039-12).
- Pull the buttonettes through the corresponding eyelets.





☐ Step 62

- Match the buttonettes on the Apothecary Back Wall 2 and the left side of the Apothecary Side Wall to the corresponding eyelets on the Apothecary Little Roof 1.
- Pull the buttonettes through the corresponding eyelets.





☐ Step 63

- Insert the locking tab of the Apothecary Dormer Window into the tab entry of the Apothecary Little Roof 1.
- Match the buttonettes on the Apothecary Dormer Roof to the eyelets on the Apothecary Little Roof 1.
- Pull the buttonette through the corresponding eyelet.



☐ Step 64

- Match the buttonettes on the Apothecary Front Wall 2 and the right side of the Apothecary Side Wall to the corresponding eyelets on the Apothecary Little Roof 2.
- Pull the buttonettes through the corresponding eyelets.





☐ Step 65

- Match the buttonettes on the Apothecary Chimney 1 FSA (13039-13) to the corresponding eyelets.
- Pull the buttonettes through the corresponding eyelets.



Step 66

- Insert the locking tabs of the Apothecary Chimney 1 into the tab entries of the Apothecary Little Roof 2.




Step 67

- Insert the locking tabs of the Apothecary Side structure into the tab entries of the Apothecary Center structure.



Step 68

- Match the buttonettes on the Apothecary Chimney 2 FSA (13039-14) to the corresponding eyelets.
- Pull the buttonettes through the corresponding eyelets.




Step 69

- Insert the locking tabs of the Apothecary Chimney 2 into the upper right tab entries of the Apothecary Center Roof 1.




Step 70

- Match the buttonettes on the Apothecary Tower Roof FSA (13039-17) to the corresponding eyelets.
- Pull the buttonettes through the corresponding eyelets.





Step 71

- Match the buttonette on the Apothecary Tower Wall 1 to the corresponding eyelet on the Apothecary Tower Wall 2.
- Pull the buttonettes through the corresponding eyelets.




Step 72

- Match the buttonettes on the Apothecary Tower Walls to the corresponding eyelets on the Apothecary Tower Roof.
- Pull the buttonettes through the corresponding eyelets.



Step 73


- Insert the locking tabs of the Apothecary Tower into the tab entries of the Apothecary Center Roof 2 and Apothecary Right Inner Wall 1.



☐ Step 74

- Match the buttonettes on the Apothecary Side Floor FSA (13039-18) to the corresponding eyelets on the bottom of the Apothecary Side structure.
- Pull the buttonettes through the corresponding eyelets.



☒ **Note: The Apothecary Left Inner Wall has two eyelets next to each other. The Apothecary Side Floor buttonette goes into the eyelet further away from the front of the structure.**



☐ Step 75

- Match the buttonettes on the Apothecary Main Floor FSA (13039-19) to the corresponding eyelets on the bottom of the Apothecary Center structure.
- Pull the buttonettes through the corresponding eyelets.

☒ **Note: The Apothecary Left Inner Wall has two eyelets next to each other. The Apothecary Main Floor buttonette goes into the eyelet closer to the front of the structure.**




☐ Step 76

- The Apothecary is complete. Enjoy!



PUNCH TOOL GUIDE


13039-01



13039-02




13039-03




13039-04




13039-05



13039-06




13039-07




13039-08




13039-09




13039-10




13039-11



13039-12



13039-17



● = 2 MM

● = 3 MM

● = 4 MM

CRAFT KNIFE




PRINTING INSTRUCTIONS




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.





TO SAVE PAPER

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.





APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS


Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-05
Fiber Form



APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-05
Front Fabric

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.


13039-05
Back Fabric

APPLIQUE PATTERNS



Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.

13039-06
Fiber Form



APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-06
Front Fabric

APPLIQUE PATTERNS




Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.

13039-06
Back Fabric

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS








Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS




Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.

13039-10
Fiber Form

APPLIQUE PATTERNS




Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.



APPLIQUE PATTERNS



Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.


A large black-outlined geometric shape, specifically a right trapezoid, which serves as a template for a fiber form. It has a vertical left side, a horizontal top side, a horizontal bottom side, and a diagonal right side connecting the top and bottom edges.

13039-11
Fiber Form

APPLIQUE PATTERNS







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS








Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-14
Fiber Form

13039-14
Fiber Form

13039-14
Front Fabric

13039-14
Front Fabric

13039-14
Back Fabric

13039-14
Back Fabric

APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-15
Fabric

13039-15
Fabric

Cut Out


13039-15
Fabric

13039-15
Vinyl
&
Lame

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS



Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.


13039-16
Fiber Form

13039-16
Fiber Form


APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




13039-16
Fabric



13039-16
Fabric




13039-16
Fabric



13039-16
Fabric

APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



13039-18
Fiber Form

13039-18
Fabric

APPLIQUE PATTERNS





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.






MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




13039-04
Vinyl & Lame
Mirrored



13039-04
Fiber Form
Mirrored

Cut Out

Cut Out



13039-04
Fabric
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-05
Fiber Form
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-05
Back Fabric
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-05
Front Fabric
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-06
Fiber Form
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-06
Back Fabric
Mirrored

MIRRORED PATTERNS






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-06
Front Fabric
Mirrored

MIRRORED PATTERNS






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




13039-10
Fiber Form
Mirrored

MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




13039-11
Fiber Form
Mirrored

MIRRORED PATTERNS






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-14
Back Fabric
Mirrored

13039-14
Back Fabric
Mirrored

13039-14
Front Fabric
Mirrored

13039-14
Front Fabric
Mirrored




13039-14
Fiber Form
Mirrored

13039-14
Fiber Form
Mirrored

MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-16
Fabric
Mirrored

13039-16
Fabric
Mirrored

13039-16
Fabric
Mirrored

13039-16
Fabric
Mirrored

MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-16
Fiber Form
Mirrored

13039-16
Fiber Form
Mirrored

MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

13039-18
Fabric
Mirrored

13039-18
Fiber Form
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

