

#51244 5 DESIGNS




## FREESTANDING STAR BRIGHT

## **DESIGNS**



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### FABRIC REQUIRED



#### 51244-01 Lighted Swirls Star Shape FSA

Size Inches:	Size mm:	Stitch Count:	
7.56 X 7.93 in.	192.0 X 201.4 mm	17159 St.	
☐ 1. Fiber Form/Front & Back Fabric Placement Stitch0015			
2. Front & Back (	Cut Line & Tackdown	0015	
3. Buttonettes		0015	
4. Cover Stitch		0015	
☐ 5. Inner Detail		0015	

#### FABRIC REQUIRED




#### 51244-02 Lighted Starburst Star Shape FSA

## **DESIGNS**



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


#### **FABRIC REQUIRED**



#### 51244-03 Lighted Star Shape 1 FSA

Size Inches:	Size mm:	Stitch Count:	
7.56 X 7.93 in.	192.0 X 201.4 mm	13137 St.	
☐ 1. Fiber Form/Front & Back Fabric Placement Stitch0015			
🗆 2. Front & Back (	Cut Line & Tackdown	0015	
3. Buttonettes		0015	
4. Cover Stitch		0015	
5. Inner Detail		0015	

#### FABRIC REQUIRED



#### 51244-04 Lighted Star Shape 2 FSA

Size Inches:	Size mm:	Stitch Count:	
7.56 X 7.93 in.	192.0 X 201.4 mm	13138 St.	
☐ 1. Fiber Form/Front & Back Fabric Placement Stitch 0015			
2. Front & Back	Cut Line & Tackdown	0015	
3. Buttonettes		0015	
4. Cover Stitch		0015	
5. Inner Detail		0015	

## **DESIGNS**



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


#### FABRIC REQUIRED



#### 51244-05 Star Shape FSA

Size Inches:	Size mm:	Stitch Count:	
7.56 X 7.93 in.	192.0 X 201.4 mm	8690 St.	
1. Fiber Form/Front & Back Fabric Placement Stitch 0015     2. Front & Back Cut Line & Tackdown			
3. Buttonettes		0015	
4. Cover Stitch		0015	
5. Inner Detail		0015	

#### **FABRIC REQUIRED**



#### 51244-06 Star Frame Piece FSA


Size Inches:	Size mm:	Stitch Count:		
5.55 X 1.87 in.	141.0 X 47.6 mm	7428 St.		
1. Fiber Form/Front & Back Fabric Placement Stitch0015				
	ut Line & Tackdown			
🔲 3. Inner Detail		0015		
🔲 4. Cover Stitch		0015		

#### \*PROJECT INSTRUCTIONS INCLUDED AFTER DESIGN LIST

## SUMMARY




51244-01




Requires 1 Design

51244-02




Requires 1 Design

51244-03




Requires 1 Design

51244-04




Requires 1 Design

51244-05



Requires 1 Design

#### 51244-06





Requires 5 Designs (5 for a single star)


## HOLE PUNCH GUIDE





Before assembly make sure all eyelets on the star and all frame pieces have been punch out with the OESD Perfect Punch tool with the 3mm tip.











## MATERIALS



### **Stabilizer**

- OESD AquaMesh WashAway
- OESD BadgeMaster
- OESD Fusible Woven 1 roll (15" x 5 yards) (backing for applique fabric)
- OESD Fiber Form 1 roll (10" x 2 yards)

### Fabric/Notions

- White Fabric 1 3/4 yards makes all 5 stars (stars and frames front and back)
- Star front and back only 1 yard.
- Frame (Sides) front and back only 34 yard.
- Note: Fabric requirements are estimates and may leave an overage depending on hooping and cutting.
- Temporary Spray Adhesive
- Expert Embroidery Tape (optional)
- Alligator Clamps
- OESD Perfect Punch Tool
- OESD Pixie Lights

#### Each star will consist of:

- 2- 9"x9" Applique Fabrics
- 1- 9"x9" Fiber Form piece
- 10- 2 1/2" x6" Applique Fabrics
- 5- 2 ½"x6" Fiber Form pieces

### **Isacord Thread Colors**

Isacord 0015 - 2 Spools to make all 5 stars

## **EMBROIDERY**



### Step 1

- **Note**: The sewing process apply to both the star and frame pieces.
- Prep two 9x9 star applique fabric pieces with 1 layer of Fusible Woven to the wrong side of each fabric.
- Cut one 9x9 fiber form piece.



## Step 2

- Hoop 1 layer BadgeMaster and 1 layer AquaMesh.
- Stitch Machine Step 1, Fiber Form/Front and Back Fabric Placement Stitch.



- Remove the hoop from the machine, but DO NOT remove the design from the hoop.
- Spray temporary adhesive to both sides of the 9x9 Fiber Form piece and lay directly over the placement stitch covering it entirely. Then place the front applique piece directly on top of the Fiber Form.



## **EMBROIDERY**



### Step 4

- Flip the hoop over and spray temporary adhesive to the wrong side
  of the back-applique piece and lay directly over the placement stitch
  covering it entirely.
- Optional: Use Expert Embroidery Tape in place of spray adhesive if desired.
- Return the hoop to the machine.



## Step 5

- Stitch Machine Step 2, Cut Line and Tackdown.
- Remove the hoop from the machine, but DO NOT remove the project from the hoop.
- Trim right next to the cut line of the applique and Fiber Form.



### Step 6

• Flip the hoop over and repeat for the back-applique.



**BACK OF HOOP** 

## **EMBROIDERY**



### Step 7

- Match the bobbin to the top thread.
- Return the hoop to the machine and stitch the remaining colors.



## Step 8

- Remove the design from the hoop and trim stabilizer 1/4" from the design.
- · Wash away the remaining stabilizer with warm running water.
- Lay face down to dry completely.



- Once dried, with the OESD Perfect Punch Tool and the 3mm tip punch out the designated eyelets on all the star and frame pieces.
- Press face down on OESD Perfect Embroidery Pressing Cloth.





## **ASSEMBLY**



### Step 1

Before assembly make sure all eyelets on the star and all frame pieces are punched out with the OESD

Perfect Punch tool with the 3mm tip.






## Step 2


• Using a zigzag stitch, sew the 5 frame pieces together, backstitching at the beginning and end. There will

be a 5 panel loop when finished.





- · Layout the star and frame pieces as shown.
- Attach the 10 buttonettes to the corresponding eyelets on the frame.




# **ASSEMBLY**



- Flip the assembled star over to the backside. With the OESD Pixie Lights, starting with the bulb at the end of the wire, push the LED bulb through one of the bottom corner eyelets. Working in a clockwise direction insert the 2nd bulb into the next eyelet. Continue to Insert all 20 bulbs into the punched eyelets around the star. Just the bulb should be visible on the front side of the star.
- **Note**: To keep the bulb in place and not have excess wire showing on the front, take the excess wire and twist to tighten.










## INSTRUCTIONS




### **ATTENTION**

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.




#### **TO SAVE PAPER**

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.


























51244-06 Both Fiber Form & Fabric Patterns

51244-06 Both Fiber Form & Fabric Patterns
























51244-06 Both Fiber Form & Fabric Patterns

51244-06 Both Fiber Form & Fabric Patterns