

## # 51265 3 DESIGNS



## FREESTANDING LITTLE LIGHTED VILLAGE



## **Isacord Thread Colors**

0520 Daffodil 2650 Impatiens 6051 Jalapeno

\*Project instructions included after design list



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

# **FABRIC REQUIRED**

### 51265-01 House 1 Front Wall FSA

Size Inches:	Size mm:	Stitch Count:
5.10 X 3.82 in.	129.5 X 96.9 mm	10264 St.
1. Green Front/V	Vhite Back Fabric Placem	ent Stitch 6051
2. Cut Line and T	ackdown	6051
3. Cover Stitch		6051

## FABRIC REQUIRED




## 51265-02 House 1 Back Wall FSA

Size Inches:	Size mm:	Stitch Count:
5.10 X 3.82 in.	129.5 X 96.9 mm	9526 St.
•	/hite Back Fabric Placem	_
2. Cut Line and Table	ackdown	6051
3. Cover Stitch		6051



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


#### FABRIC REQUIRED



#### 51265-03 House 1 Side Wall 1 FSA

Size Inches:	Size mm:	Stitch Count:
3.25 X 3.81 in.	82.6 X 96.8 mm	6597 St.
•	hite Back Fabric Placem	_
2. Cut Line and 18	ackdown	605

#### FABRIC REQUIRED



#### 51265-04 House 1 Side Wall 2 FSA

Size Inche	S:	Size mm:	Stitch Count:
3.25 X 3.81	in. 82.	6 X 96.8 mm	6769 St.
1. Green Fr	ont/White E	Back Fabric Plac	ement Stitch 6051
2. Cut Line	and Tackdov	wn	6051
3 Cover St	itch		6051



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


#### **FABRIC REQUIRED**



#### 51265-05 House 1 Roof FSA

Size Inches:	Size mm:	Stitch Count:
6.52 X 4.28 in.	165.6 X 108.8 mm	13406 St.
1. Green Front/V	Vhite Back Fabric Placeme	ent Stitch 6051
2. Cut Line and T	ackdown	6051
3 Cover Stitch		6051

#### FABRIC REQUIRED



## 51265-06 House 1 Floor FSA

Size Inches:	Size mm:	Stitch Count:
3.38 X 3.38 in.	85.9 X 85.8 mm	6419 St.
	/hite Back Fabric Placem	_
2. Cut Line and Ia	ackdown	6051
3. Cover Stitch		6051



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### FABRIC REQUIRED



#### 51265-07 House 2 Front Wall FSA

Size Inches:	Size mm:	Stitch Count:
6.27 X 3.13 in.	159.2 X 79.6 mm	11922 St.
1. Yellow Front/V	Vhite Back Fabric Placem	ent Stitch0520
2. Cut Line and T	ackdown	0520
3. Cover Stitch		0520

FABRIC REQUIRED


#### 51265-08 House 2 Back Wall FSA

Size Inches:	Size mm:	Stitch Count:
6.27 X 3.13 in.	159.2 X 79.6 mm	8947 St.
1. Yellow Front/V	Vhite Back Fabric Placem	ent Stitch0520
2. Cut Line and T	ackdown	0520
3. Cover Stitch		0520



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


#### FABRIC REQUIRED



#### 51265-09 House 2 Side Wall 1 FSA

Size Inches:	Size mm:	Stitch Count:
4.17 X 3.12 in.	105.9 X 79.2 mm	7421 St.
1. Yellow Front/V	Vhite Back Fabric Placem	ent Stitch0520
2. Cut Line and T	ackdown	0520
3. Cover Stitch		0520

#### FABRIC REQUIRED




#### 51265-10 House 2 Side Wall 2 FSA

Size Inches:	Size mm:	Stitch Count:
4.17 X 3.12 in.	105.9 X 79.2 mm	8294 St.
1. Yellow Front/V	Vhite Back Fabric Placem	ent Stitch0520
2. Cut Line and T	ackdown	0520
7 Cover Stitch		0500



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**



#### 51265-11 House 2 Roof FSA

Size Inches:	Size mm:	Stitch Count:
6.27 X 3.49 in.	159.4 X 88.6 mm	12374 St.
1. Yellow Front/V	Vhite Back Fabric Placem	ent Stitch0520
2. Cut Line and T	ackdown	0520
3. Cover Stitch		0520

#### FABRIC REQUIRED

#### 51265-12 House 2 Floor FSA

Size Inches:	Size mm:	Stitch Count:
2.70 X 2.70 in.	68.7 X 68.6 mm	5516 St.
•	Vhite Back Fabric Placem	_
2. Cut Line and Ta	ackdown	0520
3. Cover Stitch		0520



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



#### 51265-13 House 3 Front Wall FSA

Size Inches:	Size mm:	Stitch Count:
4.53 X 3.58 in.	115.1 X 90.9 mm	7821 St.
	ite Back Fabric Placemer	
2. Cut Line and Ta	ackdown	2650
3. Cover Stitch		2650



## 51265-14 House 3 Back Wall FSA

Size Inches:	Size mm:	Stitch Count:
4.53 X 3.58 in.	115.1 X 90.9 mm	6622 St.
•	te Back Fabric Placeme	_
3. Cover Stitch		_



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### FABRIC REQUIRED



#### 51265-15 House 3 Side Walls FSA

Size Inches:	Size mm:	Stitch Count:
4.72 X 3.58 in.	119.9 X 90.9 mm	10197 St.
1. Pink Front/Wh	ite Back Fabric Placemer	nt Stitch2650
2. Cut Line and Ta	ackdown	2650
3. Cover Stitch		2650



#### FABRIC REQUIRED



#### 51265-16 House 3 Roof FSA

Size Inches:	Size mm:	Stitch Count:
7.23 X 4.02 in.	183.7 X 102.2 mm	10385 St.
	ite Back Fabric Placemen	_
2. Cut Line and T	ackdown	2650
Z Cover Stitch		2650



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**

#### 51265-17 House 3 Floor FSA

Size Inches:	Size mm:	Stitch Count:
3.15 X 3.15 in.	80.1 X 80.1 mm	6110 St.
1. Pink Front/Wh	ite Back Fabric Placemer	nt Stitch2650
2. Cut Line and Table	ackdown	2650
7 Cover Stitch		2650



## **Stabilizers**

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD StabilStick CutAway

## **Notions & Tools**

- OESD Alligator Clamps
- · OESD Button Clips
- Expert Embroidery Tape TearAway
- · OESD Perfect Punch Tool
- OESD Perfect Embroidery Press Cloth
- Embroidery Needle Sharp 75/11

## **Isacord Thread Colors**


- Per thread chart
- · Match bobbin thread to top thread



## Fabric/Textiles



Green House	Front & Back Walls	Side Walls	Roof	Floor
<ul> <li>Green Fabric - ¼ yard</li> <li>White Lining Fabric - ¼ yard</li> </ul>	(2) 6" x 4 ½"	(2) 4" × 4 ½"	(2) 7 ½" x 5 ½"	(2) 4 ½" × 4 ½"
	(2) 6" x 4 ½"	(2) 4" × 4 ½"	(2) 7 ½" x 5 ½"	(2) 4 ½" × 4 ½"






## Fabric/Textiles



Yellow House	Front & Back Walls	Side Walls	Roof	Floor
<ul><li>Yellow Fabric ¼ yd</li><li>White Lining Fabric ¼ yd</li></ul>	(2) 7" x 3 ½" (2) 7" x 3 ½"	(2) 5" x 3 ½" (2) 5" x 3 ½"	(1) 7 ½" × 4 ½" (1) 7 ½" × 4 ½"	(1) 4 ½" × 4 ½" (1) 4 ½" × 4 ½"







## Fabric/Textiles



Pink House	Front & Back Walls	Side Walls	Roof	Floor
<ul><li>Pink Fabric ¼ yd</li><li>White Lining Fabric ¼ yd</li></ul>	(2) 5 ½" × 4" (2) 5 ½" × 4"	(2) 2 ½" x 4" (2) 2 ½" x 4"	(1) 8" x 5" (1) 8" x 5"	(1) 4" × 4" (1) 4" × 4"
				)







## **Prep**

- The instructions included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Example design is 51265-01. Fabric and thread requirements will vary by design, but the general technique will be the same.
- All designs are stitched with matching thread in the top and bobbin.
- · Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

## Step 1

· Hoop one layer of AquaMesh and one layer of BadgeMaster for all designs.





## Step 2

- Adhere one layer of StabilStick CutAway to the wrong side of all applique fabrics, to provide stiffness to the finished structure.
- Note: The structure interior is finished with white interior lining fabric. Since
  this is a double-sided applique only 1 layer per fabric is needed to provide
  stiffness to the structure.



- · Load selected design into the machine.
- Design in the example is 51265-01.
- Thread the machine per the thread chart.
- Stitch Machine Step 1, Green Front/White Back Fabric Placement Stitch.





## Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- · Lay the hoop on a flat surface.
- · Cover the placement line completely with the prepared fabric.
- Tape in place to secure.



- Turn the hoop over and place the back applique fabric right side up covering the placement stitch.
- Carefully tape to secure. Avoid pushing too hard on the stabilizer to prevent dislodging the project from the hoop.





## Step 6

- · Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.



- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line stitching as possible. If the
  outermost stitches are cut, the inner stitches will still hold the applique in
  place.
- Tip: If the AquaMesh is cut or a hole is created while trimming the fabric, use Expert Embroidery Tape WashAway or AquaMesh Plus as a patch.





## Step 8

- Turn the hoop over.
- Trim the excess fabric as close to the cut line stitching as possible.



- · Return the hoop to the machine.
- · Stitch Machine Step 4, Cover Stitch.
- Match the bobbin thread to the upper thread colors.





## Step 10

• When design is complete, remove the project from the hoop and trim the stabilizer 1/4"- 1/2" outside the design.






## Step 1

- · Rinse each piece in warm running water until the design is only slightly sticky.
- · Lay face down on a non-stick surface to dry.
- Tip: Parchment paper or a cooling rack work well. This prevents the piece from curling.



## Step 2


• Press each piece, right side down, on a Perfect Embroidery Press Cloth.






## Step 3

• Insert the 3mm attachment into the Perfect Punch Tool, punch holes in the eyelets indicated in the Punch Tool Guide.



- Place as shown.
- · Load the sewing machine with matching thread in the top and bobbin.
- Use an open toe or edge stitch foot, stitch together using a multi-step zigzag, stitch the front (51265-01) back (51265-02) and side walls (51265-03 and 51265-04) to the floor (51265-06).
- Back stitch at the beginning and end to secure.
- Trim thread tails.






## Step 5

• Match the eyelets and buttonettes on the front (51265-01) back (51265-02) and wall sides 51265-03 and 51265-04). Pull each buttonette through the corresponding eyelet, using button clips to temporarily hold


them in place, as needed.



## Step 6

• Match the eyelets and buttonettes on the house structure and roof (51265-05). Pull each buttonette

through the corresponding eyelet.





## Step 7


Add tea lights or pixie lights to create a glow.






## **ATTENTION**

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



#### **TO SAVE PAPER**

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.




# PUNCH TOOL GUIDES




51265-01

51265-11



51265-16




= 2 MM

= 3 MM

= 4 MM





REGIO TELESCRIPTION DECONOTINUES DE SESSORIANTES DE SESSORIANT




51265-03

Cut
Out

Out

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.






51265-05
51265-05


Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

SECONDARY DESCRIPTION OF THE PROPERTY OF THE P






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.








Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.


51265-11



51265-11







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

51265-15

Cut
Out
Out


51265-15

Cut
Out
Out




SECOND TELESCOPERATED INCLUDING SECOND IN SECOND DESIGNATION OF THE PROPERTY O 51265-16 51265-16

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.









SECOND TELESCOPERATED AND THE PROPERTY OF THE






51265-05






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.











51265-11


Print at 100%. No scaling. This box measures 1"x 1".
Use the box as an accuracy guide when printing templates.




51265-11








Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.








Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

51265-16



51265-16