



#51273  
3 DESIGNS



## FREESTANDING WITCHY WALL HANGER

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.  
Electronic designs are licensed to the original purchaser for use at one location. ©2021 OESD, LLC. All rights reserved.

# MATERIALS



## Isacord Thread Colors

- 0010 Silky White
- 0020 Black
- 0138 Heavy Storm
- 1030 Passion Fruit
- 1032 Bronze
- 1102 Pumpkin
- 2702 Grape Jelly
- 2732 Frosted Orchid
- 3045 Cachet
- 5513 Ming
- 5643 Green Dust

**\* Project instructions included after design list.**

**Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.**

### FABRIC REQUIRED



### 51273-01 Witch Head FSA

Size Inches:                      Size mm:                      Stitch Count:  
7.17 X 5.47 in.    182.0 X 139.1 mm    18848 St.

- 1. Purple Fabric Placement Stitch ..... 3045
- 2. Cut Line and Tackdown ..... 3045
- 3. Green Fabric Placement Stitch ..... 3045
- 4. Cut Line and Tackdown ..... 3045
- 5. Light Purple Linework ..... 3045
- 6. Gray Belt ..... 0138
- 7. Dark Orange Buckle ..... 1102
- 8. Hair ..... 5513
- 9. Dark Green Cover Stitch Detail ..... 5643
- 10. Black Cover Stitch ..... 0020
- 11. Light Orange Buckle ..... 1030
- 12. White Eyes and Linework ..... 0010
- 13. Black Eyes ..... 0020

# DESIGNS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED




### 51273-02 Witch Torso FSA

Size Inches:                      Size mm:                      Stitch Count:  
**5.25 X 3.67 in.    133.3 X 93.3 mm    12488 St.**

- 1. Orange Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Black Fabric Placement Stitch..... 0010
- 4. Cut Line and Tackdown ..... 0010
- 5. Green Fabric Placement Stitch ..... 0010
- 6. Cut Line and Tackdown ..... 0010
- 7. White Linework..... 0010
- 8. Light Purple Shading ..... 3045
- 9. Medium Purple Shading ..... 2732
- 10. Orange Cover Stitch..... 1030
- 11. Gray Cover Stitch ..... 0138
- 12. Dark Purple Cover Stitch and Detail..... 2702
- 13. Green Cover Cover Stitch and Detail..... 5513

## FABRIC REQUIRED



### 51273-03 Witch Thighs FSA

Size Inches:                      Size mm:                      Stitch Count:  
**6.11 X 4.90 in.    155.2 X 124.5 mm    9194 St.**


- 1. Green Fabric Placement Stitch ..... 2732
- 2. Cut Line and Tackdown ..... 2732
- 3. Black Fabric Placement Stitch..... 2732
- 4. Cut Line and Tackdown ..... 2732
- 5. Purple Cover Stitch ..... 2732
- 6. Gray Cover Stitch and Detail..... 0138

# DESIGNS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED




### 51273-04 Witch Calves FSA

Size Inches:                      Size mm:                      Stitch Count:  
**3.84 X 2.68 in.    97.5 X 68.1 mm    7699 St.**

- 1. Green Fabric Placement Stitch ..... 1102
- 2. Cut Line and Tackdown ..... 1102
- 3. Orange Shading ..... 1102
- 4. Purple Cover Stitch and Detail ..... 2732

## FABRIC REQUIRED



### 51273-05 Witch Boots FSA

Size Inches:                      Size mm:                      Stitch Count:  
**5.59 X 2.74 in.    142.0 X 69.5 mm    9379 St.**

- 1. Purple Fabric Placement Stitch ..... 3045
- 2. Cut Line and Tackdown ..... 3045
- 3. Light Purple Belt ..... 3045
- 4. Dark Purple Linework ..... 2732
- 5. Light Orange Buckle ..... 1030
- 6. Black Cover Stitch ..... 0020
- 7. Orange Buckles ..... 1102

# DESIGNS







Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED



### 51273-06 Witch Biceps & Forearms FSA

Size Inches:                      Size mm:                      Stitch Count:  
**6.06 X 2.53 in.    154.0 X 64.2 mm    9287 St.**

-  1. Orange Fabric Placement Stitch ..... 0010
-  2. Cut Line and Tackdown ..... 0010
-  3. White Linework..... 0010
-  4. Orange Cover Stitch..... 1030

## FABRIC REQUIRED



### 51273-07 Witch Hands FSA

Size Inches:                      Size mm:                      Stitch Count:  
**2.35 X 3.66 in.    59.7 X 93.0 mm    6556 St.**


-  1. Green Fabric Placement Stitch ..... 3045
-  2. Cut Line and Tackdown ..... 3045
-  3. Light Purple Shading ..... 3045
-  4. Dark Green Cover Stitch ..... 5643
-  5. Dark Purple Cover Stitch..... 2702

# DESIGNS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED




### 51273-08 Witch's Broom FSA

Size Inches:                      Size mm:                      Stitch Count:  
**15.44 X 2.56 in. 392.2 X 65.0 mm      20169 St.**

- 1. Tan Fabric Placement Stitch..... 1032
- 2. Cut Line and Tackdown ..... 1032
- 3. Brown Lace and Cover..... 1032

## FABRIC REQUIRED



### 51273-09 Witch's Broom Short FSA

Size Inches:                      Size mm:                      Stitch Count:  
**9.91 X 4.14 in. 251.71 X 105.16 mm      14616 St.**

- 1. Tan Fabric Placement Stitch..... 1032
- 2. Cut Line and Tackdown ..... 1032
- 3. Brown Lace and Cover..... 1032

# MATERIALS



## Stabilizers

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD StabilStick CutAway

## Fabrics/Textiles

- 1/8 yd of each:
  - Purple Fabric: Purple Luxe Sparkle Vinyl used in example. (OESDSP017)
  - Green Fabric
  - Orange Fabric
  - Black Fabric: Black Luxe Sparkle Vinyl used in example. (OESDSP001)
  - Tan Fabric

Note: Fabric sizes are estimates and may result in overage.

## Notion & Tools

- OESD Expert Embroidery Tape TearAway
- OESD Expert Embroidery Tape WashAway
- OESD Perfect Punch Tool
- OESD Perfect Embroidery Press Cloth
- (13) 8 x 20 mm Brads
- Embroidery Needle Sharp 75/11

## Isacord Thread Colors

- Per thread chart
- Match the bobbin thread to the upper thread.

# SUMMARY



Completed Size: 19 1/2"

51273-01




Requires 1 Design

51273-02




Requires 1 Design

51273-03




Requires 1 Design

51273-04




Requires 1 Design

51273-05




Requires 1 Design

51273-06



Requires 1 Design

51273-07



Requires 1 Design


51273-08



Requires 1 Design

or

51273-09



Requires 1 Design



# EMBROIDERY



## Notes

- The project includes freestanding applique designs and freestanding lace designs. All applique designs are stitched the same as shown in the instructions.
- All designs are stitched with matching thread in the top and bobbin.
- Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

## Step 1

- Hoop one layer of AquaMesh and one layer of BadgeMaster for all designs.



## Step 2

- Adhere two layers of StabilStick CutAway to the wrong side of all applique fabrics, to provide stiffness to the finished structure.



# EMBROIDERY




## Step 3

- Stitch Machine Step 1, Orange Fabric Placement Stitch.




## Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Cut a piece of prepared orange fabric slightly larger than the placement line.
- Cover the placement line completely with the prepared fabric.
- Tape in place to secure.



## Step 5

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.



# EMBROIDERY




## Step 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line stitching as possible. If the outermost stitches are cut, the inner stitches will still hold the applique in place.
- Tip: If the AquaMesh is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway or AquaMesh Plus as a patch.



## Step 7

- Return the hoop to the machine.
- Stitch Machine Step 3, Black Fabric Placement Stitch.



## Step 8

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Place the prepared black applique fabric, right side up, completely covering the placement stitch.
- Tape in place to secure.




# EMBROIDERY



## Step 9

- Return the hoop to the machine.
- Stitch Machine Step 4, Cut Line and Tackdown.



## Step 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line stitching as possible.



## Step 11

- Return the hoop to the machine.
- Stitch Machine Step 5, Green Fabric Placement Stitch.




# EMBROIDERY




## Step 12

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Place the prepared green applique fabric, right side up, completely covering the placement stitch.
- Tape in place to secure.



## Step 13

- Return the hoop to the machine.
- Stitch Machine Step 6, Cut Line and Tackdown.



## Step 14

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line stitching as possible.



# EMBROIDERY



## Step 15

- Return the hoop to the machine and stitch the remaining according to the thread chart.
- Remember to match the bobbin thread to the upper thread.



## Step 16

- When design is complete, remove the project from the hoop and trim the stabilizer 1/4" - 1/2" outside the design.



# ASSEMBLY



## Step 17

- Rinse each piece in warm running water until the design is only slightly tacky.
- Place right side down on a non-stick surface to dry. Parchment paper or a cooling rack work well to prevent curling. Dry completely.




## Step 18

- Once dry, press right side down on a Perfect Embroidery Press Cloth.



## Step 19

- Insert the 3mm attachment into the Punch Tool and punch holes in the eyelets indicated in the punch guide diagram.



# ASSEMBLY



## Step 20

- Arrange the body and head as shown.
- Push a brad through the eyelets of the body and neck.



## Step 21

- Turn the design to the wrong side and separate the points out to fasten.



## Step 22

- Arrange and fasten the arms as shown.





# ASSEMBLY



## Step 23

- Arrange and fasten the hands as shown.



## Step 24

- Arrange and fasten the shoes as shown.



## Step 25

- Arrange and fasten the legs as shown.



# ASSEMBLY



## Step 26

- Arrange and fasten the left arm on the front side of the shoulder as shown.



## Step 27

- Arrange and fasten the right arm on the back side of the shoulder as shown.



## Step 28

- Arrange and fasten the left leg on the front side of the thigh as shown.



# ASSEMBLY



## Step 29

- Arrange and fasten the right leg on the back side of the thigh as shown.



## Step 30

- Add broom (51273-08 OR 51273-09) and position in place.
- The witch is complete.



# PUNCH TOOL GUIDES




51273-01




51273-02




51273-03




51273-04




51273-05




51273-06



51273-07



51273-08



- = 2 MM
- = 3 MM
- = 4 MM

CRAFT KNIFE




# PRINTING INSTRUCTIONS




## ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



## TO SAVE PAPER


Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.




# APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




51273-01



51273-05



51273-01



51273-05


# APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




51273-02




51273-02



51273-02



51273-06  
Bicep



51273-06  
Bicep



51273-06  
Forearm






51273-06  
Forearm

# APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.







# APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



51273-08



51273-04  
Calf



51273-04  
Calf




51273-09


# MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




51273-05



51273-01



51273-05




51273-01


# MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




51273-02




51273-02



51273-02




51273-06  
Bicep



51273-06  
Bicep



51273-06  
Forearm




51273-06  
Forearm


# MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




51273-03



51273-03



51273-03



51273-03



51273-07




51273-07


# MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




51273-08



51273-04  
Calf



51273-04  
Calf



51273-09