


#51281 2 DESIGNS



## MATERIALS



### **Isacord Thread Colors**

0670 Cream

0672 Baquette

1010 Toast

1322 Dirty Penny

1332 Harvest

4111 Turquoise

4116 Dark Teal

4133 Deep Ocean

4952 Mystic Ocean

\* Project instructions included after design list.

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

### **Table of Contents**

Designs	03
Collection Supplies	10
Summary	11
Embroidery	13
Assembly	18
Punch Tool Guide	23
Applique Patterns	25
Mirrored Patterns	27

### Interactive Menu Click to Navigate



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**





Size Inches:	Siz	e mm:	Stitch Count:
2.89 X 1.98 in.	73.5 X	50.3 mm	5319 St.
1. Front Fabric	Placeme	nt Stitch	0672
2. Front Cut Li	ne and Ta	ckdown	0672
3. Tan Detail			0672
4. Medium Ora	inge Detai	l	1332
5. Medium Blue	e Detail		4116
6. Light Orange	e Detail		1010
7. Dark Orange	e Detail		1322
8. Light Blue D			
9. Dark Blue D	etail		4133
10. Back Fabric	Cut Line a	and Tackdowr	n 0670
11. Cover Stitch	and Lace	!	0670

### FABRIC REQUIRED

### 51281-02 Floral Teacup Side 2 FSA

Size Inches: Size mm: 2.89 X 1.98 in. 73.5 X 50.3 mm	
1. Front Fabric Placement Stitch     2. Front Cut Line and Tackdown     3. Tan Detail	0672
4. Medium Blue Detail	4116
5. Medium Orange Detail	4111
7. Dark Blue Detail  8. Light Orange Detail	4133
9. Dark Orange Detail	1322
10. Back Fabric Cut Line and Tackdow	



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**



### 51281-03 Floral Teacup Side 3 FSA

Size Inches:	Siz	e mm:	Stitch Count:
2.89 X 1.98 in.	73.5 X	50.3 mm	6098 St.
1. Front Fabric	Placeme	nt Stitch	0672
2. Front Cut Lir	ne and Ta	ckdown	0672
3. Tan Detail			0672
4. Medium Ora	nge Deta	il	1332
5. Medium Blue	e Detail		4116
6. Light Orange	e Detail		1010
7. Dark Orange	Detail		1322
8. Light Blue D			
9. Dark Blue Do	etail		4133
10. Back Fabric	Cut Line	and Tackdowr	n 0670
11. Cover Stitch	and Lace	)	0670

### FABRIC REQUIRED



### 51281-04 Floral Teacup Base FSA

Size Inches: 1.83 X 1.84 in.	Size mm: 46.4 X 46.7 mm	
1. Front Fabric F	Placement Stitch	0672
2. Front Cut Line	e and Tackdown	0672
3. Tan Detail		0672
4. Medium Oran	ge Detail	1332
5. Light Orange	•	
6. Dark Orange		
7. Back Fabric C		
8. Cover Stitch a		



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


#### **FABRIC REQUIRED**



### 51281-05 Floral Teacup Handle FSA

Size Inches: Size mm:	Stitch Count:
4.96 X 0.82 in. 126.1 X 20.9 mm	4566 St.
1. Front Fabric Placement Stitch	0672
2. Front Cut Line and Tackdown	0672
3. Tan Detail	0672
4. Medium Blue Detail	4116
5. Light Blue Detail	4111
6. Dark Blue Detail	4133
7. Medium Orange Detail	1332
8. Back Fabric Cut Line and Tackdown	0670
9. Cover Stitch and Lace	0670

### FABRIC REQUIRED



### 51281-06 Floral Teacup Doily FSA

Size Inches: 4.86 X 4.86 in. 123.5		
<ol> <li>Front Fabric Place</li> <li>Front Cut Line and</li> <li>Tan Detail</li> <li>Medium Orange Detail</li> <li>Light Orange Detail</li> <li>Dark Orange Detail</li> </ol>	d Tackdown Detail	0672 0672 1332 1010
7. Medium Blue Detail 8. Light Blue Detail	ail	4116
9. Dark Blue Detail	ine and Tackdown	4133 0672
12. Cover Stitch and I		



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


#### **FABRIC REQUIRED**



### 51281-07 Floral Teacup Tag FSA

Size Inches:	Size mm:	Stitch Count:
2.01 X 1.42 in.	51.0 X 36.0 mr	m 3432 St.
1. Front Fabric	Placement Stitch	0672
2. Front Cut Li	ne and Tackdown	0672
3. Tan Detail		0672
4. Medium Ora	ange Detail	1332
5. Light Orange	e Detail	1010
6. Dark Orange	e Detail	1322
7. Back Fabric	Cut Line and Tackde	own 0670
8. Cover Stitch	and Lace	0670

#### **FABRIC REQUIRED**




### 51281-08 Teacup Side 1 FSA

Size Inches:	Size mm:	Stitch Count:
2.89 X 1.98 in.	73.5 X 50.3 mm	4110 St.
1. Front Fabric	Placement Stitch	4952
2. Front Cut Li	ne and Tackdown	4952
3. Linework		4952
4. Back Fabric	Cut Line and Tackdow	n 4952
5. Cover Stitch	and Lace	4952



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**



### 51281-09 Teacup Side 2 FSA

Size Inches:	Size	e mm:	Stitch Count:
2.89 X 1.98 in.	73.5 X	50.3 mm	5190 St.
1. Front Fabric	Placemer	nt Stitch	4952
2. Front Cut Li	ne and Tac	kdown	4952
3. Linework			4952
4. Back Fabric	Cut Line a	and Tackdown	4952
5. Cover Stitch	and Lace		4952

### FABRIC REQUIRED



### 51281-10 Teacup Base FSA

Size Inches:	Size mm:	Stitch Count:
1.83 X 1.84 in.	46.4 X 46.7 mm	2511 St.
1. Front Fabric	Placement Stitch	4952
2. Front Cut Li	ne and Tackdown	4952
3. Linework		4952
4. Back Fabric	Cut Line and Tackdow	n 4952
5. Cover Stitch	and Lace	4952



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


#### FABRIC REQUIRED



### 51281-11 Teacup Handle FSA

Size Inches:	Size mm:	Stitch Count:
4.96 X 0.82 in.	126.1 X 20.9 mm	4020 St.
1. Front Fabric	Placement Stitch	4952
2. Front Cut Li	ine and Tackdown	4952
3. Linework		4952
4. Back Fabric	Cut Line and Tackdow	n 4952
5. Cover Stitch	n and Lace	4952

#### **FABRIC REQUIRED**




### 51281-12 Teacup Doily FSA

Size Inches:	Size mm:	Stitch Count:
4.86 X 4.86 in. 123.5	X 123.5 mm	13621 St.
1. Front Fabric Place	4952	
<ol><li>2. Front Cut Line and</li></ol>	4952	
3. Back Fabric Cut Line and Tackdown		4952
4. Inner Detail		4952
5. Cover Stitch and L	_ace	4952



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### FABRIC REQUIRED



### 51281-13 Teacup Tag FSA

Size Inches:	Size mm:	Stitch Count:
2.01 X 1.42 in.	51.0 X 36.0 mm	2758 St.
1. Front Fabric Placement Stitch		4952
2. Front Cut Line and Tackdown		4952
3. Linework		4952
4. Back Fabric	Cut Line and Tackdow	n 4952
5. Cover Stitch	and Lace	4952

## MATERIALS



### **Stabilizers**

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD StabilStick CutAway

### Fabrics/Textiles

See summary on pages 11 and 12 for details.

Note: Fabric sizes are estimates and may result in overage.

### **Notion & Tools**

- OESD Alligator Clamps
- OESD Button Clips
- OESD Expert Embroidery Tape WashAway
- OESD Perfect Punch Tool
- OESD Perfect Embroidery Press Cloth
- 4" of Embroidery Floss or Baker's Twine (for tag)
- Embroidery Needles Sharp 75/11

### Isacord Thread Colors

- Per thread chart
- Match the bobbin thread to the upper thread.

## SUMMARY





Size 2  $\frac{3}{4}$  " H x 5  $\frac{1}{2}$ " W x 4  $\frac{3}{4}$ " D (with doily and cup centered)

### Floral Teacup

Cream quilter's cotton (8) 2 ½" x 4" Cream quilter's cotton (1) 3" x 3" Cream quilter's cotton (2) 2" x 6" Cream quilter's cotton (2) 6" x 6" Cream quilter's cotton (2) 2 ½" x 3" Blue quilter's cotton (8) 2 ½" x 4" Blue quilter's cotton (1) 3" x 3" (51281-01, 02 & 03 Side Pieces, Outer Cup Fabric) (51281-04 Base, Outer Fabric) (51281-05 Handle, Both Sides) (51281-06 Doily, Both Sides) (51281-07 Tag, Both Sides) (51281-01, 02 & 03 Sides Pieces, Inner Cup Fabric) (51281-04 Base, Inner Fabric)



Requires 3 Designs



Requires 4 Designs



Requires 1 Design



Requires 1 Design



Requires 1 Design



Requires 1 Design



Requires 1 Design

## SUMMARY





Size 2  $\frac{3}{4}$  " H x 5  $\frac{1}{2}$ " W x 4  $\frac{3}{4}$ " D (with doily and cup centered)

### Teacup

Polka dot quilter's cotton (8) 2 ½" x 4" Polka dot quilter's cotton (1) 3" x 3" Polka dot quilter's cotton (2) 2" x 6" Polka dot quilter's cotton (2) 6" x 6" White quilter's cotton (2)  $2\frac{1}{2}$ " x 3"

White quilter's cotton (8) 2  $\frac{1}{2}$ " x 4"

White quilter's cotton (1) 3" x 3"

(51281-08 & 09 Side Pieces, Outer Cup Fabric)

(51281-10 Base, Outer Cup Fabric)

(51281-11 Handle, Both Sides)

(51281-12 Doily, Both Sides)

(51281-13 Tag, Both Sides)


(51281-01 & 09 Sides Pieces, Inner Cup Fabric)

51281-11

Requires 1 Design


(51281-04 Base, Inner Cup Fabric)

51281-10





Requires 1 Design 51281-12



Requires 1 Design 51281-13



Requires 1 Design



Requires 1 Design



### **General Instructions**

The freestanding applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown.

Fabric and thread requirements will vary by design, but the general technique is the same.

All designs are stitched with matching thread, top and bobbin.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

## Step 1

 Hoop one layer of AquaMesh and one layer of BadgeMaster in the hoop for all designs.




- Adhere one layer of StabilStick CutAway to the wrong side of all applique fabrics, to provide stiffness to the finished structure.
- Note: Since this is a double-sided applique only 1 layer per fabric is needed to provide stiffness to the structure.





### Step 3

- Load selected design into the machine.
- Example design is 51281-01
- Thread the machine per the thread chart.
- Stitch Machine Step 1, Cream Front Fabric Placement Stitch.




### Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Lay the hoop on a flat surface.
- Completely cover the placement stitch with the prepared fabric.
- Tape in place to secure.



- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.





### Step 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will still hold the applique in place.
- Tip: If the AquaMesh is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway as a patch.



### Step 7

- Return the hoop to the machine and stitch machine steps 3-9, per the thread chart.
- Stop before machine step 10.
- Tip: For best results, trim jump threads after each machine step.




- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over and place the prepared lining fabric, right side up, completely covering the placement stitch.
- Carefully tape to secure. Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.





### Step 9

- · Return the hoop to the machine.
- Stitch Machine Step 10, Blue Fabric Cut Line and Tackdown.



### Step 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over and trim the excess fabric as close to the cut line as possible.



- Return the hoop to the machine.
- Stitch Machine Step 11, Cover Stitch.





## Step 12

• When the design is complete, remove the project from the hoop and trim the stabilizer 1/4"- 1/2" outside the design.





Step 13

 Rinse each piece in warm running water until the design is only slightly tacky.



- Lay right side down on a non-stick surface to dry. Parchment paper or a cooling rack work well to prevent curling. Dry completely.
- Once dry, press right side down on a Perfect Embroidery Press Cloth.






## Step 15

- Before assembly, use a craft knife and cut through all the layers of the tab entry, taking care not to cut the satin stitching.
- Use the OESD Perfect Punch Tool fitted with the 3mm tip, punch out the designated eyelets on Designs 51281-03, 51281-06 & 51281-07.
- Punch tool guides are located on page 24.





- To connect, alternate the three 51281-O1 pieces with the four 51281-O2 pieces and the one 51281-O3 right sides up.
- Place the base 51281-04 right side down as shown.
- Thread the sewing machine with matching thread in the top and bobbin.
- Stitch together using a multi-step zigzag stitch (also known as a serpentine stitch). Back stitch at the beginning and end to secure. Trim thread tails.
- TIP: An open toe or edge stitch foot is helpful.








## Step 18

• Match the eyelets to the buttonettes. Pull each buttonette through the corresponding eyelet. Attach a button clip to hold the eyelet in place temporarily when needed.





## Step 19


• Insert the long end of the handle 51281-05 face down into the bottom entry point on the side piece 51281-03 as shown.






### Step 20

• From the outside of the cup pull the buttonette from the handle back through the eylete toward the outside of the cup.



## Step 21

• Bend the handle and pull the remaining end of the handle 51281-05 through its corresponding entry toward the inside of the cup.



## Step 22

• Pull the remaining buttonette through its corresponding eyelet back to the outside of the cup.





## Finishing Touches

- Attatch 51281-07 Floral Teacup Tag FSA using thread for finished look.
- · Your teacup is now complete, enjoy!








## PUNCH TOOL GUIDES




51281-01

















### **ATTENTION**

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.




### **TO SAVE PAPER**

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.




## APPLIQUE PATTERNS






## APPLIQUE PATTERNS





# MIRRORED PATTERNS





# MIRRORED PATTERNS



