

#51282 1 DESIGN/3 sizes

Freestanding Tabletop Turkey



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2022 OESD, LLC. All rights reserved.

# MATERIALS



## **Isacord Thread Colors**

0941 Golden Grain

0945 Pine Park

1141 Tan

1332 Harvest

1921 Blossom

2220 Tropicana

4430 Island Waters

\* Project instructions included after design list.

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

## **Table of Contents**

Designs	03
Collection Supplies	15
Summary	
Embroidery	19
Applique Patterns	
Mirrored Patterns	51

# MATERIALS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

# FABRIC REQUIRED

## 51282-01 Large Turkey FSA

Size Inches:	Size mm:	Stitch Count:
6.46 X 5.25 in.	164.1 X 133.4 mr	m 13583 St.
1. Front and B	Back Tan Fabric Place	ment Stitch . 0941
2. Cut Line an	d Tackdown	0941
3. Front and B	ack Brown Fabric Plac	ement Stitch. 0941
4. Cut Line an	d Tackdown	0941
5. Gold Cover	Stitch	0941
6. Beak		1332
7. Snood		1921
8. Brown Cove	er Stitch	0945
9. Tan Detail		1141
10. Wing Gold	Detail	0941

## FABRIC REQUIRED



## 51282-02 Large Feathers 1 FSA

Size Inches:	Size mm:	Stitch Count:
5.22 X 6.22 in.	132.6 X 158.1 mm	11639 St.
1. Front and Ba	nck Light Tan Fabric Place	ment Stitch.1141
2. Cut Line and	d Tackdown	1141
3. Cover Stitch	١	1141
4. Gold Detail.		0941
5. Blue Detail.		4430




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**

## 51282-03 Large Feathers 2 FSA

Size Inches:	Size mm:	Stitch Count:
8.27 X 6.84 in.	210.1 X 173.7 mm	16509 St.
1. Front and B	ack Pink Fabric Placme	ent Stitch 2220
2. Cut Line and	d Tackdown	2220
3. Cover Stitch	1	2220
4 Tan Detail		1141

## FABRIC REQUIRED




## 51282-04 Large Feathers 3 FSA

Size Inches:	Size mm:	Stitch Count:
9.14 X 7.41 in.	232.1 X 188.2 mm	19124 St.
1. Front and B	ack Blue Fabric Placen	nent Stitch.1141
2. Cut Line an	d Tackdown	1141
3. Cover Stitch	1	1141
4 Rlue Detail		4430



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**




## 51282-05 Large Feathers 4 FSA

Size Inches:	Size mm:	Stitch Count:
10.03 X 7.71 in.	254.8 X 195.7 mm	19457 St.
1. Front and Ba	ack Orange Fabric Placer	ment Stitch. 0941
2. Cut Line and	d Tackdown	0941
3. Cover Stitch	١	0941
4. Orange Det	ail	1332

## FABRIC REQUIRED

## 51282-06 Large Stand FSA

Size Inches:	Size mm:	Stitch Count:
10.09 X 2.31	in. 256.3 X 58.7 r	mm 16164 St.
1. Front a	nd Back Tan Fabric Pla	cement Stitch . 0941
2. Cut Line	e and Tackdown	0941
3 Cover S	Stitch	00/1





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**

#### 51282-07 Large Card Stand FSA

Size Inches:	Size mm:	Stitch Count:
11.09 X 2.31 in.	281.6 X 58.7 mm	19266 St.
1. Front and Ba	ack Tan Fabric Placem	ent Stitch . 0941
2. Cut Line and	d Tackdown	0941
3 Cover Stitch	and Lace	0941



## FABRIC REQUIRED

# 51282-08 Large Blank Card FSA Size Inches: Size mm: Stitch Count:

51.1 X 89.1 mm

2.01 X 3.51 in.




3955 St.



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**



## 51282-09 Medium Turkey FSA

Size Inches:	Size mm:	Stitch Count:
4.87 X 3.97 in.	123.6 X 100.8 m	m 10187 St.
1. Front and B	ack Tan Fabric Place	ement Stitch . 0941
2. Cut Line and	d Tackdown	0941
3. Front and Ba	ack Brown Fabric Plac	cement Stitch. 0941
4. Cut Line an	d Tackdown	0941
5. Gold Cover	Stitch	0941
6. Beak		1332
7. Snood		1921
8. Brown Cove	er Stitch	0945
9. Tan Detail		1141
10. Wing Gold I	Detail	0941

## FABRIC REQUIRED




#### 51282-10 Medium Feathers 1 FSA

Size Inches:	Size mm:	Stitch Count:
3.94 X 4.69 in.	100.2 X 119.2 mm	8659 St.
1. Front and Ba	ck Light Tan Fabric Place	ement Stitch1141
2. Cut Line and	d Tackdown	1141
3. Cover Stitch	1	1141
4. Gold Detail.		0941
5. Blue Detail.		4430



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


#### **FABRIC REQUIRED**



#### 51282-11 Medium Feathers 2 FSA

Size Inches:	Size mm:	Stitch Count:
6.22 X 5.15 in.	158.1 X 130.9 mm	12320 St.
1. Front and B	ack Pink Fabric Placm	nent Stitch 2220
2. Cut Line an	d Tackdown	2220
3. Cover Stitch	1	2220
4 Tan Detail		1141

## FABRIC REQUIRED




## 51282-12 Medium Feathers 3 FSA

Size Inches:	Size mm:	Stitch Count:
6.86 X 5.58 in.	174.2 X 141.8 mm	14174 St.
1. Front and B	ack Blue Fabric Placer	ment Stitch.1141
2. Cut Line an	d Tackdown	1141
3. Cover Stitch	١	1141
4 Blue Detail		4430



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**



## 51282-13 Medium Feathers 4 FSA

Size Inches:	Size mr	n:	Stitch Count:
7.54 X 5.80 in.	191.5 X 147	7.4 mm	14345 St.
1. Front and Ba	ck Orange Fab	ric Placeme	ent Stitch. 0941
2. Cut Line and	d Tackdown		0941
3. Cover Stitch	١		0941
4 Orange Det	ail		1332

## FABRIC REQUIRED

## 51282-14 Medium Stand FSA

Size Inches:	Size mm:	Stitch Count:
7.65 X 1.77 in.	194.4 X 45.0 mm	12177 St.
1. Front and B	ack Tan Fabric Placem	ent Stitch . 0941
2. Cut Line and	d Tackdown	0941
3 Cover Stitch	1	0941





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED

## 51282-15 Medium Card Stand FSA

Size Inches:	Size mm:	Stitch Count:
8.53 X 1.77 in.	216.7 X 45.0 mm	14049 St.
1. Front and B	ack Tan Fabric Placen	nent Stitch . 0941
2. Cut Line and	d Tackdown	0941
3 Cover Stitch	and Lace	0941



## FABRIC REQUIRED


## 51282-16 Medium Blank Card FSA

Size Inches:	Size mm:	Stitch Count:
2.01 X 3.51 in.	51.1 X 89.1 mm	3955 St.
1. Front and Ba	ck Cream Fabric Place	ment Stitch .1141
2. Cut Line and	l Tackdown	1141
3. Cover Stitch		1141
4. Pink Detail		2220



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**



## 51282-17 Small Turkey FSA

Size Inches:	Size mm:	Stitch Count:
4.09 X 3.35 in.	103.8 X 85.0 m	m 8580 St.
1. Front and Ba	ack Tan Fabric Plac	ement Stitch . 0941
2. Cut Line and	d Tackdown	0941
3. Front and Ba	ick Brown Fabric Pla	cement Stitch. 0941
4. Cut Line and	d Tackdown	0941
5. Gold Cover	Stitch	0941
6. Beak		
7. Snood		1921
8. Brown Cove	r Stitch	0945
9. Tan Detail		1141
10. Wing Gold D	)etail	0941

## FABRIC REQUIRED



## 51282-18 Small Feathers 1 FSA

Size Inches:	Size mm:	Stitch Count:
3.34 X 3.97 in.	84.8 X 100.8 mm	7413 St.
1. Front and Ba	ck Light Tan Fabric Place	ment Stitch1141
2. Cut Line and	d Tackdown	1141
3. Cover Stitch	l	1141
4. Gold Detail.		0941
5 Rlue Detail		4430



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**



## 51282-19 Small Feathers 2 FSA

Size Inches:	Size mm:	Stitch Count:
5.24 X 4.34 in.	133.1 X 110.2 mm	10427 St.
1. Front and B	ack Pink Fabric Placm	nent Stitch 2220
2. Cut Line and	d Tackdown	2220
3. Cover Stitch	١	2220
4 Tan Detail		1141

## FABRIC REQUIRED




## 51282-20 Small Feathers 3 FSA

Size Inches:	Size	mm:	Stitch Count:
5.78 X 4.73 in.	146.7 X	120.2 mm	12049 St.
1. Front and B	ack Blue Fa	bric Placeme	ent Stitch.1141
2. Cut Line and	d Tackdown		1141
3. Cover Stitch	١		1141
4 Blue Detail			4430



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

#### **FABRIC REQUIRED**



#### 51282-21 Small Feathers 4 FSA

Size Inches:	Size mm:	Stitch Count:
6.33 X 4.87 in.	160.8 X 123.7 mm	12199 St.
1. Front and Ba	ack Orange Fabric Place	ement Stitch. 0941
2. Cut Line an	d Tackdown	0941
3. Cover Stitch	١	
4. Orange Det	ail	1332

## FABRIC REQUIRED

## 51282-22 Small Stand FSA

Size Inches:	Size mm:	Stitch Count:
6.42 X 1.49 in.	163.1 X 37.7 mm	10125 St.
1. Front and B	ack Tan Fabric Placeme	ent Stitch . 0941
2. Cut Line and	d Tackdown	0941
3 Cover Stitch		00/1





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## **FABRIC REQUIRED**

#### 51282-23 Small Card Stand FSA

Size Inches:	Size mm:	Stitch Count:
7.17 X 1.49 in.	182.1 X 37.7 mm	11990 St.
1. Front and B	ack Tan Fabric Placemo	ent Stitch . 0941
2. Cut Line and	d Tackdown	0941
3. Cover Stitch	and Lace	0941



## FABRIC REQUIRED

## 51282-24 Small Blank Card FSA

Size Inches:	Size mm:	Stitch Count:
2.01 X 3.51 in.	51.1 X 89.1 mm	3955 St.
	nck Cream Fabric Place	
3. Cover Stitch	l	1141
4. Pink Detail.		2220



# MATERIALS



## **Stabilizers**

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD StabilStick CutAway

## **Notion & Tools**

- OESD Alligator Clamps
- OESD Button Clips
- Expert Embroidery Tape TearAway
- Expert Embroidery Tape WashAway
- OESD Perfect Embroidery Press Cloth
- Embroidery Needles Sharp 75/11

# **Isacord Thread Colors**

- Per thread chart
- Match the bobbin thread to the upper thread.

# SUMMARY



51282-02

## Fabric/Textiles




Completed Size: 7.625" H x 10" W x 5.5" D

## Large Turkey

Light Tan- 1/4 yd Blue- 1/4 yd
Tan- 1/4 yd Orange- 1/4 yd
Brown- 1/4 yd Cream- 1/4 yd
Pink- 1/4 yd

Note: Fabric sizes are estimates and may result in overage.

- 51282-01 Large Turkey FSA
   Tan Quilter's Cotton (2) 6" x 7.5"
   Brown Quilter's Cotton (4) 2.5 x 4"
- 51282-02 Large Feathers 1 FSA Light Tan Quilter's Cotton (2) 7" x 6"
- 51282-03 Large Feathers 2 FSA
   Pink Quilter's Cotton (2) 8" x 9"
- 51282-04 Large Feathers 3 FSA Blue Quilter's Cotton (2) 8.5" x 10"
- 51282-05 Large Feathers 4 FSA
   Orange Quilter's Cotton (2) 9" x 11"
- 51282-06 Large Stand FSA OR
   51282-07 Large Card Stand FSA
   Tan Quilter's Cotton (2) 3.5" x 12"
- 51282-08 Large Blank Card FSA
   Cream Quilter's Cotton (2) 4.5" x 3"



Requires 1 Design 51282-03



Requires 1 Design 51282-04



Requires 1 Design 51282-05



Requires 1 Design 51282-08



Requires 1 Design



Requires 1 Design



51282-06

Requires 1 Design



51282-07

Requires 1 Design

# SUMMARY



51282-10

Requires 1 Design

51282-12

Requires 1 Design

51282-16

## Fabric/Textiles



Completed Size: 5.75" H x 7.5" W x 4" D


## **Medium Turkey**

Light Tan- 1/4 yd Blue- 1/4 yd Tan- 1/4 yd Orange- 1/4 yd Brown- 1/4 yd Cream- 1/4 yd


Pink- 1/4 yd

Note: Fabric sizes are estimates and may result in overage.

- 51282-09 Medium Turkey FSA Tan Quilter's Cotton (2) 4.5" x 6" Brown Quilter's Cotton (4) 2" x 3"
- 51282-10 Medium Feathers 1 FSA Light Tan Quilter's Cotton (2) 5.5" x 5"
- 51282-11 Medium Feathers 2 FSA Pink Quilter's Cotton (2) 6" x 7"
- 51282-12 Medium Feathers 3 FSA Blue Quilter's Cotton (2) 6.5" x 8"
- 51282-13 Medium Feathers 4 FSA Orange Quilter's Cotton (2) 7" x 8.5"
- 51282-14 Medium Stand FSA OR 51282-15 Medium Card Tan Quilter's Cotton (2) 3" x 9.5"
- 51282-16 Medium Blank Card FSA Cream Quilter's Cotton (2) 4.5" x 3"




51282-11



Requires 1 Design




Requires 1 Design 51282-13




Requires 1 Design

51282-14



Requires 1 Design



Requires 1 Design



51282-15

Requires 1 Design

# SUMMARY



## Fabric/Textiles




Completed Size: 4.75" H x 6.25" W x 3.5" D

## **Small Turkey**


Light Tan- 1/4 yd Blue- 1/4 yd Tan- 1/4 yd Orange- 1/4 yd Brown- 1/4 yd Cream- 1/4 yd Pink- 1/4 yd

Note: Fabric sizes are estimates and may result in overage.

- 51282-17 Small Turkey FSA Tan Quilter's Cotton (2) 4" x 5" Brown Quilter's Cotton (4) 2" x 3"
- 51282-18 Small Feathers 1 FSA Light Tan Quilter's Cotton (2) 5" x 4"
- 51282-19 Small Feathers 2 FSA Pink Quilter's Cotton (2) 5" x 6"
- 51282-20 Small Feathers 3 FSA Blue Quilter's Cotton (2) 5.5" x 7"
- 51282-21 Small Feathers 4 FSA Orange Quilter's Cotton (2) 6" x 7"
- 51282-22 Small Stand FSA OR 51282-23 Small Card Stand FSA Tan Quilter's Cotton (2) 2.5" x 8"
- 51282-24 Small Blank Card FSA Cream Quilter's Cotton (2) 4.5" x 3"



Requires 1 Design 51282-19





51282-18

Requires 1 Design 51282-20



Requires 1 Design 51282-21



Requires 1 Design 51282-24



Requires 1 Design



Requires 1 Design



51282-22

or



51282-23

Requires 1 Design

Requires 1 Design



## **General Instructions**

The freestanding applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, but the general technique is the same

All designs are stitched with matching thread, top and bobbin.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

# Step 1

 Hoop one layer of AquaMesh and one layer of BadgeMaster for all designs.



# Step 2

- Adhere one layer of StabilStick CutAway to the wrong side of all applique fabrics, to provide stiffness to the finished structure.
- Note: Since this is a double-sided applique only 1 layer per fabric is needed to provide stiffness to the structure.





# Step 3

- Load selected design into the machine.
- Example design is Medium Turkey FSA (51282-09).
- Thread the machine per the thread chart.
- Stitch Machine Step 1, Front and Back Tan Fabric Placement Stitch.



# Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Lay the hoop on a flat surface.
- Completely cover the placement stitch with the prepared fabric.
- Tape in place to secure.



# Step 5

- Turn the hoop over and place the fabric, right side up, completely covering the placement stitch.
- Carefully tape to secure. Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.





# Step 6

- · Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.



# Step 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will still hold the applique in place.
- Tip: If the AquaMesh is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway or AquaMesh Plus as a patch.



# Step 8

• Turn the hoop over and trim the excess fabric as close to the cut line as possible.





# Step 9

- · Return the hoop to the machine.
- Stitch Machine Step 3, Front and back Brown Fabric Placement Stitch.



# Step 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Lay the hoop on a flat surface.
- Completely cover the placement stitch with the prepared fabric.
- Tape in place to secure.



# \_\_\_ Step 11

- Turn the hoop over and place the fabric, right side up, completely covering the placement stitch.
- Carefully tape to secure. Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.





# Step 12

- · Return the hoop to the machine.
- · Stitch Machine Step 4, Cut Line and Tackdown.



# Step 13

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible.
- Tip: If the AquaMesh is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway as a patch.



# Step 14

• Turn the hoop over and trim the excess fabric as close to the cut line as possible.





# Step 15

- Return the hoop to the machine and stitch the remaining machine steps, per the thread chart.
- · Match the bobbin thread to the upper thread throughout.





# Card Embroidery - Step 16

- Create the place card following the previous instructions.
- Before removing from the hoop, use the built-in fonts and placement tools on your machine, insert text at this step.
- Note: A permanent fabric marker could be used to personalize the place card.
- Tip: Test any permanent fabric marker on scrap fabric before use.



# **ASSEMBLY**



# Step 17

- When the design is complete, remove the project from the hoop and trim the stabilizer 1/4" 1/2" outside the design.
- Rinse each piece in warm running water until the design is only slightly tacky.
- Lay right side down on a non-stick surface to dry. Parchment paper or a cooling rack work well to prevent curling. Dry completely.



# Step 18

• Once dry, press right side down on a Perfect Embroidery Press Cloth.






# Step 19

Before assembly, use a utility knife and cut through all the layers of the
assembly slots. Take care to not cut the satin stitching. For the best fit, make
two passes through the slots with the blade to create a small gap. A complete
cutting guide is available on page 33 of the instructions.



# Step 20

• Start assembly by folding the stand (either 51282-15 or 51282-16) at the hinge as shown. (51282-15 shown in photo)



# Step 21

 Slide the right slot of Medium Feathers 4 FSA (51282-13) into the back right slot of Medium Card Stand FSA (51282-15.)





# Step 22

• Repeat the previous step for the other side.



# Step 23

 Slide the right slot of Medium Feathers 3 FSA (51282-12) into the back right slot of Medium Card Stand FSA (51282-15).



# Step 24

• Repeat the previous step for the other side.





# Step 25

 Slide the right slot of Medium Feathers 2 FSA (51282-11) into the back right slot of Medium Card Stand FSA (51282-15).



# Step 26

• Repeat the previous step for the other side.



# Step 27

• Slide the right slot of Medium Feathers 1 FSA (51282-10) into the back right slot of Medium Card Stand FSA (51282-15).






# Step 28

• Repeat the previous step for the other side.



# Step 29

 Slide the right slot of Medium Turkey FSA (51282-09) into the back right slot of Medium Card Stand FSA (51282-15).



# Step 30

• Repeat the previous step for the other side.





# Step 31

 Place Medium Blank Card FSA (51282-16) on the two remaining slots on the front of the assembly.



# Step 32

• Your design is now complete, enjoy!











## GENERAL FREESTANDING LACE GUIDE



#### **Stabilizer**

- OESD AquaMesh
- OESD BadgeMaster

## **Notion/Tools**

- 80/12 Embroidery Ballpoint Titanium needle for extended needle life
- OESD Alligator Clamps
- · OESD Button Clips
- OESD Perfect Point and Press Tool

## **Isacord Thread Colors**

- All OESD designs are digitized with Isacord 40 wt. polyester thread as the top thread and in the bobbin.
- Refer to the thread chart for color specifications.
- Match bobbin thread color to the top thread.

#### Instructions

#### Step 1 - Hoop

For FSL structures, hoop one layer of OESD AquaMesh and one layer of OESD BadgeMaster. BadgeMaster contains more starch so, combined with the AquaMesh, the lace is more rigid.

For other FSL, where a softer lace is desired, hoop two layers of AquaMesh.

#### Step 2 - Embroider

Stitch the design per the thread chart with matching thread in the bobbin at each color change.

When complete, remove from the hoop and trim away excess stabilizer about 1/4"-1/2" from the stitching.

#### Step 3 - Rinse

Rinse remaining stabilizer out in warm running water.

For stiffer lace and FSL structures, DO NOT rinse away all of the stabilizer. The lace should be just slightly tacky.

For softer lace, rinse until all traces of the stabilizer is removed.

#### Step 4 - Dry

Lay right side down flat on a non-stick surface, such as a cookie rack, parchment paper or Teflon sheet. This minimizes the tendency for the lace to curl.

Let the pieces dry completely before proceeding with any assembly.

#### Step 5 - Press

Once completely dry, press right side down on a OESD Perfect Embroidery Press Cloth.

#### Step 6 - Assemble Structure

Note: Specific assembly instructions for a design/collection may be found in the thread chart pdf following the individual design color charts.

Lace must be COMPLETELY DRY before assembly. Wetting the buttonettes or eyelets to assemble is not recommended and may result in them stretching and coming "unbuttoned" when dry.

Use a pair of OESD Alligator Clamps to insert the buttonettes into the eyelets. Insert the tip of the OESD Alligator Clamps into the eyelet, grasp the buttonette and pull through the eyelet. Alternatively, use a stiletto or tweezers to push the buttonette through the eyelet.

## **Helpful Tips**

#### Limp Lace

If the design is not stiff enough, press the lace pieces on the wrong side while applying spray starch. After ironing, spray again with starch and allow to dry completely. This will stiffen the lace pieces nicely and aid in construction. Or easily re-stiffen by diluting some stabilizer scraps in water (or use liquid starch) and dipping the item in the solution. Lay flat to dry.

#### **Eyelets Too Small**

If any of the eyelets appear closed or too small to penetrate with Alligator Clamps, they may be stretched by inserting the small end of the OESD Perfect Point and Press Tool into the eyelet opening and stretching it open wide enough to accommodate the OESD Alligator Clamps.

#### **Button Clips**

During the assembly process, some structures pull on buttonettes that have already been inserted and could pull them out altogether. Putting a Button Clip on the assembled buttonette will keep it in position during the assembly process. Remove the Button Clips when the assembly is complete.

#### **Alternative Construction Option**

In some cases, the buttonettes may be pulled to the inside of a project, instead of being visible on the outside.


Insert the OESD Alligator Clamps through the eyelet from the wrong, or inside, of the lace and grasp the corresponding buttonette. Pull the buttonette to the wrong side of the lace.

Pulling the buttonettes to the inside may cause stress on the ones already done. Button clips may be place on the completed buttonette(s) to prevent them from pulling out of the eyelet.


# PUNCH TOOL GUIDES




51282-01




51282-02




51282-03




51282-04




51282-05



51282-06



51282-07



= 2 MM

= 3 MM

= 4 MM


\_\_\_

**CRAFT KNIFE** 




## ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



## **TO SAVE PAPER**


Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



# APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.




# APPLIQUE PATTERNS



















51282-06

51282-06




51282-07

51282-07




51282-08


THE RESERVE THE PROPERTY OF TH































































Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

51282-06 Mirrored


51282-06 Mirrored




51282-07 Mirrored Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

51282-07 Mirrored












51282-12 Mirrored







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates. 51282-14 51282-15 Mirrored Mirrored 51282-16 Mirrored 51282-14 Mirrored 51282-15 Mirrored



