



#51301  
6 DESIGNS

# *Spec-Tacular* EYEGLASS CASES



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.  
Electronic designs are licensed to the original purchaser for use at one location. ©2022 OESD, LLC. All rights reserved.

# MATERIALS



## Isacord Thread Colors

0010 Silky White	1904 Cardinal	3906 Pacific Blue
0020 Black	2508 Hot Pink	4103 California Blue
0600 Citrus	2550 Soft Pink	4625 Seagreen
1102 Pumpkin	2905 Iris Blue	5010 Scotty Green
1310 Hunter Orange	2910 Grape	
1800 Wildfire	2920 Purple	

**\* Project instructions included after design list.**

**Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.**

## Table of Contents

Designs.....	03
Collection Supplies.....	09
Summary .....	10
Embroidery.....	16
Applique Patterns.....	28
Mirrored Patterns.....	29




# DESIGNS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED




### 51301-01 Glamour Frames Case Front

Size Inches:                      Size mm:                      Stitch Count:  
**8.35 X 4.43 in. 212.1 X 112.6 mm 16576 St.**

- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Grid Detail/ Match Fabric..... 0010
- 4. Black Fabric Placement Stitch..... 2550
- 5. Cut Line and Tackdown ..... 2550
- 6. Frame ..... 2550
- 7. Dots ..... 0010
- 8. Back Placement Guide ..... 0010
- 9. Back Tackdown ..... 0010
- 10. Seam Stitch/ Match Fabric ..... 0010

## FABRIC REQUIRED



### 51301-02 Glamour Frames Case Back

Size Inches:                      Size mm:                      Stitch Count:  
**8.55 X 4.26 in. 217.2 X 108.2 mm 4008 St.**

- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Design Detail/ Match Fabric ..... 0010
- 4. Fold Stitch ..... 0010

# DESIGNS




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED

### 51301-03 Heart Frames Case Front

Size Inches:                      Size mm:                      Stitch Count:  
**8.35 X 4.55 in. 212.1 X 115.5 mm 14249 St.**




- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Grid Detail/ Match Fabric..... 0010
- 4. Gray Fabric Placement Stitch..... 1904
- 5. Cut Line and Tackdown ..... 1904
- 6. Frames ..... 1904
- 7. Back Placement Guide ..... 0010
- 8. Back Tackdown ..... 0010
- 9. Seam Stitch/ Match Fabric ..... 0010

## FABRIC REQUIRED

### 51301-04 Heart Frames Case Back

Size Inches:                      Size mm:                      Stitch Count:  
**8.55 X 4.26 in. 217.2 X 108.2 mm 4008 St.**



- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Design Detail/ Match Fabric ..... 0010
- 4. Fold Stitch ..... 0010



# DESIGNS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED




### 51301-05 You Are Spec-tacular Case Front

Size Inches:                      Size mm:                      Stitch Count:  
**8.35 X 4.65 in. 212.1 X 118.2 mm 19285 St.**

- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Grid Detail/ Match Fabric..... 0010
- 4. Frames ..... 5010
- 5. Frames Outlines ..... 4625
- 6. Orange Words ..... 1310
- 7. White Words and Detail..... 0010
- 8. Back Placement Guide ..... 0010
- 9. Back Tackdown ..... 0010
- 10. Seam Stitch/ Match Fabric ..... 0010

## FABRIC REQUIRED



### 51301-06 You Are Spec-tacular Case Back

Size Inches:                      Size mm:                      Stitch Count:  
**8.55 X 4.26 in. 217.2 X 108.2 mm 4008 St.**

- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Design Detail/ Match Fabric ..... 0010
- 4. Fold Stitch ..... 0010

# DESIGNS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED

### 51301-07 I Have Specs Appeal Case Front

Size Inches:                      Size mm:                      Stitch Count:  
**8.35 X 4.49 in. 212.1 X 114.0 mm 14376 St.**



- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Grid Detail/ Match Fabric..... 0010
- 4. Frames and Word..... 2508
- 5. White Words and Details ..... 0010
- 6. Back Placement Guide ..... 0010
- 7. Back Tackdown ..... 0010
- 8. Seam Stitch/ Match Fabric ..... 0010

## FABRIC REQUIRED

### 51301-08 I Have Specs Appeal Case Back

Size Inches:                      Size mm:                      Stitch Count:  
**8.55 X 4.26 in. 217.2 X 108.2 mm 4008 St.**



- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Design Detail/ Match Fabric ..... 0010
- 4. Fold Stitch ..... 0010

# DESIGNS



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED




### 51301-09 I Was Framed Case Front

Size Inches:                      Size mm:                      Stitch Count:  
**8.35 X 4.40 in. 212.1 X 111.7 mm 13048 St.**

- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Grid Detail/ Match Fabric..... 0010
- 4. White Fabric Placement Stitch ..... 2905
- 5. Cut Line and Tackdown ..... 2905
- 6. Frames and Word..... 2905
- 7. Blue Words..... 3906
- 8. Back Placement Guide..... 0010
- 9. Back Tackdown ..... 0010
- 10. Seam Stitch/ Match Fabric ..... 0010

## FABRIC REQUIRED



### 51301-10 I Was Framed Case Back

Size Inches:                      Size mm:                      Stitch Count:  
**8.55 X 4.26 in. 217.2 X 108.2 mm 4008 St.**

- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Design Detail/ Match Fabric ..... 0010
- 4. Fold Stitch ..... 0010



# DESIGNS




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

## FABRIC REQUIRED

### 51301-11 Neon Shades Case Front

Size Inches:                      Size mm:                      Stitch Count:  
**8.35 X 4.38 in. 212.1 X 111.1 mm 22351 St.**



- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Grid Detail/ Match Fabric..... 0010
- 4. Purple Background ..... 2920
- 5. Frame Shadow ..... 0020
- 6. Light Purple Detail ..... 2910
- 7. Yellow Detail ..... 0600
- 8. Orange Detail ..... 1102
- 9. Red Detail ..... 1800
- 10. Hot Pink Detail ..... 2508
- 11. Blue Detail ..... 4103
- 12. White Detail ..... 0010
- 13. Back Placement Guide ..... 0010
- 14. Back Tackdown ..... 0010
- 15. Seam Stitch/ Match Fabric ..... 0010

## FABRIC REQUIRED

### 51301-12 Neon Shades Case Back

Size Inches:                      Size mm:                      Stitch Count:  
**8.55 X 4.26 in. 217.2 X 108.2 mm 4008 St.**



- 1. Fabric Placement Stitch ..... 0010
- 2. Cut Line and Tackdown ..... 0010
- 3. Design Detail/ Match Fabric ..... 0010
- 4. Fold Stitch ..... 0010

# MATERIALS



## Stabilizers

- OESD Fuse and Fleece
- OESD Fuse and Seal - (1) 3" x 1/2" strip

## Fabrics/Textiles

- See Summary

## Notion & Tools

- OESD Expert Embroidery Tape TearAway
- OESD Expert Point and Press Tool
- OESD Perfect Embroidery Press Cloth
- Scissors
- Embroidery Needle Sharp 75/11


## Isacord Thread Colors

- Per Thread Chart

# SUMMARY



## Glamour Frames Case



Completed Size: 7 3/4" L x 3 1/2" W


### FRONT

- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece
- (1) 3" x 6.5" black quilter's cotton

### BACK


- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece

51301-01



Requires 1 Design

51301-02




Requires 1 Design



# SUMMARY



## Heart Frames Case



Completed Size: 7 3/4" L x 3 1/2" W


### FRONT

- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece
- (1) 3" x 6.5" black quilter's cotton

### BACK


- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece

51301-03



Requires 1 Design

51301-04



Requires 1 Design

# SUMMARY



## You Are Spec-tacular Case



Completed Size: 7 3/4" L x 3 1/2" W

### FRONT

- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece

### BACK

- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece

51301-05



Requires 1 Design

51301-06



Requires 1 Design

# SUMMARY



## I Have Specs Appeal Case



Completed Size: 7 3/4" L x 3 1/2" W

### FRONT

- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece

### BACK

- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece

51301-07



Requires 1 Design

51301-08



Requires 1 Design



# SUMMARY



## I Was Framed Case



Completed Size: 7 3/4" L x 3 1/2" W

### FRONT

- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece
- (1) 3" x 6.5" white quilter's cotton

### BACK


- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece

51301-09



Requires 1 Design

51301-10




Requires 1 Design

# SUMMARY



## Neon Shades Case



Completed Size: 7 3/4" L x 3 1/2" W

### FRONT

- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece

### BACK

- (1) 6" x 10" quilter's cotton fabric for front and back
- (1) 6" x 10" quilter's cotton fabric for lining
- (1) 6" x 10" Fuse and Fleece

51301-11



Requires 1 Design

51301-12



Requires 1 Design

# EMBROIDERY



## General Instructions

The Spec-Tacular Eyeglass Cases instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown.

Fabric and thread requirements will vary by design, but the general technique is the same.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

### □ Step 1

- The back design file is stitched first.
- Load 51301-08, onto the machine.  
Note: Two design files, back and front.



### □ Step 2

- Hoop one layer of Fuse and Fleece with the fusible (shiny) side down.
- Place hoop on the machine.





# EMBROIDERY



## □ Step 3

- Stitch Machine Step 1, Fabric Placement Stitch.




## □ Step 4

- Place (1) 6" x 10" Fuse and Fleece over the placement stitch fusible side up.
- Place one piece of fabric, right side up, covering all stitching.
- Tape in place to secure.



## □ Step 5

- Stitch Machine Step 2, Cut Line and Tackdown.




# EMBROIDERY



## □ Step 6

- Stitch Machine Step 3, Details.




## □ Step 7

- Place (1) 10" x 6" lining right side down, covering the stitching completely.
- Tape in place to secure.



## □ Step 8

- Stitch Machine Step 3, Fold Stitch.



# EMBROIDERY





## □ Step 9

- Remove the hoop from the machine and the project from the hoop.
- Trim excess Fuse and Fleece following the cut edge of the lining fabric.  
Note: Do not trim the lining fabric.



## □ Step 10

- Fold the lining fabric away from the quilted piece.
- Turn the lining fabric to the back of the project.



## □ Step 11

- Press the lining to the project.
- Trim near the outside edges of the design.
- Set aside.  
Note: The fusible on the stabilizer will adhere the lining to the eyeglass case back.





# EMBROIDERY



## □ Step 12

- Load design, 51301-07, into the machine.



## □ Step 13

- Hoop one piece of Fuse and Fleece with the shiny (fusible) side down.
- Place hoop on the machine.



## □ Step 14

- Stitch Machine Step 1, Fabric Placement Stitch.



# EMBROIDERY





## □ Step 15

- Place (1) 6" x 10" Fuse and Fleece, fusible side up, over the placement stitch, covering completely.
- Place (1) 6" x 10" fabric over the Fuse and Fleece, covering completely.
- Tape in place to secure.



## □ Step 16

- Stitch Machine Step 2, Cut Line and Tackdown.
- Remove the hoop from the machine, but NOT the project from the hoop.
- Place on a flat surface.
- Trim Fuse and Fleece and fabric close to the stitching.
- Return the hoop to the machine.




# EMBROIDERY



## □ Step 17

- Stitch Machine Step 3, Grid Detail.



## □ Step 18

- Stitch Machine Steps 4 and 5, Design Details.



## □ Step 19

- Stitch Machine Step 6, Back Placement Guide.







# EMBROIDERY




## Step 20

- Remove the hoop from the machine, but NOT the project from the hoop.
  - Place on a flat surface.
  - Place the eyeglass case first hooping (51301-08), right side down centering over the stitching, lining up the folded edge with the two small placement lines.
  - Tape in place to secure.
- Note: The first hooping is slightly larger than the second hooping. This is to ensure accuracy when placing the two pieces together.



## Step 21

- Stitch Machine Step 7, Back Tackdown.



# EMBROIDERY




## □ Step 22

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place on a flat surface.
- Place 2nd piece of lining right side down, over the entire project.
- Tape in place to secure.



## □ Step 23

- Return hoop to machine.
- Stitch Machine Step 8, Seam Stitch/Match Fabric.



## □ Step 24

- Remove the hoop from the machine and the project from the hoop.
  - Trim the seams approximately 1/4" from the seam line.
  - Clip into, but not through the inside corners.
  - Trim the outer corners at a 45 degree angle.
- Note: Be sure to leave the seam allowance in the "neck" area.




# EMBROIDERY



## □ Step 25

- Separate the lining fabric from the rest of the project.
- Turn right side out through the side opening.
- Use a Point and Press Tool to push out the edges.

Note: This will create a finished seam at the bottom of the eyeglasses case.



## □ Step 26

- Press the seam allowance into the opening.
- Place a small piece of Fuse and Seal inside and press to seal the opening, following the manufacturer's instructions.
- Press the complete lining to fuse.





# EMBROIDERY



## □ Step 27

- Turn right side out through the opening and press to complete.



## □ Step 28

- The project is complete. Enjoy.




# PRINTING INSTRUCTIONS




## ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



## TO SAVE PAPER





Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



# APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.







# MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




51301-01  
Mirrored




51301-03  
Mirrored




51301-09  
Mirrored



51301-01  
Mirrored



51301-03  
Mirrored



51301-09  
Mirrored