


# Punny Birthday Cards



Collection No. 51338  
10 Designs

# MATERIALS



## Isacord Thread Colors

- |                    |                     |
|--------------------|---------------------|
| 0170 Sea Shell     | 2650 Impatiens      |
| 0532 Champagne     | 3130 Dawn of Violet |
| 0630 Buttercup     | 3410 Rich Blue      |
| 0853 Pecan         | 3450 Lavender       |
| 1123 Caramel Cream | 4240 Spearmint      |
| 1200 Sunset Orange | 5730 Apple Green    |
| 1730 Persimmon     | 5740 Mint           |
| 2640 Frosted Plum  | 6141 Spring Green   |

**Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.**



# MATERIALS



## Stabilizers

- OESD StabilStick TearAway (variation 1)
- OESD Medium Weight TearAway (variation 2)
- OESD Fuse and Seal CutAway

## Fabrics/Textiles

- Start Here Embroidery Blanks by OESD - Greeting Card size A7 (5" x 7") folded.
- Start Here Embroidery Blanks by OESD - Greeting Card size A6 (4.5" x 6.25") folded.

## Notion & Tools

- OESD Expert Embroidery Tape TearAway
- OESD Grippy Grid
- OESD Perfect Embroidery Press Cloth
- Embroidery Needle Sharp Size 75/11

## Isacord Thread Colors

- Per thread chart










# EMBROIDERY VARIATION 2


## Step 1

- 2 cards folded to 5" x 7".
- Cut one card in half on the fold.



## Step 2

- Hoop 1 layer of OESD Medium Weight TearAway stabilizer.
- Load selected design into the machine.
- Design in the example is PK10001-03L.
- Thread the machine per the thread chart.



## Step 3

- Stitch Machine Step 1, Card Placement Guide.
- Place 5" x 7" piece of cardstock within the Card Placement Guide, lining up all edges.
- Tape in place to secure.
- Note: Expert Embroidery Tape TearAway will not leave residue on the paper or tear the cardstock.



## Step 4

- Stitch the remaining steps per the thread chart.



## Step 5

- Remove the hoop from the machine.
- Remove the card and stabilizer from the hoop.
- On a flat surface, fold the stabilizer back and carefully cut the stabilizer away, close to the stitching.

Note: Cutting away the excess TearAway stabilizer prevents bending or creasing the cardstock.



## Step 6


- Cut 1 piece of Fuse and Seal slightly smaller than the size of your card.



# EMBROIDERY VARIATION 2


## Step 7

- Following the package instructions, iron the Fuse and Seal to the wrong side of the embroidered card.
- Let cool completely.



## Step 8

- Once cool, remove the paper backing.



## Step 9

- Place the embroidered card over the front of the second card.
- Iron to fuse to the card.
- Let cool completely.



# EMBROIDERY VARIATION 2

## Step 10

- The card is complete. Enjoy!

