



# CELEBRATE THE SEASON FREESTANDING LACE ORNAMENTS

#61071 • 20 FILES

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



**OC07101 FSL Teardrop Ornament Piece with Appliqué**  
2.00 X 6.07 in.  
50.80 X 154.18 mm  
14,349 St. **L**



**OC07102 FSL Globe Ornament Piece with Appliqué**  
2.21 X 5.10 in.  
56.13 X 129.54 mm  
13,640 St. **L**



**OC07103 FSL Cone Basket Piece with Appliqué**  
2.13 X 5.34 in.  
54.10 X 135.64 mm  
13,207 St. **L**



**OC07104 FSL Optional Scallop Trim Piece**  
1.64 X 1.15 in.  
41.66 X 29.21 mm  
4,285 St. **S**



**OC07105 FSL Spiral Snowflake Piece with Appliqué**  
4.31 X 4.01 in.  
109.47 X 101.85 mm  
25,561 St.



**OC07106 FSL Spiral Snowflake Base**  
4.87 X 4.97 in.  
123.70 X 126.24 mm  
55,111 St.



**OC07107 FSL Gift Box**  
4.78 X 6.78 in.  
121.41 X 172.21 mm  
50,587 St. **L**



**OC07108 FSL Gift Box Bow**  
1.74 X 6.86 in.  
44.20 X 174.24 mm  
27,423 St. **L**



**OC07109 FSL Icicle**  
.52 X 8.15 in.  
13.21 X 207.01 mm  
11,952 St. **L S**



**OC07110 FSL Sleigh Ornament with Appliqué**  
4.66 X 3.91 in.  
118.36 X 99.31 mm  
27,433 St.



**OC07111 FSL Stocking Ornament with Appliqué**  
2.85 X 4.42 in.  
72.39 X 112.27 mm  
18,297 St.



**OC07112 FSL Gift Ornament with Appliqué**  
3.01 X 4.04 in.  
76.45 X 102.62 mm  
23,674 St.

⌘ Design contains a loose fill.  
⚙ Some white areas shown are not stitched.

**L** Design is larger than 5" (127 mm) in either direction.  
**S** Design is smaller than 1.5" (38.1 mm) in either direction.

It is a violation of Copyright law to make and distribute copies of software or artwork.  
Software is licensed to the original purchaser for use at one location. ©2013 OESD, LLC. All rights reserved.



# CELEBRATE THE SEASON FREESTANDING LACE ORNAMENTS

#61071 • 20 FILES

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



OC07113 FSL Christmas Tree Ornament with Appliqué  
3.64 X 4.84 in.  
92.46 X 122.94 mm  
20,226 St.



OC07114 FSL Joy Ornament with Appliqué  
3.72 X 4.53 in.  
94.49 X 115.06 mm  
20,601 St.



OC07115 FSL Large Star Ornament with Appliqué  
3.09 X 3.48 in.  
78.49 X 88.39 mm  
16,078 St.



OC07116 FSL Medium Star Ornament with Appliqué  
2.41 X 3.03 in.  
61.21 X 76.96 mm  
12,143 St.



OC07117 FSL Small Star Ornament with Appliqué  
1.71 X 2.15 in.  
43.43 X 54.61 mm  
6,772 St.



OC07118 FSL Optional Bell Charm  
1.23 X 1.62 in.  
31.24 X 41.15 mm  
4,117 St. **S**



OC07119 FSL Optional Star Charm  
1.02 X 1.54 in.  
25.91 X 39.12 mm  
3,640 St. **S**



OC07120 FSL Optional Round Charm  
1.01 X 1.66 in.  
25.65 X 42.16 mm  
3,935 St. **S**

⌘ Design contains a loose fill.  
⚙ Some white areas shown are not stitched.

**L** Design is larger than 5" (127 mm) in either direction.  
**S** Design is smaller than 1.5" (38.1 mm) in either direction.

It is a violation of Copyright law to make and distribute copies of software or artwork.  
Software is licensed to the original purchaser for use at one location. ©2013 OESD, LLC. All rights reserved.



# CELEBRATE THE SEASON FREESTANDING LACE ORNAMENTS

#61071 • 20 FILES

Listings below indicate color sample, stitching order and suggested thread color number in Isacord, YLI Fine Metallic, Yenmet or YLI Variegated threads.

## OC07101 FSL Teardrop Ornament Piece with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07102 FSL Globe Ornament Piece with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07103 FSL Cone Basket Piece with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07104 FSL Optional Scallop Trim Piece

- 1. Single Color Design .....0670

## OC07105 FSL Spiral Snowflake Piece with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07106 FSL Spiral Snowflake Base

- 1. Single Color Design .....0670

## OC07107 FSL Gift Box

- 1. Single Color Design .....0670

## OC07108 FSL Gift Box Bow

- 1. Single Color Design .....0670

## OC07109 FSL Icicle

- 1. Single Color Design .....0670

## OC07110 FSL Sleigh Ornament with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07111 FSL Stocking Ornament with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07112 FSL Gift Ornament with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07113 FSL Christmas Tree Ornament with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07114 FSL Joy Ornament with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07115 FSL Large Star Ornament with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07116 FSL Medium Star Ornament with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07117 FSL Small Star Ornament with Appliqué

- 1. Appliqué Placement Stitch .....0670
- 2. Appliqué Cut Line & Tackdown .....0670
- 3. Gold Detail .....7012
- 4. Lace .....0670

## OC07118 FSL Optional Bell Charm

- 1. Single Color Design .....0670

## OC07119 FSL Optional Star Charm


- 1. Single Color Design .....0670

## OC07120 FSL Optional Round Charm

- 1. Single Color Design .....0670


# ATTENTION








When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.





## TO SAVE PAPER


Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.














**OC07101\_CWA** For use with the  
BERNINA CutWork Accessory  
1.76 X 3.42 in.  
44.70 X 86.87 mm  
1,653 St.




**OC07102\_CWA** For use with the  
BERNINA CutWork Accessory  
2.26 X 4.01 in.  
57.40 X 101.85 mm  
1,900 St.




**OC07103\_CWA** For use with the  
BERNINA CutWork Accessory  
2.06 X 3.54 in.  
52.32 X 89.92 mm  
1,691 St.




**OC07105\_CWA** For use with the  
BERNINA CutWork Accessory  
2.65 X 2.83 in.  
67.31 X 71.88 mm  
1,761 St.




**OC07110\_CWA** For use with the  
BERNINA CutWork Accessory  
3.99 X 2.68 in.  
101.35 X 68.07 mm  
2,302 St.




**OC07111\_CWA** For use with the  
BERNINA CutWork Accessory  
2.78 X 3.31 in.  
70.61 X 84.07 mm  
1,789 St.




**OC07112\_CWA01** For use with the  
BERNINA CutWork Accessory  
1.60 X 2.76 in.  
40.64 X 70.10 mm  
1,144 St.




**OC07112\_CWA02** For use with the  
BERNINA CutWork Accessory  
1.60 X 2.76 in.  
40.64 X 70.10 mm  
1,192 St.




**OC07113\_CWA** For use with the  
BERNINA CutWork  
Accessory  
3.54 X 4.26 in.  
89.92 X 108.20 mm  
2,462 St.




**OC07114\_CWA** For use with the  
BERNINA CutWork  
Accessory  
3.89 X 4.48 in.  
98.81 X 113.79 mm  
3,229 St.



**OC07115\_CWA** For use with the  
BERNINA CutWork  
Accessory  
2.92 X 2.77 in.  
74.17 X 70.36 mm  
1,538 St.



**OC07116\_CWA** For use with the  
BERNINA CutWork  
Accessory  
2.34 X 2.34 in.  
59.44 X 59.44 mm  
1,258 St.



**OC07117\_CWA** For use with the  
BERNINA CutWork  
Accessory  
2.09 X 1.97 in.  
53.09 X 50.04 mm  
1,012 St.



**NOTE: Placement Stitch and Basting Stitch should match your background fabric.**

**OC07101\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	

**OC07102\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	

**OC07103\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	

**OC07105\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	

**OC07110\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	

**OC07111\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	

**OC07112\_CWA01 For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 3... Cut 3	

**OC07112\_CWA02 For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	

**OC07113\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	

**OC07114\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	

**OC07115\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	

**OC07116\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	

**OC07117\_CWA For use with the BERNINA  
CutWork Accessory**

n	1.	Placement Stitch.....	3600
n	2.	Basting Stitch.....	1902
n	3.	BERNINA CutWork Accessory Cut 1... Cut 1	
n	4.	BERNINA CutWork Accessory Cut 2... Cut 2	
n	5.	BERNINA CutWork Accessory Cut 3... Cut 3	
n	6.	BERNINA CutWork Accessory Cut 4... Cut 4	



### SUPPLIES

- Cut-Away Stabilizer
- Temporary Spray Adhesive
- Appliqué Fuse & Fix Stabilizer
- Embroidery Thread
- Stabilizer that is appropriate for your project
- BERNINA® CutWork Accessory

### PREPARE APPLIQUÉ FABRIC

1. Starch appliqué fabric 2-3 times following manufacturer's instructions.
2. Appliqué fabric should be crisp.
3. Iron Appliqué Fuse & Fix to the wrong side of the starched appliqué fabric following instructions on product packaging.


### CUT APPLIQUÉ PIECES

1. Hoop one layer of Cut-Away Stabilizer.
2. Send first CWA file to the embroidery machine. (CWA files are the pre-cut appliqué files to use with the CutWork Accessory; these files will end in CWA01, CWA02, and CWA03 etc. The number of CWA files available for each design will depend upon how many separate appliqués each design contains.)
3. Stitch the first color, this will be the placement stitch.
4. Remove the hoop from the machine but do not remove the stabilizer from the hoop. Spray the hooped stabilizer with temporary spray adhesive. Lay prepared appliqué fabric over the placement stitch, being sure to completely cover the stitching. Apply pressure to appliqué fabric to ensure it is adhered.
5. Stitch the second color, this will be the basting stitch. It is meant to baste the appliqué fabric to your hooped stabilizer.
6. Replace normal stitch plate with the CutWork stitch plate.
7. Unthread the machine.
8. If necessary, turn off the upper thread control on your machine. Refer to your machine's user manual. Note that the most recent version of the 830 will perform this task automatically.
9. Replace embroidery needle with the CutWork Accessory.
10. Replace embroidery foot with foot #44 (If you do not have foot #44 you can leave foot #15 on the machine; foot #44 will simply keep the cut fabric from flagging as much).
11. Attach the hoop to the machine.
12. To cut the first appliqué piece follow the "thread changes" on your machine screen and turn the dial on the CutWork tool as required.
13. Remove the hoop from the machine.
14. Gently remove cut appliqué piece, trimming any thread that may have not been cut completely. **PHOTO 1**
15. Repeat as needed for designs with multiple appliqué pieces.

### TACKDOWN APPLIQUÉ AND COMPLETE EMBROIDERY DESIGN

1. Replace the embroidery needle and rethread the machine.
2. Replace the embroidery foot #15.
3. Spray hoop sized piece of stabilizer that is appropriate for your project and adhere to wrong side of background fabric or project that is to be hooped.
4. Hoop fabric/project and stabilizer.
5. Attach hoop to machine.
6. Send the embroidery file to the machine (this is not a CWA file).
7. Stitch design as normal following the thread changes on the provided thread chart stopping after each Appliqué Placement Stitch.
8. After stitching an Appliqué Placement Stitch, take the precut appliqué pieces required and peel off the cutaway backing and the release paper revealing a sticky backing. **PHOTO 2**
9. Remove hoop from machine, but do not remove the fabric from the hoop.
10. Adhere precut appliqué piece evenly over the Appliqué Placement Stitch; use pressure to make sure pieces stick well. **PHOTO 3**
11. Reattach hoop to machine.
12. Continue stitching design until all appliqué pieces are placed and all stitching is complete. **PHOTO 4**

**NOTE: Design pictured is for instructional purposes and is not included in this collection.**



## 3D Ornaments - Summary

### Teardrop Ornament (with Appliqué)

Requires 6 FSL Teardrop Ornament Piece with Appliqué – OC07101

*Optional Lace Trim* - requires 6 FSL Scallop Trim Piece – OC07104

### Globe Ornament (with Appliqué)

Requires 6 FSL Globe Ornament Piece with Appliqué – OC07102

*Optional Lace Trim* - requires 6 FSL Scallop Trim Piece – OC07104

### Cone Basket (with Appliqué)

Requires 4 FSL Cone Basket Piece with Appliqué – OC07103

*Optional Lace Trim* - requires 4 FSL Scallop Trim Piece – OC07104

### Spiral Snowflake Ornament (with Appliqué)

Requires 1 FSL Spiral Snowflake Piece with Appliqué – OC07105

Requires 1 FSL Spiral Snowflake Base – OC07106

### Small Gift Box

Requires 1 FSL Gift Box – OC07107

Requires 1 FSL Gift Box Bow – OC07108

### Spiral Icicle (with Appliqué)

Requires 1 FSL Icicle – OC07109



## Flat Ornaments – Summary

### Sleigh Ornament (with Appliqué)

Requires 1 FSL Sleigh Ornament with Appliqué – OC07110

*Optional Charm of your choice – OC07118, OC07119 or OC07120*

### Stocking Ornament (with Appliqué)

Requires 1 FSL Stocking Ornament with Appliqué – OC07111

*Optional Charm of your choice – OC07118, OC07119 or OC07120*

### Gift Ornament (with Appliqué)

Requires 1 FSL Gift Ornament with Appliqué – OC07112

*Optional Charm of your choice – OC07118, OC07119 or OC07120*

### Christmas Tree Ornament (with Appliqué)

Requires 1 FSL Christmas Tree Ornament with Appliqué – OC07113

*Optional Charm of your choice – OC07118, OC07119 or OC07120*

### Joy Ornament (with Appliqué)

Requires 1 FSL Joy Ornament with Appliqué – OC07114

*Optional Charm of your choice – OC07118, OC07119 or OC07120*

### Tiered Star Ornament (with Appliqué)

Requires 1 FSL Large Star Ornament with Appliqué – OC07115

Requires 1 FSL Medium Star Ornament with Appliqué – OC07116

Requires 1 FSL Small Star Ornament with Appliqué – OC07117


*Optional Charm of your choice – OC07118, OC07119 or OC07120*





**3D FSL Teardrop Ornament**


=



OC07101 FSL  
Teardrop Ornament  
Piece with Appliqué

OC07101 FSL  
Teardrop Ornament  
Piece with Appliqué

OC07101 FSL  
Teardrop Ornament  
Piece with Appliqué



OC07101 FSL  
Teardrop Ornament  
Piece with Appliqué

OC07101 FSL  
Teardrop Ornament  
Piece with Appliqué

OC07101 FSL  
Teardrop Ornament  
Piece with Appliqué

**TO ADD OPTIONAL SCALLOP TRIM YOU WILL  
NEED THESE ADDITIONAL PIECES**



**3D FSL Teardrop Ornament**  
(with optional scallop trim)

=



OC07104 FSL  
Optional Scallop  
Trim

OC07104 FSL  
Optional Scallop  
Trim

OC07104 FSL  
Optional Scallop  
Trim



OC07104 FSL  
Optional Scallop  
Trim


OC07104 FSL  
Optional Scallop  
Trim

OC07104 FSL  
Optional Scallop  
Trim






**3D FSL Globe Ornament**



TO ADD OPTIONAL SCALLOP TRIM YOU WILL  
NEED THESE ADDITIONAL PIECES



**3D FSL Teardrop Ornament**  
(with optional scallop trim)







**3D FSL Cone Basket**



TO ADD OPTIONAL SCALLOP TRIM YOU WILL  
NEED THESE ADDITIONAL PIECES



**3D FSL Cone Basket**  
(with optional scallop trim)





**3D FSL Spiral Snowflake**

=



OC07105 FSL Spiral  
Snowflake Piece with  
Appliqué

+



OC07106 FSL Spiral  
Snowflake Base



**3D FSL Gift Box**

=



OC07107 FSL Gift  
Box

+



OC07108 FSL Gift  
Box Bow



**3D FSL Spiral Icicle**

=



OC07109 FSL Icicle

## FLAT ORNAMENTS OPTIONS

### Tiered Star Ornament

Use thread, wire or ribbon to string the three stars one under another to create a tiered ornament. In addition to this tiered ornament, the individual stars can be used as ornaments by themselves.



OC07115 FSL Large Star Ornament with Applique

OC07116 FSL Medium Star Ornament with Applique

OC07117 FSL Small Star Ornament with Applique

### Optional Charms

There are three charms included in the collection that can be stitched as freestanding lace and added to the bottom of the ornaments with thread, wire or ribbon. A charm can even be added to the bottom of the Tiered Star Ornament shown above. In place of or in addition to these stitched charms you can always add store bought metal charms, beads or even tassels.



OC0718 FSL Bell Charm



OC0719 FSL Star Charm



OC0720 FSL Round Charm


### Examples of ornaments with stitched charms



## Instructions for Ornaments of Collection #2

### Handy tips:

1. A pair of tweezers, hemostats, stiletto or a tiny crochet hook can be extremely helpful when inserting the buttonettes into the eyelets. (Please see Picture 1 for explanation of “buttonette” and “eyelet” for 3D Ornaments.)
2. Insert the tip of the tweezers, hemostats or crochet hook into the eyelet, grasp the buttonette and pull through the eyelet.
3. A Stiletto could be used to “push” the buttonette through the eyelet.
4. The ornaments look and wear better when left fairly stiff. When the design is finished stitching, wash the design lightly so that some of the water soluble stabilizer stays in the design. It is better to hold the ornament gently and allow the water to flow through rather than working at it or scrubbing the lace.
5. If item becomes too limp to work with, dissolve scrap pieces of water soluble stabilizer in warm water and apply to the item to re-stiffen.



## 3D Ornaments

### Teardrop Ornament (with Appliqué)

1. Follow the General Free Standing Lace Guidelines (page 10) and Cut In Place Appliqué Instructions (page 10) and stitch 6 of design FSL Teardrop Ornament Piece with Appliqué – OC07101.
2. If you would like to add the Optional Scallop Trim insert the buttonettes on each end of the trim into the eyelets of an ornament piece. The eyelets can be found about in the center of the piece, one on each side of the applique fabric. Repeat for all 6 sides. If you opt to omit the lace trim simply skip step 2 and proceed to step 3.
3. With 2 of the 6 stitched pieces back to back (fronts facing out), insert the 3 center buttonettes of one piece into the matching eyelets of the second piece. Continue until the 3 centers buttonettes are connected all the way around the ornament. The 2 buttonettes on the bottom and the 2 buttonettes on the top should remain undone at this point.
4. Insert the bottom 2 buttonettes into their matching eyelets. Continue around ornament.
5. Finally, insert the top two buttonettes into their matching eyelets to finish the ornament. Continue around ornament.
  - Please note: to add a hanger to your ornament do not insert the last buttonette into the eyelet.
6. To add a hanger to your ornament follow Hanging Your Ornament Instructions (page 11).
7. To complete the ornament, button the last buttonette into the remaining unused eyelet.

### Globe Ornament (with Appliqué)

1. Follow the General Free Standing Lace Guidelines (page 10) and Cut In Place Appliqué Instructions (page 10) and stitch 6 of design FSL Globe Ornament Piece with Appliqué – OC07102.
2. With 2 of the 6 stitched pieces back to back (fronts facing out), insert the 3 center buttonettes of one piece into the matching eyelets of the second piece. Continue around the ornament. The 5 buttonettes around the bottom and the 5 buttonettes around the top should remain undone at this point.
3. If you would like to add the Optional Scallop Trim insert the buttonette on one end of the scallop trim into the corresponding eyelet on the ornament side piece. The eyelets can be found just below the applique and on either side of the open spot in the lace. The left buttonette of the scallop trim will insert into the eyelet on the right side of the ornament piece and the right buttonette of the trim will insert into the eyelet on the left side of the next ornament piece so that the trim “bridges” over the “seams” of the ornament (refer to picture 2). If you opt to omit the lace trim simply skip step 3 and proceed to step 4.





4. Insert the bottom buttonettes into their matching eyelets. Continue around ornament.
5. Finally, insert the top buttonettes into their matching eyelets to finish the ornament. Continue around ornament.
  - Please note: to add a hanger to your ornament do not insert the last buttonette into the eyelet.
6. To add a hanger to your ornament follow Hanging Your Ornament Instructions (page 11).
7. To complete the ornament, button the last buttonette into the remaining unused eyelet.

### Cone Basket (with Appliqué)


1. Follow the General Free Standing Lace Guidelines (page 10) and Cut In Place Appliqué Instructions (page 10) and stitch 4 of design FSL Cone Basket Piece with Applique - OC07103
2. With the 2 of stitched pieces back to back (fronts facing out), insert the 5 buttonettes into the 5 eyelets on the next piece. Continue around ornament.
3. If you would like to add the Optional Scallop Trim insert the buttonettes of the trim into the eyelets on each side just under the top of the sides. If you opt to omit the lace trim simply skip step 3.

### Spiral Snowflake Ornament (with Appliqué)

1. Follow the General Free Standing Lace Guidelines (page 10) and Cut In Place Appliqué Instructions (page 10) and stitch 1 each of design FSL Spiral Snowflake Piece with Appliqué – OC07105 and FSL Spiral Snowflake base - OC07106
2. Lay the base of the snowflake flat with right side up.
3. Notice that in the base piece there are two eyelets on each spoke next to one another. Insert one buttonette located on the tip of one of the spokes of the top piece into one of the eyelets located on one of the spokes of the base piece. When performing this step you can use either eyelet. The one on the left of the “stem” will create a slightly more raised effect than the eyelet on the right. Alternating between the left and right eyelets on every other spoke will create a bit of a waved effect. Continue by inserting the buttonette of the next spoke of the top piece into one of the eyelets of the next spoke of the base. Continue around until all 6 buttonettes are inserted.


### Gift Box

1. Follow the General Free Standing Lace Guidelines (page 10) and stitch 1 each of design FSL Gift Box – OC07107 and FSL Gift Box Bow - OC07108.
2. Referring to picture 3, fold the front and the right side of the box up and insert the buttonette on the right side into the eyelet of the front.
3. Fold the left side up and insert the buttonette on the front into the eyelet on the left side.
4. Fold the back side up and insert the buttonette on the backside into the eyelet on the right side.
5. Insert the eyelet on the left side into the buttonette of the back side.
6. Fold the top over and insert the latch button into the latch button hole to close the box.
7. Shape the bow by inserting the left buttonette into the left eyelet from the underside. Refer to Picture 4.
8. Repeat for right side.
9. Attach ribbon to top of box by inserting the 2 eyelets in the center of the ribbon into the 2 eyelets on the box lid. It may be helpful to unlatch and open the lid for this step.



Picture 3

Picture 4







## Spiral Icicle Ornament

1. Follow the General Free Standing Lace Guidelines below and stitch 1 of design FSL Spiral Icicle - OC07109.
2. Immediately after rinsing the stitched piece wrap it in a spiral around a dowel rod or other long round object. Once wrapped, secure to dowel rod by wrapping with thread.
3. Allow to dry.
4. If too much water soluble stabilizer was rinsed away, restiffen by dissolving scraps of water soluble stabilizer in warm water then rub ornament down with mixture while still wrapped around dowel rod.
5. After ornament dries remove the thread securing it in place and remove from dowel rod.

### CUT IN PLACE APPLIQUÉ METHOD

1. Hoop your fabric and backing.
2. Sew the pattern/placement. **PHOTO 1**
3. Place a piece of appliqué fabric over the pattern/placement so that it is completely covered.
4. Sew the trim stitch/tackdown.
5. Carefully cut away the excess appliqué fabric. **PHOTO 2**
6. Sew the remainder of the design and repeat for any remaining pieces. **PHOTO 3**



### GENERAL FREESTANDING LACE GUIDELINES

#### SUPPLIES:

##### Embroidery Thread:

- Use the same Isacord thread in the bobbin as the needle.

##### Needles:

- Use an Organ 80/12 Titanium needle for extended needle life.

##### Stabilizer:

- OESD AquaMesh or OESD BadgeMaster water-soluble stabilizer.

#### GENERAL INSTRUCTIONS

1. Hoop two layers of OESD AquaMesh or one layer of OESD Badge Master water-soluble stabilizer.
2. Attach the hoop to the machine and select the design of your choice.
3. Stitch the design.
4. Remove the hoop from the machine and the design from the hoop. Trim excess stabilizer from the design.

5. Rinse away remaining stabilizer and allow it to dry.

#### HANDY HINTS:

##### For Stiffer Lace:

- DO NOT RINSE away all of the stabilizer for a “stiffer” lace. However, do note that the thread may appear a shade darker if stabilizer is not removed completely.
- If you happen to wash too much out, easily re-stiffen by diluting some stabilizer scraps in water and dipping the item in the solution.

##### For Very Soft Lace:

- Cut away excess stabilizer. Remove remaining stabilizer by rinsing under warm running water until all traces of the stabilizer are gone.
- Note: If lace should become too limp to work with, dissolve stabilizer scraps in warm water and apply to the lace.

##### Drying Lace:

- Lay lace piece with right side down to dry. This will minimize the tendency for the lace to curl.

**TIP:** When assembling items with buttonettes and eyelets it is easier to work with the item while it is still damp, you can “smash” the buttonettes, insert them into the eyelets then flatten them back out to dry. If item has dried simply dampen only the buttonettes with a spray bottle or shallow dish of water.

**Supplies:**

- 11/16" Screw Eyes – Small
- 1" Styrofoam Balls
- ¼" ribbon



**Assemble Hanger:**

1. Twist one screw eye into a foam ball.
2. Cut desired length of ribbon and thread it through the screw eye. Tie loose ends to form a loop. **PHOTO 1**
3. Drop hanger inside ornament then finish buttoning it up.
4. Turn ornament upside down. Use a pair of tweezers if necessary to feed ribbon out of top of ornament. **PHOTO 2**
5. To prevent hanger from falling into ornament you can dab a little glue on ball then hang ornament to allow glue to dry.



**Multiple Ornament Hanger:**

1. Twist a second eye screw into opposite end of foam ball.
2. Twist eye screw into another foam ball.
3. Thread ribbon through both eye screws. Tie loose ends to form a loop. **PHOTO 3**
4. Repeat at required.

