


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.




80091-01 Tile 1
5.68 X 4.64 in.
144.27 X 117.86 mm
7,078 St.



80091-02 Tile 2
5.71 X 4.62 in.
145.03 X 117.35 mm
6,804 St.




80091-03 Tile 3
5.77 X 4.68 in.
146.56 X 118.87 mm
27,236 St.




80091-04 Tile 4
5.80 X 4.57 in.
147.32 X 116.08 mm
8,861 St.




80091-05 Tile 5
5.64 X 4.71 in.
143.26 X 119.63 mm
10,923 St.



80091-06 Tile 6
5.76 X 4.75 in.
146.30 X 120.65 mm
7,942 St.



80091-07 Tile 7
5.72 X 4.63 in.
145.29 X 117.60 mm
11,951 St.



80091-08 Tile 8
5.62 X 4.47 in.
142.75 X 113.54 mm
11,164 St.




80091-09 Tile 9
6.08 X 4.82 in.
154.43 X 122.43 mm
5,725 St.



80091-10 Tile 10
5.88 X 4.42 in.
149.35 X 112.27 mm
4,678 St.




80091-11 Tile 11
6.02 X 4.47 in.
152.91 X 113.54 mm
5,221 St.



80091-12 Tile 12
5.92 X 4.35 in.
150.37 X 110.49 mm
5,681 St.


Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.




80091-13 Tile 13
5.97 X 4.25 in.
151.64 X 107.95 mm
2,767 St.




80091-14 Tile 14
5.74 X 4.86 in.
145.80 X 123.44 mm
5,840 St.



80091-15 Tile 15
4.43 X 5.70 in.
112.52 X 144.78 mm
12,533 St.



80091-16 Tile 16
5.62 X 4.39 in.
142.75 X 111.51 mm
2,202 St.




80091-17 Tile 17
5.66 X 4.44 in.
143.76 X 112.78 mm
7,955 St.




80091-18 Tile 18
5.58 X 4.49 in.
141.73 X 114.05 mm
11,932 St.



80091-19 Tile 19
5.57 X 4.61 in.
141.48 X 117.09 mm
22,673 St.



80091-20 Tile 20
5.57 X 4.49 in.
141.48 X 114.05 mm
8,102 St.




80091-21 Tile 21
5.68 X 4.74 in.
144.27 X 120.40 mm
9,617 St.



80091-22 Tile 22
5.67 X 4.62 in.
144.02 X 117.35 mm
17,234 St.



80091-23 Tile 23
5.63 X 4.66 in.
143.00 X 118.36 mm
17,171 St.



80091-24 Tile 24
5.59 X 4.67 in.
141.99 X 118.62 mm
9,492 St.

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



80091-25 Corner 1
2.00 X 2.00 in.
50.8 X 50.8 mm
958 St.



80091-26 Corner 2
2.00 X 2.00 in.
50.8 X 50.8 mm
958 St.



80091-27 Long Border 1
5.25 X 2.00 in.
133.35 X 50.8 mm
2,232 St.



80091-28 Long Border 2
5.25 X 2.00 in.
133.35 X 50.8 mm
3,408 St.



80091-29 Long Border 3
5.25 X 2.00 in.
133.35 X 50.8 mm
2,710 St.



80091-30 Long Border 4
5.25 X 2.00 in.
133.35 X 50.8 mm
3,270 St.



80091-31 Short Border 1
2.00 X 4.25 in.
50.8 X 107.95 mm
2,198 St.



80091-32 Short Border 2
2.00 X 4.25 in.
50.8 X 107.95 mm
3,374 St.



80091-33 Short Border 3
2.00 X 4.25 in.
50.8 X 107.95 mm
2,636 St.



80091-34 Short Border 4
2.00 X 4.25 in.
50.8 X 107.95 mm
1,980 St.



Fishing with Grandpa

by Mo's Art Design Studio / #80091 / 34 Designs

Listings below indicate color sample, stitching order and suggested thread color number. Most numbers indicate Isacord thread. Colors beginning with 20501 refer to YLI Fine Metallics, 7 refer to Yenmet Metallic, 8 refer to YLI Variations Variegated Thread and 9 refer to Isacord Multicolor Variegated.

80091-01 Tile 1

■	1. Medium Green Tree Shading.....	5633
■	2. Dark Green Tree Shading.....	5944
■	3. Gold Tree Shading.....	0352
■	4. Seam.....	0454

80091-02 Tile 2

■	1. Light Blue Sky Shading.....	4952
□	2. White Sky Shading.....	0015
■	3. Tree Placement Stitch.....	3762
■	4. Dark Green Tackdown & Shading.....	5944
■	5. Gold Tree Shading.....	0352
■	6. Seam.....	0454

80091-03 Tile 3

■	1. Light Blue Sky Shading.....	4952
□	2. White Sky Shading.....	0015
■	3. Tree Placement Stitch.....	3762
■	4. Dark Green Tackdown & Shading.....	5944
■	5. Gold Tree Shading.....	0352
■	6. Seam.....	3762

80091-04 Tile 4

■	1. Light Blue Sky Shading.....	4952
□	2. White Sky Shading.....	0015
■	3. Tree Placement Stitch.....	3762
■	4. Dark Green Tackdown & Shading.....	5944
■	5. Medium Green Tree Shading.....	5633
■	6. Gold Tree Shading.....	0352
■	7. Seam.....	3762

80091-05 Tile 5

■	1. Medium Green Tree Shading.....	5633
■	2. Dark Green Tree Shading.....	5944
■	3. Gold Tree Shading.....	0352
■	4. Seam.....	0454

80091-06 Tile 6

■	1. Light Blue Water Shading.....	3762
□	2. White Water Shading.....	0015
■	3. Metallic Water Shading.....	7036 (AN-10)
■	4. Light Green Water Shading.....	5822
■	5. Tree Placement.....	3762
■	6. Medium Green Tree Shading.....	5633
■	7. Dark Green Tree Shading.....	5944
■	8. Seam.....	0454

80091-07 Tile 7

■	1. Light Blue Water Shading.....	3762
□	2. White Water Shading.....	0015
■	3. Metallic Water Shading.....	7036 (AN-10)
■	4. Light Green Water Shading.....	5822
■	5. Tree Placement Stitch.....	3762
■	6. Medium Green Tree Shading.....	5633
■	7. Dark Green Tree Shading & Tackdown.....	5944
■	8. Gold Tree Shading.....	0352
■	9. Seam.....	0454

80091-08 Tile 8

■	1. Medium Green Tree Shading.....	5633
■	2. Dark Green Tree Shading.....	5944
■	3. Gold Tree Shading.....	0352
■	4. Seam.....	0454

80091-09 Tile 9

■	1. Light Blue Water Shading.....	3762
□	2. White Water Shading.....	0015
■	3. Metallic Water Shading.....	7036 (AN-10)
■	4. Light Green Water Shading.....	5822
■	5. Ground Placement Stitch.....	3762
■	6. Medium Green Ground Shading.....	5633
■	7. Dark Green Ground Shading.....	5944
■	8. Seam.....	3762

80091-10 Tile 10

■	1. Light Blue Water Shading.....	3762
□	2. White Water Shading.....	0015
■	3. Metallic Water Shading.....	7036 (AN-10)
■	4. Light Green Water Shading.....	5822
□	5. Fishing Lines.....	7003 (AN-1)
■	6. Fishing Poles.....	4174
■	7. Seam.....	3762

80091-11 Tile 11

■	1. Light Blue Water Shading.....	3762
□	2. White Water Shading.....	0015
■	3. Metallic Water Shading.....	7036 (AN-10)
■	4. Light Green Water Shading.....	5822
■	5. Seam.....	3762

80091-12 Tile 12

■	1. Light Blue Water Shading.....	3762
□	2. White Water Shading.....	0015
■	3. Metallic Water Shading.....	7036 (AN-10)
■	4. Light Green Water Shading.....	5822
■	5. Seam.....	3762

80091-13 Tile 13

■	1. Light Blue Water Shading.....	3762
□	2. White Water Shading.....	0015
■	3. Light Green Water Shading.....	5822
■	4. Seam.....	3762

80091-14 Tile 14

■	1. Light Blue Water Shading.....	3762
■	2. Metallic Water Shading.....	7036 (AN-10)
□	3. White Water Shading.....	0015
□	4. Fishing Lines.....	7003 (AN-1)
■	5. Poles.....	4174
■	6. Seam.....	3762

80091-15 Tile 15

■	1. Light Blue Water Shading.....	3762
■	2. Metallic Water Shading.....	7036 (AN-10)
□	3. White Water Shading.....	0015
□	4. Fishing Line.....	7003 (AN-1)
■	5. Pole.....	4174
■	6. Grandpa Placement Stitch.....	3762
■	7. Grandpa Tackdown.....	1140
■	8. Skin.....	1161
■	9. Skin Shading & Outline.....	0862
□	10. Hair.....	0670
■	11. Hair Shading & Outline.....	0176
□	12. Shirt.....	0015
■	13. Shirt Light Grey Shading.....	0150
■	14. Shirt Dark Grey Shading & Outline.....	0108
■	15. Light Hat Shading.....	1322
■	16. Medium Hat Shading.....	1526
■	17. Dark Hat Shading & Outline.....	2123
■	18. Seam.....	3762

80091-16 Tile 16

■	1. Light Blue Water Shading.....	3762
□	2. White Water Shading.....	0015
■	3. Light Green Water Shading.....	5822
■	4. Seam.....	3762

80091-17 Tile 17

■	1. Light Blue Water Shading.....	3762
■	2. Metallic Water Shading.....	7036 (AN-10)
■	3. Post Placement Stitch.....	3762
■	4. Post Tackdown.....	1140
■	5. Post Medium Shading.....	0862
■	6. Rope.....	1161
■	7. Rope Medium Shading.....	0862
■	8. Post & Rope Dark Shading & Outlines.....	0776
■	9. Seam.....	3762

80091-18 Tile 18

■	1. Light Blue Water Shading.....	3762
■	2. Metallic Water Shading.....	7036 (AN-10)
□	3. Fishing Line.....	7003 (AN-1)
■	4. Pole.....	4174
■	5. Boy & Knee Placement Stitch.....	3762
■	6. Boy & Knee Tackdown.....	1140
■	7. Knee Light Tan Shading.....	0874
■	8. Knee Light Brown Shading.....	0862
■	9. Knee Medium Brown Shading.....	0776
■	10. Knew Dark Brown Shading & Outline.....	1375
■	11. Hat Light Shading.....	1161
□	12. Shirt White Stripes.....	0670
■	13. Shirt Grey Shading.....	0555
■	14. Shirt Green Stripes.....	6043
■	15. Shirt Medium Green Shading.....	5933
■	16. Dark Green Shirt Outline.....	5944
■	17. Hat Dark Shading & Outline.....	1154
■	18. Seam.....	3762

80091-19 Tile 19

■	1. Light Blue Water Shading.....	3762
■	2. Metallic Water Shading.....	7036 (AN-10)
□	3. Fishing Line.....	7003 (AN-1)
■	4. Pole.....	4174
■	5. Grandpa Placement Stitch.....	3762
■	6. Grandpa Tackdown.....	1140
■	7. Knee Light Tan Shading.....	0874
■	8. Knee Light Brown Shading.....	0862
■	9. Knee Medium Brown Shading.....	0776
■	10. Knee Dark Brown Outline.....	1375
■	11. Skin.....	1161
■	12. Skin Dark Shading & Outline.....	0862
□	13. Shirt.....	0015
■	14. Shirt Light Grey Shading.....	0150
■	15. Shirt Dark Grey Shading & Outline.....	0108
■	16. Seam.....	3762

80091-20 Tile 20

■	1. Light Blue Water Shading.....	3762
■	2. Metallic Water Shading.....	7036 (AN-10)
■	3. Post Placement Stitch.....	3762
■	4. Post Tackdown.....	1140
■	5. Post Medium Shading.....	0862
■	6. Rope.....	1161
■	7. Rope Medium Shading.....	0862
■	8. Post & Rope Dark Shading & Outline.....	0776
■	9. Seam.....	3762

80091-21 Tile 21

■	1. Metallic Water Shading.....	7036 (AN-10)
■	2. Post & Deck Placement Stitch.....	3762
■	3. Post & Deck Tackdown.....	1140
■	4. Post Medium Shading.....	0862
■	5. Rope.....	1161
■	6. Rope Medium Shading.....	0862
■	7. Post, Rope & Deck Dark Shading & Outlines.....	0776
■	8. Deck.....	0643
■	9. Deck Medium Shading.....	1061
■	10. Shadow.....	0555
■	11. Seam.....	3762



Fishing with Grandpa

by Mo's Art Design Studio / #80091 / 34 Designs

Listings below indicate color sample, stitching order and suggested thread color number. Most numbers indicate Isacord thread. Colors beginning with 20501 refer to YLI Fine Metallics, 7 refer to Yenmet Metallic, 8 refer to YLI Variations Variegated Thread and 9 refer to Isacord Multicolor Variegated.

80091-22 Tile 22

1. Metallic Water Shading	7036 (AN-10)
2. Deck & Boy Placement Stitch	3762
3. Deck & Boy Tackdown	1140
4. Deck	0643
5. Deck Medium Shading	1061
6. Deck Dark Shading & Outlines	0776
7. Shadows	0555
8. Leg	0862
9. Leg Medium Shading	0776
10. Leg Dark Shading & Outline	1375
11. Skin	1161
12. Skin Shading & Outline	0862
13. Shirt White Stripes	0670
14. Shorts	0131
15. Shorts Medium Shading	0108
16. Shorts Dark Shading & Outline	0112
17. Shirt Grey Shading	0555
18. Shirt Green Stripes	6043
19. Shirt Medium Green Shading	5933
20. Dark Green Shirt Outline	5944
21. Seam	1140

80091-23 Tile 23

1. Metallic Water Shading	7036 (AN-10)
2. Deck & Grandpa Placement Stitch	3762
3. Deck & Grandpa Tackdown	1140
4. Deck	0643
5. Deck Medium Shading	1061
6. Shadows	0555
7. Deck Dark Shading & Outline	0776
8. Leg Light Tan Shading	0874
9. Leg Light Brown Shading	0862
10. Leg Medium Shading	0776
11. Leg Dark Brown Shading & Outline	1375
12. Shirt	0015
13. Shirt & Grey Shading	0150
14. Shirt Dark Shading & Outline	0108
15. Seam	1140

80091-24 Tile 24

1. Metallic Water Shading	7036 (AN-10)
2. Post & Deck Placement Stitch	3762
3. Post & Deck Tackdown	1140
4. Deck	0643
5. Deck Medium Shading	1061
6. Post Medium Shading	0862
7. Rope	1161
8. Rope Medium Shading	0862
9. Post & Rope Dark Shading & Outline	0776
10. Shadows	0555
11. Deck Dark Shading & Outline	0776
12. Seam	1140

80091-25 Corner 1

1. Bobber	7011 (S-7)
2. Seam	0842

80091-26 Corner 2

1. Bobber	7011 (S-7)
2. Seam	0842

80091-27 Long Border 1

1. Lure	7011 (S-7)
2. Seam	0842

80091-28 Long Border 2

1. Lure	7011 (S-7)
2. Seam	0842

80091-29 Long Border 3

1. Lure	7011 (S-7)
2. Seam	0842

80091-30 Long Border 4

1. Lure	7011 (S-7)
2. Seam	0842

80091-31 Short Border 1

1. Lure	7011 (S-7)
2. Seam	0842

80091-32 Short Border 2

1. Lure	7011 (S-7)
2. Seam	0842

80091-33 Short Border 3

1. Lure	7011 (S-7)
2. Seam	0842

80091-34 Short Border 4

1. Lure	7011 (S-7)
2. Seam	0842

Isacord Thread Colors Used in "Fishing with Grandpa"

By Mo's Art Design Studio
Collection #80091

0108 Cobblestone	0862 Wild Rice	4952 Mystic Blue
0112 Leadville	0874 Gravel	5633 Lime
0131 Smoke	1061 Taupe	5822 Kiwi
0150 Mystik Grey	1140 Meringue	5832 Celery
0176 Fog	1154 Penny	5933 Grasshopper
0352 Marsh	1161 Straw	5944 Backyard Green
0454 Olive Drab	1322 Dirty Penny	6043 Yellowgreen
0555 Light Sage	1375 Dark Charcoal	7003 (AN-1) Pearlessence White
0643 Barewood	1526 Apple Butter	7036 (AN-10) Pearlessence Teal
0670 Cream	2123 Bordeaux	7011 (S-7) Pyrite
0776 Sage	3762 Country Blue	
0842 Toffee	4174 Charcoal	

Supplies

- OESD embroidery collection Fishing with Grandpa tiling scene #80091
- OESD Heavy Weight Tear Away Stabilizer
- OESD Ultra Clean and Tear Stabilizer
- OESD Appliqué Fuse & Fix
- 2 ¼ yard blue background fabric
 - Cut to 20 pieces 10" by 15" or large enough for 5 x 7 hoop
- ½ yard green fabric
 - Cut 3 pieces 10" x 15" or large enough for 5 x 7 hoop
 - Reserve remaining for appliqué
- 1 fat quarter or ¼ yard tan or cream fabric for appliqué
- 2 ½ yards Brown border fabric
 - Cut 24 10" x 15" or large enough to hoop
 - ***NOTE:** This assumes you will stitch a single border piece in each hooping. Stitching multiple border pieces in a single hooping may allow you to save on fabric.
- ¾ yard fabric for backing
 - Cut to 26" x 32"
- ¼ yard fabric for binding
 - Cut three width-of-fabric strips 2" wide
- 26" x 32" batting
- Isacord embroidery threads
- 505 Temporary spray adhesive
- Thread for piecing
- *Optional:* wooden clapper for setting seams



NOTE: Using appliqué patterns, pre-cut the appliqué pieces using OESD Applique Fuse and Stick, according to manufacturer's directions.

Embroidery

- **NOTE:** The last part that will stitch in each of these designs is a border that is referred to on the thread chart as "Seam Stitch". This stitch is very important in the process of assembling the wall hanging. It is vital that it is not skipped when embroidering. Stitch this in a thread color that will blend with the background fabric. You may also find it helpful to switch to a black bobbin thread when stitching the seam stitch. This will make it easier to see on the backside of the tile when you are ready to trim.
- Embroider one of each design files 01, 05, and 08 on the **green** fabric using one layer of OESD Heavy Weight Tear Away and one layer of OESD Ultra

	80091-26					80091-25
	80091-30	80091-29	80091-28	80091-27		
80091-33	80091-01	80091-02	80091-03	80091-04	80091-32	
80091-31	80091-05	80091-06	80091-07	80091-08	80091-31	
80091-32	80091-09	80091-10	80091-11	80091-12	80091-34	
80091-34	80091-13	80091-14	80091-15	80091-16	80091-32	
80091-31	80091-17	80091-18	80091-19	80091-20	80091-31	
80091-32	80091-21	80091-22	80091-23	80091-24	80091-33	
	80091-27	80091-28	80091-29	80091-30		
	80091-25					80091-26

Diagram

Clean and Tear. Spray all layers together with 505 Temporary Adhesive Spray. The Heavy Weight Tear Away should be closest to the fabric.

- Embroider one of each design files 02, 03, 04, 06, 07, and 09-24 on the **blue** fabric using one layer of OESD Heavy Weight Tear Away and one layer of OESD Ultra Clean and Tear. Spray all layers together with 505 temporary adhesive spray. The Heavy Weight Tear Away should be closest to the fabric. Place appliqué according to the thread chart. (Appliqué numbers are listed on the pattern page).
- Embroider **two each** of designs 25-30 and 33-34 on the brown fabric. Stabilize as with the main tiles.
- Embroider **four each** of design 31, 32.
- Once the embroidery process is complete, tear away stabilizer from the **OUTSIDE** of the seam stitch only. Leave the stabilizer within the seam stitch. **PHOTO 1**
- Press each piece well. Press embroidery side face down.
- Trim away excess fabric by cutting $\frac{1}{4}$ " away from the "Seam Stitch". This process is easily done using a rotary cutter and ruler. **PHOTO 2**
- **NOTE:** It may be easier to cut with the back of the tile showing since the "Seam Stitch" was stitched in a thread color that blended in with the background fabrics.



Photo 1




Photo 2



Photo 3




Photo 4



Photo 5




Photo 6

Construction

- After each block has been trimmed, lay out the pieces near your machine so that it is easy to put the blocks together. **REFER TO DIAGRAM.**
- Right sides together, using a $\frac{1}{4}$ " seam allowance, stitch the four tiles for each of the center rows together. Make sure your seam stitch lines are aligned, and check in particular that your appliqué pieces are aligned. **PHOTO 3**
- Press seams **OPEN**. If available, use a clapper to set seams after pressing.
- When the above step is complete you will have six stitched rows.
- Stitch the six rows together in the same manner to complete the center of the wall hanging. Make sure as you sew that your intersections and appliqué pieces line up between the rows. **PHOTO 3**
- Your center section is now complete. **PHOTO 4**
- Stitch six of each of the side border pieces together to form two borders. Orient your pieces so the fishing lures are aligned as shown in the diagram. **PHOTO 5**
- Attach the side borders to the center of the project. **PHOTO 6**
- Stitch the four top and bottom border pieces and two of the corner tiles together to form the top and bottom borders. Refer to the diagram.
- Attach the top and bottom borders with a $\frac{1}{4}$ " seam. **PHOTO 7**
- Layer a quilt sandwich, by placing back wrong side up, cotton batting, and the tiling scene right side up. Use 505 Temporary Spray Adhesive to baste the layers together.





Photo 7


- Quilt as desired. In our sample we simply stitched in the ditch along the tiles. **PHOTO 8**
- Square up the quilt, this is trimming the quilt until the sides are equal. This prepares the quilt for stitching on the binding.
- Stitch on the binding as desired.



1. Print out the necessary pages from the PDF of the appliqué pattern(s).
2. Mark the right side of the pattern pieces so you'll know which direction to lay the pattern on the fabric.
3. Lightly spray the wrong side of the pattern pieces with temporary adhesive spray and allow it to set for a few minutes.
4. Place the pattern pieces on the right side of the fabric and carefully cut them out. **PHOTO 1**
5. Sew the placement stitch on your hooped fabric. **PHOTO 2**
6. With the paper still stuck to the right side of the appliqué fabric, spray the wrong side of the fabric with temporary spray adhesive.
7. Place the fabric inside the sewing placement stitch so that it matches the stitching line, and then remove the paper pattern. **PHOTO 3**
8. Sew the tackdown. **PHOTO 4**
9. Sew the remainder of the design and repeat for any remaining pieces. **PHOTO 5**


NOTE: The patterns are sized for the designs as they were made. If you resize the design, you will need to resize the pattern the same amount. You can print out the pattern at the normal size then copy it on a copy machine at the changed size. For example, resize the designs to 80%, resize the printed pattern to 80%.

TIP: When Printing the patterns, make sure that the "Fit to page" option is UNCHECKED in the Print Dialog Box. If this option is checked the printed patterns will not be actual size.




ATTENTION



When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.







TO SAVE PAPER



Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.


















80091-23
Deck and Grandpa

