DRESDEN DAISIES

- Collection No. 82028
- 35 Designs
- Project instructions included







Isacord Thread Colors

0020 Black

0811 Candlelight

0824 Liberty Gold

0922 Ashley Gold

1352 Salmon

1521 Flamingo

1725 Terra Cotta

3611 Blue Ribbon

3722 Empire Blue

3820 Celestial

5100 Green

5210 Trellis Green

5230 Bottle Green





*Fabric Required



82028-01 Large Dresden Applique Daisy

Size Inches:		ze mm:	
8.86 X 8.86 in	n. 225.0 X	X 225.0 mm	35293 St.
1. Yellow Fa	abric Placen	nent Stitch	3820
		wn	
3. Dark Gre	en Fabric P	lacement Stitch	3820
		wn	
		cement Stitch	
		wn	
		nt Stitch	
		wn	
		nt Stitch	
10. Cut Line			
11. Light Blu	e Fabric Pla	cement Stitch	3820
12. Cut Line			
13. Brown Fa			
14. Cut Line			
15. Light Gre			
17. Light Blu			
17. Light Blu			
19. Medium			
20. Medium			
21. Light Gre			
22. Medium			
23. Light Go			
24. Medium	Green Detai	l	5210
25. Light Red			
26. Dark Red			
27. Dark Blu			
28. Dark Gol			
29. Light Blu	e Cover Stit	ch	3820





*Fabric Required



82028-02 Large Dresden Applique Daisies

Size Inches:	Size	e mm:	Stitch Count:
8.80 X 8.77 in.	223.5 X	222.8 mm	28087 St.
1. Light Yellow	v Fabric Pla	acement Stito	h 5230
2. Cut Line an	d Tackdow	'n	5230
3. Red Fabric	Placement	t Stitch	5230
4. Cut Line an	d Tackdow	'n	5230
5. Dark Blue F	abric Place	ement Stitch.	5230
6. Cut Line an	d Tackdow	'n	5230
7. Light Green	n Detail		5230
8. Medium Blu	ue Detail		3722
9. Light Blue [Detail		3820
■ 10. Dark Blue [Detail		3611
= 11. Light Gold (Cover Stitc	h and Detail.	0811
12. Medium Gr	een Detail		5210
13. Medium Re	d Detail		1521
14. Medium Go	old Detail		0824
= 15. Light Red C			
16. Dark Gold I			
17. Light Blue (Cover Stitch	h	3820





*Fabric Required



82028-03 Dresden Daisies Applique Circle

Size Inches:	Size	e mm:	Stitch Count:
6.86 X 6.86 in.	174.2 X	174.2 mm	17211 St.
1. Light Yello	w Fabric Pla	acement Stitch	า0811
2. Cut Line a	nd Tackdow	n	0811
3. Light Gold	Cover Stitc	h	0811
4. Light Gold	Detail		0811
5. Medium G			
6. Dark Gold			
7. Light Red	Detail		1352
8. Medium R			
9. Dark Red	Detail		1725
10. Light Blue	Detail		3820
11. Medium B	lue Detail		3722
12. Dark Blue	Detail		3611

*Fabric Required




82028-04 Dresden Daisies Applique Vase

Size Inches:	Size mm:	Stitch Count:
8.66 X 4.99 in.	220.0 X 126.7 mm	n 16758 St.
1. Light Yellow	v Fabric Placement St	itch 0922
•	d Tackdown	
3. Dark Red F	abric Placement Stitc	h 0922
4. Cut Line an	d Tackdown	0922
5. Light Blue F	Fabric Placement Stite	ch 0922
6. Cut Line an	d Tackdown	0922
7. Dark Gold [Detail	0922
8. Dark Red D)etail	1725
9. Light Gold (Cover Stitch and Deta	il0811
10. Medium Go	old Detail	0824
11. Light Red D	Detail	1352
12. Dark Red C	Cover Stitch and Detai	l 1725
<u> </u>	Cover Stitch	
	ue Detail	
15. Dark Blue D	Detail	3611








82028-05 Dresden Daisy Applique 1

Size Inches:	Size mm:	Stitch Count:
5.63 X 5.62 in.	143.0 X 142.7 mm	12380 St.
1. Light Blue	Fabric Placement Stitch	3820
2. Cut Line ar	nd Tackdown	3820
3. Light Blue	Cover Stitch	3820
4. Light Blue	Detail	3820
5. Medium Bl	ue Detail	3722
6. Dark Blue l	Detail	3611

*Fabric Required




82028-06 Dresden Daisy Applique 2

Size Inches:	Size mm:	Stitch Count:
5.19 X 5.18 in.	131.8 X 131.6 mm	10686 St.
1. Dark Green	Fabric Placement Stitcl	n 5210
2. Cut Line an	d Tackdown	5210
3. Medium Gr	een Detail	5210
4. Light Green	Detail	5230






*Fabric Required



82028-07 Dresden Daisy Applique 3

Size Inches: 4.85 X 4.85 in.	Size mm: 123.2 X 123.2 mm	
1. Dark Blue F	abric Placement Stitch	3820
2. Cut Line and	d Tackdown	3820
3. Light Blue C	Cover Stitch	3820
4. Light Blue D)etail	3820
5. Medium Blu	e Detail	3722
6. Dark Blue D	etail	3611

*Fabric Required



82028-08 Dresden Daisy Applique 4

Size Inches:	Size mm:	Stitch Count:
4.69 X 4.69 in.	119.1 X 119.1 mm	9223 St.
1. Light Yellow	Fabric Placement Stite	ch0811
•	d Tackdown	
3. Light Gold (Cover Stitch	0811
4. Medium Go	ld Detail	0824
5. Dark Gold D	Detail	0922






*Fabric Required



82028-09 Dresden Daisy Applique 5

Size Inches:	Size mm:	Stitch Count:
3.84 X 3.84 in.	97.5 X 97.5 mm	6823 St.
1. Dark Red Fa	abric Placement Stitch	1521
2. Cut Line and	d Tackdown	1521
3. Medium Red	d Cover Stitch	1521
4. Light Red D	etail	1352

*Fabric Required



82028-10 Dresden Daisy Applique 6

Size Inches:	Size mm:	Stitch Count:
3.67 X 3.67 in.	93.2 X 93.2 mm	6024 St.
1. Brown Fabri	c Placement Stitch	0824
2. Cut Line and	I Tackdown	0824
3. Medium Gol	d Cover Stitch	0824
4. Light Gold D	etail	0811





*Fabric Required

82028-11 Dresden Butterfly Applique

Size Inches:	Size mm:	Stitch Count:
5.27 X 6.19 in.	133.9 X 157.2 mm	16493 St.
1. Tan Fabric F	Placement Stitch	1352
2. Cut Line and	d Tackdown	1352
3. Light Red D	etail	1352
4. Medium Red	d Detail	1521
5. Dark Red D	etail	1725
6. Medium Red	d Cover Stitch	1521
7. Dark Red Bo	ody	1725

*Fabric Required



82028-12 Dresden Daisies Applique Group

Size Inches:	Size mm:	Stitch Count:
5.21 X 5.22 in.	132.3 X 132.6 mm	10380 St.
1. Dark Blue F	abric Placement Stitch	3820
2. Cut Line an	d Tackdown	3820
3. Light Blue [Detail	3820
4. Medium Blu	ue Detail	3722
5. Dark Blue D	Detail	3611
6 Medium Blu	ue Cover Stitch	3722





*Fabric Required



82028-13 Dresden Daisies Vine Applique 1

Size Inches:	Size mm:	Stitch Count:
8.37 X 3.60 in.	212.6 X 91.4 mm	10346 St.
1. Light Green	Fabric Placement Stitc	h 5230
•	d Tackdown	
3. Light Green	Detail	5230
4. Medium Gre	en Detail	5210
5. Dark Green	Detail	5100
6. Medium Gre	en Cover Stitch	5210

*Fabric Required




82028-14 Dresden Daisies Vine Applique 2

Size Inches:	Size mm:	Stitch Count:
5.70 X 4.63 in.	144.8 X 117.6 m	m 7164 St.
1. Light Yellow	/ Fabric Placement S	Stitch 0824
2. Cut Line an	d Tackdown	0824
3. Medium Go	ld Detail	0824
4. Dark Gold [Detail	0922
5. Light Gold [Detail	0811
6. Light Gold (Cover Stitch	0811








82028-15 Dresden Square 1

Size Inches:	Size mm:	Stitch Count:
5.27 X 5.27 in.	133.9 X 133.9 mm	9487 St.
1. Medium Go	old Detail	0824
2. Light Gold I	Detail	0811
3 Dark Gold I)etail	0922




82028-16 Dresden Square 2

Size Inches:	Size mm:	Stitch Count:
5.29 X 5.29 in.	134.4 X 134.4 mm	10972 St.
1. Light Blue	Detail	3820
2. Medium Blue Detail		3722
3. Dark Blue I	Detail	3611







82028-17 Dresden Square 3

Size Inches:	Size mm:	Stitch Count:
5.29 X 5.29 in.	134.4 X 134.4 mm	9280 St.
1. Light Green	n Detail	5230
2. Medium Green Detail		5210
3 Dark Green	n Detail	5100




82028-18 Dresden Square 4

Size Inches:	Size mm:	Stitch Count:
5.29 X 5.29 in.	134.4 X 134.4 mm	10559 St.
1. Light Red D)etail	1352
2. Medium Red Detail		1521
3 Dark Red D)etail	1725








82028-19 Dresden Daisies Vine 1

Size Inches:	Size mm:	Stitch Count:
7.94 X 4.81 in.	201.7 X 122.2 mm	8754 St.
1. Light Blue I	Detail	3820
2. Medium Blue Detail		3722
3. Dark Blue I	Detail	3611

82028-20 Dresden Daisies Vine 2




Stitch Count:

6144 St.







82028-21 Dresden Daisies Vine 3

Size Inches:	Size mm:	Stitch Count:
5.41 X 4.31 in.	137.4 X 109.5 mm	7168 St.
1. Light Blue	Detail	3820
2. Dark Blue	Detail	3611
3. Medium Bl	ue Detail	3722

82028-22 Dresden Daisies Vine 4



Size Inches:	Size mm:	Stitch Count:
4.50 X 3.56 in.	114.3 X 90.4 mm	4137 St.
1. Medium Go	ld Detail	0824
2. Light Gold Detail		0811
3. Dark Gold D	Detail	0922






82028-23 Dresden Daisies Vine 5



Size Inches:	Size mm:	Stitch Count:
5.56 X 4.52 in.	141.2 X 114.8 mm	6900 St.
1. Light Green	Detail	5230
2. Medium Green Detail		
3. Dark Green	Detail	5100

82028-24 Dresden Butterfly




Size Inches:	Size mm:	Stitch Count:
4.06 X 4.77 in.	103.1 X 121.2 mm	8374 St.
1. Light Blue [Detail	3820
2. Dark Blue [Detail	3611
3. Medium Blu	ue Detail	3722





82028-25 Dresden Ladybug



Size Inches:		Stitch Count:
3.01 X 2.37 in.	76.5 X 60.2 mm	2791 St.
1. Dark Gold [Detail	0922
2. Light Gold [Detail	0811
3 Medium Go	ld Detail	0824


82028-26 Dresden Half

 Size Inches:
 Size mm:
 Stitch Count:

 2.55 X 5.07 in.
 64.8 X 128.8 mm
 3710 St.


 1. Light Blue Detail
 3820

 2. Medium Blue Detail
 3722









82028-27 Vine Accent 1

Size Inches:	Size mm:	Stitch Count:
5.76 X 4.26 in.	146.3 X 108.2 mm	5855 St.
1. Single Cold	or Design	3722



82028-28 Vine Accent 2

Size Inches:	Size mm:	Stitch Count:
5.82 X 3.71 in.	147.8 X 94.2 mm	3903 St.
1. Single Colo	r Design	0824









Size Inches:	Size mm:	Stitch Count:
3.88 X 4.92 in.	98.6 X 125.0 mm	3687 St.
1. Single Colo	r Design	5210

82028-30 Vine Accent 4




Size Inches:	Size mm:	Stitch Count:
3.89 X 2.83 in.	98.8 X 71.9 mm	3169 St.
1. Single Colo	r Design	1521





82028-31 Vine Accent Mini



82028-32 Half Dresden Border

Size Inches:	Size mm:	Stitch Count:
7.02 X 1.19 in.	178.3 X 30.2 mm	3848 St.
2. Dark Red De	l Detailetail detail deta	1725











Size Inches: 3.52 X 3.52 in.	Size mm: 89.4 X 89.4 mm	Stitch Count: 3260 St.
1. Medium Re	d Detail	1521
2. Dark Red Detail		1725
3. Light Red D	etail	1352

82028-34 Dresden Mini Border

Size Inches:	Size mm:	Stitch Count:
1.01 X 5.02 in.	25.7 X 127.5 mm	3812 St.
1. Single Colo	r Design	5210








82028-35 Dresden Daisy Mini

Size Inches:	Size mm:	Stitch Count:
1.29 X 1.29 in.	32.8 X 32.8 mm	1275 St.
1. Single Color	Design	5210



PROJECT SUPPLIES



Stabilizers

- Fusible Woven (20" preferred)
- Applique Fuse and Fix
- Ultra Clean and Tear Fusible
- StabilStick CutAway

Supplies

- · Lightweight Denim
 - Outer bag fabric 21" x 36"
 - Pocket fabric 10" x 12"
- Lining fabric, 21" x 36"
- Outer base fabric (leather, vinyl, Kraf-tex)
 - Bottom fabric 21" x 11"
 - Trim 42" x 2" (may be sewn or glued together)
- Scraps for appliques



Notions

- Isacord thread per thread chart (or to coordinate with fabric)
- Perfect Embroidery Press Cloth
- Webbing (for handle) 1" x 3 yards
- Quilter's ruler
- Chalk or other removable fabric marker
- Water-soluble glue stick
- Scissors
- Sewing Machine (recommended dual feed foot, zipper foot, edge stitch foot)

Hoops

- · Large Oval for pocket design
- Maxi or Jumbo for front design (Alternatively, combine smaller designs.)



STEP 1

- Using an ink jet printer, print Mirrored Templates onto the paper side of the Applique Fuse and Fix using the mirrored templates found in the Sewing Instructions PDF.
- Roughly cut out templates and fuse to the back the appropriate applique fabrics.



STEP 2

- Cut out appliques along the outer edge of the design line.
- Set aside.



- Apply Fusible Woven to the wrong sides of the Outer Pocket and Lining fabrics.
- Fusible Woven may also be applied to the wrong side of the leather for the base of the bag if it needs more stability.
- Note: Center the Fusible Woven and apply down the length of the fabric. About 1/2" of the fabric on each side will not be covered.





STEP 4

- Fold the fabrics (outer, lining and base) in half wrong sides together. The fold should measure 21" on each fabric.
- On both folded corners (right and left) of each fabric mark a line 3.25" in from the cut edge and 3" up from the fold.




STEP 5

- Cut out each corner through both thicknesses of the fabric.
- These cutouts make the boxed corners of the bag.



- Mark a line on each side 4.5" from the fabric center down the complete 16" length of the denim fabric.
- These lines indicate the inner edge of the handle straps.





STEP 7

- Mark a line (about 12") down the center of one side of the denim (which is the "front side" in further directions).
- Mark a second line horizontally 7" down from the top of the denim fabric between the two lines marked in Step 6.
- This is the placement for the front design.



STEP 8

- Fold the pocket in half so the fold line measures 10".
- Mark a line vertically and horizontally in the center of the pocket below the fold line.



STEP 9

• Fuse a piece of Ultra Clean and Tear Fusible to the wrong side of the front of the bag.






STEP 10

- In a Maxi or Jumbo hoop, hoop a piece of StabilStick CutAway paper side up.
- Score the paper with a stiletto or pin.
- Remove the paper to expose the adhesive surface.



STEP 11

- Position the bag fabric over the hooped stabilizer.
- Use the hoop marks and the drawn lines to center the fabric.
- If desired, use a hoop template to make sure the fabric is straight in the hoop.
- Finger press in place to secure fabric to the stabilizer.



- Load design 82028-02.
- Rotate the design 135° so that it will fit between the marked lines for handle placement.
- Position the hoop so that the needle is centered over the marked crosshair on the fabric.





STEP 13

- If available, use Pinpoint Placement to ensure the design is positioned correctly in the hoop.
- Select the top center point on the grid and adjust until the dropped needle is on the drawn line as shown. Set the point.
- Then select the bottom center point. Adjust the width only until the dropped needle is on the line. Set.
- Select the 'i' for information to exit Pinpoint Placement.
- Select the needle icon to embroider.



STEP 14

- Thread the machine with Isacord 5230 (or the color selected for Machine Step 7). Stitch Machine Step 1, Yellow Fabric Placement Stitch.
- Note it is not necessary to change thread colors until Machine Step 8. All the placement stitches and Cut Line/Tackdown stitches may be done in the same thread as they will be covered with satin stitches later.




- Peel the paper from the back of the yellow applique fabric to expose the sticky surface. Position the applique on the fabric using the placement stitch as a guide. Finger press to secure.
- Stitch Machine Step 2, Cutline and Tackdown.
- Tip To easily remove the paper from the back of the fabric prepared with Applique Fuse and Fix, score the paper with a stiletto, pin, or scissor point.





STEP 16

• Stitch Machine Step 3, Red Fabric Placement Stitch.




STEP 17

- Remove the paper backing and position the red applique fabric in the placement stitch.
- Stitch Machine Step 4, Cutline and Tackdown.



STEP 18

• Stitch Machine Step 5, Blue Fabric Placement Stitch.





STEP 19

- Remove the paper backing and position the blue applique fabric in the placement stitch.
- Stitch Machine Step 6, Cut Line and Tackdown.



- Stitch Machine Step 7, Light Green Detail.
- Continue to embroider the design changing thread colors with each Machine Step as per the color chart.



POCKET EMBROIDERY




STEP 21

• Hoop StabilStick CutAway in the large oval hoop. Score paper and tear away to expose the sticky surface.



STEP 22

- Center the marked side of the unfolded pocket fabric in the hoop. Finger press to secure.
- Place the hoop onto the machine.



- Load design 82028-08 into the machine.
- Thread the machine with Isacord 0811 (or the color for Machine Step 3).
- Move the hoop until the needle is centered over the center of the drawn crosshair on the fabric as shown.



POCKET EMBROIDERY



STEP 24

Stitch Machine Step 1, Yellow Fabric Placement Line.



STEP 25

- Remove the paper backing from the applique fabric. Position the fabric in the placement line.
- Stitch Machine Step 2, Cut Line and Tackdown.



STEP 26

• Finish embroidering the remaining colors of the design.



POCKET EMBROIDERY




- On both embroidered pieces, carefully trim the cut-away stabilizer about 1/4" away from the design area as shown.
- Also tear away any large pieces of Ultra Clean and Tear. It does not matter if some is left fused to the back of the fabric.





STEP 28

• Mark a horizontal line 6.5" below the top of the back (unembroidered) side of the bag.



STEP 29

- Align the folded edge of the embroidered pocket with the marked line. The sides should be slightly over the vertical strap lines (see Step 6) and slightly below the edge where the bottom will be stitched down.
- Use a glue stick under the three raw edges to hold the pocket in place.



STEP 30

• At the sewing machine, secure the three raw edges to the bag with a zigzag stitch along the edge as shown.





STEP 31

- Mark a line between the top of the cutout for the boxed bottom on each side.
- Position one end of the strap with the newly marked line and with the right edge on the strap placement line (Step 6). Pin to secure. Mark a stopping place 1" from the top of the bag.
- Smooth out the strap so it is not twisted and pin the right side in the same manner; this time the left edge of the strap will align with the strap placement line.



STEP 32

- Using a dual feed zipper foot (or similar). Stitch the strap to the side of the bag close to one edge. Stop 1" from the top edge of the bag. At this point, stitch across the strap horizontally and down the other side to the bottom edge. Secure the other side of the strap in the same manner.
- The vertical sides of the pocket should be caught under the strapping.
- Note: It is a good idea to give the bottom and top edges a bit of reinforcement by stitching a box with an "x" inside or a row or two of zigzag stitches.



STEP 33

• Repeat steps 32-33 for the front side of the bag.





STEP 34

- Lay the outer bag on a flat surface. Position the bottom fabric in place, matching the openings for the corners. Clip or pin to secure.
- Use a zigzag stitch along the three inner edges to secure the bottom fabric to the bag on both sides.



STEP 35

- Fold back the horizontal edge of the bottom fabric back. Rub some glue along the raw edge.
- Fold back into place and finger press to secure in place.
- Repeat on the other side.



STEP 36

• Using an edge stitch foot, stitch the horizontal length of each side of the base fabric with a single run blanket stitch.





STEP 37

- With right sides together and a 1/4" seam allowance, stitch the two sides of the bag together. Overlock the seams if desired. Press the seams to the side. Repeat for the lining.
- Create the corners by matching the seam with the center of the long side of the cutout as shown. Stitch with a 1/4" seam allowance. Repeat for all corners of the bag and lining.



STEP 38

- Turn the bag right side out. Insert the lining into the bag (do not turn the lining inside out). Match the side seams and pin.
- Pin around the top of the bag to secure the lining to the bag.
- Stitch the lining and bag together with a 1/4" seam allowance. Keep the strapping out of the way, as shown.



- Starting near the middle of one side edge, stitch the binding to the bag with a 1/2" seam allowance.
- Trim the ends with a 1/4 1/2" overlap. Glue the overlap together.



ASSEMBLY




STEP 40

- Fold the binding over the top edge of the bag to the back. Clip to hold.
- Using an edge stitch foot or a zipper foot, stitch on the front of the bag close to, but not on, the binding.
- For more attractive results, use a top thread that matches the outer bag fabric and a bobbin thread that matches the binding.










































APPLIQUE PATTERNS 82028-07 82028-08









































MIRRORED PATTERNS 82028-07 82028-08

