Scissortail STITCHES

#90024 13 DESIGNS



HEY LADIES BY RASHIDA COLEMAN-HALE

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2021 Rashida Coleman-Hale. All rights reserved.

MATERIALS



2

Isacord Thread Colors

0010 Silky White
0020 Black
1114 Clay
1430 Melon
1521 Flamingo
1753 Strawberries N' Cream
2363 Carnation
2532 Pretty in Pink
3554 Navy
4620 Jade
4740 Aquamarine
5050 Luster

*Applique instructions included after design list



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

FABRIC REQUIRED

90024-01 Hey Ladies 1

NUT INCOMESTICATES STREET, INCOMESTIC

Size Inches:	Size mm:	Stitch Count:
4.77 X 4.68 in.	121.1 X 118.8 mm	11194 St.
1. Pink Fabric	Placement Stitch	
2. Cut Line and	d Tackdown	2532
3. Dark Pink C	over Stitch	2532
4. Black Fabric	Placement Stitch	0020
5. Cut Line and	d Tackdown	0020
6. Black Cover	Stitch	0020
7. Dark Pink C	over Stitch and Detail	2532
8 . Lips		1753



90024-02 Hey Ladies 2

Size Inches:	Size mm:	Stitch Count:
6.18 X 4.29 in.	157.0 X 108.9 mm	7783 St.
1. Blue Fabric	Placement Stitch	3554
2. Cut Line and	d Tackdown	3554
3. Navy Cover	Stitch	3554
💻 4. Aqua Green	Fabric Placement Stitch	4620
5. Cut Line and	d Tackdown	4620
6. Aqua Green	Cover Stitch	4620
7. Headband		0010
📕 8. Lips		1753



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

FABRIC REQUIRED


90024-03 Hey Ladies 3

The second states and states and the second states

Size Inches:	Size mm:	Stitch Count:
6.52 X 3.75 in.	165.6 X 95.3 mm	10265 St.
	Placement Stitch	
2. Cut Line and	d Tackdown	3554
3. Navy Cover	Stitch	3554
4. White Fabri	c Placement Stitch	0010
5. Cut Line and	d Tackdown	0010
6. White Cove	r Stitch	0010
7. Headband		1521
8. Lips		2532

90024-04 Hey Ladies 4

Size Inches:	Size mm:	Stitch Count:
6.23 X 4.62 in.	158.1 X 117.5 mm	11072 St.
1. Blue Fabric	Placement Stitch	3554
2. Cut Line and	d Tackdown	3554
3. Navy Cover	Stitch and Detail	3554
 4. Light Green 	Fabric Placement Stitch	n 5050
5. Cut Line and	d Tackdown	5050
6. Light Green	Cover Stitch	5050
7. Orange Fab	ric Placement Stitch	1430
8. Cut Line and	d Tackdown	1430
9. Orange Cov	er Stitch and Detail	1430
10. Lips		4620





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

FABRIC REQUIRED

90024-05 Hey Ladies 5

CONTRACTOR STOCKED BY THE STOCKED

 1. White Fabric Placement Stitch	Size Inches: 5.82 X 4.45 in	Size mm: • 147.8 X 113.0 mm	
6. Black Cover Stitch	 2. Cut Line a 3. White Cov 4. Black Fab 5. Cut Line a 6. Black Cov 7. Earrings. 	and Tackdown ver Sttich oric Placement Stitch and Tackdown ver Stitch	



FABRIC REQUIRED

90024-06 Hey Ladies 6

Size Inches:	Size mm:	Stitch Count:
5.92 X 4.62 in.	150.5 X 117.3 mm	12568 St.
💻 1. Green Fabri	c Placement Stitch	4620
2. Cut Line and	d Tackdown	4620
3. Green Cove	r Stitch and Detail	4620
4. Light Green	Fabric Placement Stitch	5050
5. Cut Line and	d Tackdown	5050
6. Light Green	Cover Stitch	5050
7. Headband a	Ind Lips	



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

FABRIC REQUIRED

90024-07 Hey Ladies 7

NUMBER OF A DESCRIPTION OF THE PARTY OF A

Size Inches:	Size mm:	Stitch Count:
6.31 X 4.75 in.	160.4 X 120.7 mm	6557 St.
💻 1. Orange Fal	bric Placement Stitch	
2. Cut Line ar	nd Tackdown	
3. Orange Co	ver Stitch	
4. White Fabr	ic Placement Stitch	
5. Cut Line an	nd Tackdown	
6. White Cove	er Stitch	
7. Earrings		
•		



Size Inches:	Size mm:	Stitch Count:
7.05 X 4.32 in.	179.0 X 109.8 mm	19078 St.
 Light Pink F 	abric Placement Stitch	2363
2. Cut Line an	d Tackdown	2363
3. Light Pink C	Cover Stitch	2363
4. Dark Pink F	abric Placement Stitch	2532
5. Cut Line an	d Tackdown	2532
6. Dark Pink C	Cover Stitch and Hair	2532
7 . Lips		0020







Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

FABRIC REQUIRED



Size Inches:	Size mm:	Stitch Count:
6.92 X 3.05 in.	175.8 X 77.4 mm	6495 St.
💻 1. Orange Fab	ric Placement Stitch	1114
2. Cut Line and	d Tackdown	
3. Orange Cov	er Stitch	
4. Pink Fabric	Placement Stitch	2363
5. Cut Line and	d Tackdown	2363
6. Pink Cover	Stitch	2363
7. Lips		
8. Earrings		5050

E DESCRIPTION STREET, STREET, DESCRIPTION





90024-10 Hey Ladies 10

Size Inches:	Size mm:	Stitch Count:
6.35 X 4.34 in.	161.3 X 110.3 mm	5873 St.
 2. Cut Line and 3. White Cover 4. Pink Fabric 5. Cut Line and 6. Pink Cover S 7. Ear Cover S 	c Placement Stitch I Tackdown Stitch Placment Stitch I Tackdown Stitch titch	
•		



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



90024-11 Hey Ladies 11

THE REPORT OF THE STATE OF THE PARTY OF THE STATE OF THE

Size Inches:	Size mm:	Stitch Count:
5.66 X 4.62 in.	143.8 X 117.3 mm	6203 St.
1. Blue Fabric	Placement Stitch	
2. Cut Line an	d Tackdown	3554
3. Navy Cover	Stitch	3554
4. Red Earring]	1521
5. Green Fabr	ic Placement Stitch	
6. Cut Line an	d Tackdown	
7. Green Cove	er Stitch	
8. Light Green	Earring	5050
9. Lips	-	

90024-12 Hey Ladies Banner 1

Size Inches:	Size mm:	Stitch Count:
6.87 X 2.87 in.	174.5 X 72.9 mm	9937 St.
2. Cut Line and3. White Cover	Placement Stitch Tackdown Stitch and Detail	0010 0010



FABRIC REQUIRED

SHAM STREET



9

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

FABRIC REQUIRED

90024-13 Hey Ladies Banner 2

STR. PERMIT

	Size Inches:	Size mm:	Stitch Count:
	4.76 X 3.05 in.	120.8 X 77.4 mm	5209 St.
Stay sygu	2. Cut Line an3. Dark Blue S4. Cover Stitch	ic Placement Stitch d Tackdown hadow	

MATERIALS



10

Stabilizer

- OESD Fusible Woven
- OESD Top Cover-White
- 2 layers of OESD Medium Weight TearAway was hooped with white cotton fabric
- OESD StitcH2O or OESD Heat2Go (optional)

Fabric/Textiles

- Small amounts of cotton fabrics for applique
- See templates at end of instructions for sizes

Notions & Tools

- Expert Embroidery Tape TearAway
- Perfect Embroidery Press Cloth
- Needle: Organ Embroidery Needle Sharp, Size 11/75

Isacord Thread Colors

• As per thread chart



Step 1

- Design used in the instructions is 90024-02. All appliques in this collection are stitched in a similar manner.
- Print the necessary applique templates from the thread chart PDF at 100% scaling. Roughly cut out each template.
- Using the printed templates as a guide, cut applique fabric at least 1/2" larger than the template.
- If the base fabric shows through the applique fabric, press the Fusible Woven to the wrong side of the
- applique fabric before use.



Step 2

• Hoop 2 layers of stabilizer with the base fabric, choosing stabilizer based on the fabric used in the project.



Step 3

Stitch Machine Step 1, the Blue Fabric Placement Stitch.

Step 4

- Remove the hoop from the machine, but NOT the project from the hoop. Lay the hoop on a flat surface.
- Cover the placement line completely with the prepared applique fabric, or fabric that is larger than the placement line.
- Tape in place to secure.

Step 5

- Return the hoop to the machine.
- Stitch Machine Step 2, the Cut Line and Tackdown.











Step 6

- Remove the hoop from the machine, but NOT the project from the hoop. Lay on a flat surface.
- Trim the excess fabric as close to the tackdown stitching as possible.
- Note: If the outermost row of stitching is accidentally cut, the inner stitches will still hold the applique in place.



Step 7

- Return the hoop to the machine and stitch Machine Step 3, the Navy Cover Stitch.
- Tip: Whenever the applique cover stitch is a satin stitch cover the design with StitcH2O or Heat2Go for a better-quality cover stitch. Tape in place to secure.



Step 8

• Stitch Machine Step 4, the Aqua Green Fabric Placement Stitch.





Step 9

- Cover the placement line completely with the prepared applique fabric, or fabric that is larger than the placement line.
- Tape in place to secure.



Step 10

Stitch Machine Step 5, the Cut Line and Tackdown.



Step 11

- Remove the hoop from the machine, but NOT the project from the hoop. Lay on a flat surface.
- Trim the excess fabric as close to the tackdown stitching as possible.
- Note: If the outermost row of stitching is accidentally cut, the inner stitches will still hold the applique in place.



Step 12

• Return the hoop to the machine and Stitch Machine Step 6, the Aqua Cover Stitch.

Step 13

- Before stitching the next step, add a piece of white Top Cover over the head and hair.
- Tape in place.
- Note: Top Cover is a thin permanent topping that prevents show through of fabric when using high contrast fabric or thread.











Stitch Machine Step 7, the Head Band.

1854



SIL PRANT

Step 15

Tear away the excess top cover.



Step 16

Stitch the remaining machine steps, following the thread chart.



PRINTING INSTRUCTIONS

A CONTRACTOR OF A CONTRACTOR OF


8181 B 1818

ATTENTION When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended. 52 Print Printer Properties Savin C3535 PCL5c Name: -Comments and Forms: Status: Ready Document and Markups Savin C3535 PCL5c • Type: Print Range Preview: Composite 8.5 Current view Ourrent page 1 - 51 Pages -All pages in range Subset: Reverse pages Page Handling 11 Copies: * Collate 1 None Page Scaling: Auto-Rotate and Center Choose paper source by PDF page size Use custom paper size when needed Document: 8.5 x 11.0in Print to file Paper: 8.5 x 11.0in Print color as black 1/52 OK Cancel Printing Tips Advanced Summarize Comments

TO SAVE PAPER Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image. Print Range Output Output


Current page
Pages 1 - 51
Subset: All pages in range
Reverse pages

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2021 OESD, LLC. All rights reserved.



STOR STORE







N

1240 1 24










240 B 5135







N

STAR BOLS








N






N


20.0 E 13.0 E






















RUSIE HOUSE




MIRRORED PATTERNS Ciscortail STITCHES



518 B 104







N


A CALLER AND A CAL


RUSIE HOUSE













RUSIE HOUSE






A CONTRACTOR OF A CONTRACTOR OF









A CONTRACTOR OF 57.5 B 1 3.5 MIRRORED PATTERNS ST Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing 90024-10 templates. 90024-10

