



#B1101 / 42 Designs

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



BE110101 Includes Cutwork 4.40 X 4.71 in. 111.76 X 119.63 mm 18,840 St. 🌣



BE110102 Includes Cutwork 2.45 X 2.46 in. 62.23 X 62.48 mm 10,419 St. 🜣



BE110103 Includes Cutwork 2.45 X 2.46 in. 62.23 X 62.48 mm 10,419 St. 🜣



BE110104 Includes Cutwork 3.84 X 2.95 in. 97.54 X 74.93 mm 12,136 St. 🜣



BE110105 .77 X 1.16 in. 19.56 X 29.46 mm 789 St. 🌣 S



BE110106 1.33 X 1.15 in. 33.78 X 29.21 mm 858 St. 🌣 S



BE110107 .50 X .63 in. $12.70 \times 16.00 \text{ mm}$ 398 St. 🌣 S




BE110108 Includes Cutwork 5.01 X 4.84 in. 127.25 X 122.94 mm 28,995 St. 🌣 L



BE110109 Includes Cutwork 3.24 X 3.13 in. 82.30 X 79.50 mm 11,334 St. 🌣



BE110110 1.69 X 1.64 in. 42.93 X 41.66 mm 4,897 St.



BE110111 2.49 X 2.41 in. 63.25 X 61.21 mm 7,985 St.



BE110112 Includes Cutwork 3.01 X 3.01 in. 76.45 X 76.45 mm 7,606 St. 🌣

- **#** Design contains a loose fill.
- Some white areas shown are not stitched.

- Design is larger than 5" (127 mm) in either direction.
- Design is smaller than 1.5" (38.1 mm) in either direction.





#B1101 / 42 Designs

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



BE110113 1.32 X 1.32 in. 33.53 X 33.53 mm 2,596 St. S



BE110114 1.87 X 2.75 in. 47.50 X 69.85 mm 3,209 St. 🌣



BE110115 2.85 X .45 in. 72.39 X 11.43 mm 2,243 St. 🜣 S



BE110116 Includes Cutwork .70 X .58 in. 17.78 X 14.73 mm 499 St. 🌣 S



BE110117 Includes Cutwork 1.51 X 1.46 in. $38.35 \times 37.08 \text{ mm}$ 2,190 St. 🌣 S



BE110118 Includes Cutwork 1.18 X 3.35 in. 29.97 X 85.09 mm 3,361 St. 🌣 S



BE110119 Includes Cutwork 4.51 X 3.23 in. 114.55 X 82.04 mm 7,328 St. 🌣



BE110120 Includes Cutwork 3.52 X 6.68 in. 89.41 X 169.67 mm 10,513 St. 🌣 L



BE110121 Jumbo/ Includes Cutwork 3.52 X 12.83 in. 89.41 X 325.88 mm 20,868 St. 🌣 L



BE110122 1.32 X 1.31 in. 33.53 X 33.27 mm 1,595 St. ₩ S




BE110123 1.32 X 1.31 in. 33.53 X 33.27 mm 699 St. 🌣 S



BE110124 1.07 X 1.16 in. 27.18 X 29.46 mm 1,558 St. # S

- **#** Design contains a loose fill.
- Some white areas shown are not stitched.

- Design is larger than 5" (127 mm) in either direction.
- Design is smaller than 1.5" (38.1 mm) in either direction.





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



BE110125 $1.07~{\rm X}~1.16~{\rm in}.$ 27.18 X 29.46 mm 807 St. 🌣 S



BE110126 .45 X .49 in. 11.43 X 12.45 mm 408 St. ₩ S



BE110127 .45 X .49 in. 11.43 X 12.45 mm 221 St. 🌣 S



BE110128 3.54 X 1.99 in. 89.92 X 50.55 mm 3,073 St. ₩



BE110129 3.54 X 1.99 in. $89.92 \times 50.55 \text{ mm}$ 1,650 St. 🜣



BE110130 .54 X 1.88 in. $13.72 \ \mathrm{X} \ 47.75 \ \mathrm{mm}$ 1,186 St. # S



BE110131 .54 X 1.88 in. 13.72 X 47.75 mm 670 St. 🌣 S



BE110132 2.40 X 3.15 in. $60.96 \times 80.01 \text{ mm}$ 2,379 St. #



BE110133 2.40 X 3.15 in. 60.96 X 80.01 mm 918 St. 🌣



BE110134 2.87 X 2.46 in. 72.90 X 62.48 mm 2,018 St. ₩



BE110135 2.87 X 2.46 in. 72.90 X 62.48 mm 1,016 St. 🜣



BE110136 4.13 X 4.69 in. 104.90 X 119.13 mm 4,674 St. **¥**

- **#** Design contains a loose fill.
- Some white areas shown are not stitched.

- Design is larger than 5" (127 mm) in either direction.
- Design is smaller than 1.5" (38.1 mm) in either direction.



#B1101 / 42 Designs

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.









BE1101374.13 X 4.69 in.
104.90 X 119.13 mm
2,360 St. ❖

BE110138 2.59 X .40 in. 65.79 X 10.16 mm 670 St. S

BE110139 1.18 X 1.19 in. 29.97 X 30.23 mm 495 St. S

BE110140 .64 X .40 in. 16.26 X 10.16 mm 173 St. S



(0) 0) 0) 0) 0)

0/0

BE110141 4.19 X .54 in. 106.43 X 13.72 mm 1,223 St. S

BE110142 1.86 X 1.99 in. 47.24 X 50.55 mm 916 St.

BE110143 1.04 X .54 in. 26.42 X 13.72 mm 311 St. S

Some white areas shown are not stitched.

- L Design is larger than 5" (127 mm) in either direction.
- S Design is smaller than 1.5" (38.1 mm) in either direction.





Listings below indicate color sample, stitching order and suggested thread color number in Isacord thread.

BE110101 Includes Cutwork		BE110112 Includes Cutwork		BE110127	
1. Cutwork Lines	0020	■ 1. Cutwork Lines	0020	1. Single Color Design	2832
2. Greenery & Leaves	6141	2. Dark Blue Petals		cg.c co.c. 2 co.g	
3. Light Purple Design Elements		3. Medium Blue Petals		BE110128	
4. Flower		Light Blue Flower		= 1. Fill	61/1
5. Flower Center		Design Work on Light Blue Flower Petals		2. Stem & Outlines	
6. Design Work on Flower Petals		Green Design Elements		2. Stelli & Outililes	
O. Bodgii Work of Flower Fotalo	2704	— 6. Green Bodgn Elemente		BE110129	
BE110102 Includes Cutwork		BE110113		1. Single Color Design	5833
1. Cutwork Lines	0020	1. Blue Flower	4152	3 3 3 3 3 3 3	
2. Flower		2. Design Work on Flower Petals		BE110130	
3. Flower Center		3. Green Design Work		= 1. Fill	6141
4. Design Work on Flower Petals		— 0. Groon Boolgh Work		2. Stem & Outlines	
4. Boolgh Work of Flower Fotalo	2704	BE110114		— 2. Otom a Oatimoo	
BE110103 Includes Cutwork		1. Border	5833	BE110131	
1. Cutwork Line	0020	Purple Design Elements		1. Single Color Design	5833
2. Flower		3. Light Green Design Elements		1. Oiligio Ooloi Boolgii	
3. Flower Center		— 6. Light Groom Dodigh Lichtente		BE110132	
Design Work on Flower Petals		BE110115		1. Light Purple Leaf	32/1
4. Design work of Hower Fetals	3042		61/1	2 Modium Plus Loof	26/1
DE440404 I 1 1 C . 1		1. Green Design Elements		2. Medium Blue Leaf	
BE110104 Includes Cutwork	0000	2. Purple Design Elements & Border	2832	3. Dark Blue Leaf	
1. Dark Purple Design Elements				4. Green Leaf	
2. Greenery		BE110116 Includes Cutwork		5. Pink Leaves	
3. Cutwork Lines		1. Cutwork Lines		6. Outlines	3842
4. Flower	3641	2. Green Design Elements & Border	5833		
Flower Center	0015			BE110133	
6. Design Work on Flower Petals	3842	BE110117 Includes Cutwork		1. Single Color Design	3842
ŭ		1. Cutwork Lines	0020	0	
BE110105		2. Green Design Elements & Border		BE110134	
1. Light Purple Element	3241			1. Light Purple Leaf	3241
2. Greenery	6141	BE110118 Includes Cutwork		2. Pink Leaf	
2. Grootery		1. Cutwork Lines	0020	3. Dark Blue Leaves	
BE110106		Streen Design Elements & Border		4. Green Leaves	
	2022	2. Green Design Liements & Border			
Dark Purple Design Elements		DE440440 I 1 1 0 1 1		5. Outlines	3042
2. Greenery		BE110119 Includes Cutwork	0000	P	
3. Blue Design Elements	3641	1. Cutwork Lines		BE110135	2016
		2. Green Design Elements & Border	5833	1. Single Color Design	3842
BE110107	0044				
1. Light Purple Design Element		BE110120 Includes Cutwork		BE110136	
2. Greenery	6141	1. Registration Marks		1. Dark Blue Leaves	
		2. Cutwork Lines		2. Pink Leaves	
BE110108 Includes Cutwork		3. Green Design Elements & Border	5833	3. Green Leaves	5230
1. Cutwork Lines		4. Registration Marks	4174	4. Light Purple Leaves	3241
2. Medium Blue Petals				5. Outlines	3842
3. Dark Blue Petals	3842	BE110121 Jumbo/ Includes Cutwork			
4. Green Flower		1. Registration Marks	4174	BE110137	
5. Design Work on Green Flower Petals		2. Cutwork Lines		1. Single Color Design	3842
6. Blue Diamonds in Center of Flower		3. Green Design Elements & Border			
o. Blad Blamondo III dontor or riowor		4. Registration Marks		BE110138	
BE110109 Includes Cutwork		- 4. Registration Marks		1. Single Color Design	36/1
■ 1. Cutwork Lines	0020	DE110100		1. Single Color Design	
		BE110122	2044	PE440420	
2. Medium Blue Petals		1. Fill		BE110139	2014
3. Dark Blue Petals		2. Outlines	2832	1. Single Color Design	3641
4. Light Blue Petals					
5. Green Design Elements		BE110123		BE110140	
■ 6. Design Work on Light Blue Flower Petals	2832	Single Color Design	2832	1. Single Color Design	3641
T		T			
BE110110		BE110124		BE110141	
Light Blue Flower		■ 1. Fill		1. Single Color Design	3641
2. Green Design Elements		2. Shading & Outlines	2832		
3. Design Work on Flower Petals				BE110142	
-		BE110125		1. Single Color Design	3641
BE110111		1. Single Color Design	2832	ů ů	
1. Medium Blue Flower	3641			BE110143	
2. Green Design Elements		BE110126		1. Single Color Design	3641
3. Design Work on Flower Petals		■ 1. Fill	3241	55.5 55.5. 25019	
— C. Dooigh Work on Flower Fotals	2107	2 Outlines	2832		



Traditional Cutwork Instructions

SUPPLIES:

- · Any firmly woven high quality fabric.
- Isacord Polyester Embroidery Thread
- OESD BadgeMaster or OESD AquaMesh Stabilizer
- Embroiderers' Wand
- 505 Temporary Adhesive Spray

INSTRUCTIONS:

- 1. Lightly spray the top of a hoop sized piece of OESD Badgemaster or AquaMesh Stabilizer with 505 Temporary Adhesive Spray.
- 2. Place the sprayed stabilizer onto the wrong side of the fabric in the design area and hoop.
- 3. Place the hoop on the machine and begin stitching the design.
- AFTER the "cutwork guide stitch" has been stitched, remove the hoop from the machine. DO NOT remove the fabric from the hoop.
 PHOTO A
- Use the sharp point of an Embroiderers' Wand to gently pull the fabric apart from the stabilizer. Any enclosed area that is created by the first color of the design can be trimmed away to create the open work.
- 6. Use a small sharp pair of scissors to clip away ONLY the fabric inside the guide stitches. Leave the stabilizer intact. **PHOTO B**
- 7. Place the hoop on the machine again and continue stitching the remainder of the embroidery design.
- 8. Remove hoop from machine then fabric and stabilizer from hoop.
- 9. Carefully cut away excess stabilizer.
- 10. Follow instructions printed on stabilizer packaging to remove remaining stabilizer.





NOTE: Design shown in pictures is for instructional purpose only and may not be included in your collection.