

WARM & COZY GREETINGS



18
Designs

Fits hoop sizes 5" x 7" and larger

THREAD LIST



Isacord Thread Colors

0015 White
0145 Skylight
0832 Sisal
0933 Redwood
1140 Meringue
1141 Tan
1301 Paprika
1753 Strawberries N' Cream
1860 Shell
1900 Geranium
1906 Tulip
1911 Foliage Rose
2051 Teaberry
3572 Summer Grey
4174 Charcoal
5643 Green Dust
5722 Green Grass
5730 Apple Green
5740 Mint

***Project instructions included after design list**

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Felt Required**



12881-01 Cozy Cup Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in.	158.8 X 117.5 mm	6174 St.
7.00 X 5.00 in.	177.8 X 127.0 mm	6866 St.

	1. Card Placement Guide	0015
	2. White Felt Placement Stitch.....	0015
	3. White Felt Tackdown.....	1140
	4. Light Pink Detail	1860
	5. Brown Detail	0933
	6. Green Detail.....	5722
	7. Light Brown Detail.....	0832
	8. Red Felt Placement Stitch	0015
	9. Light Red Tackdown and Detail	1753
	10. White Detail	0015

***Felt Required**



12881-02 Joy Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in.	158.8 X 117.5 mm	4857 St.
7.00 X 5.00 in.	177.8 X 127.0 mm	6605 St.

	1. Card Placement Guide	0015
	2. Green Felt Placement Stitch.....	0015
	3. Green Felt Tackdown.....	5740
	4. Light Green Detail.....	5730
	5. White Felt Placement Stitch.....	5643
	6. White Felt Tackdown.....	1860
	7. Red Detail	1900
	8. Dark Red Detail	1911

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Felt Required**



12881-03 House Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in.	158.8 X 117.5 mm	7187 St.
7.00 X 5.00 in.	177.8 X 127.0 mm	8214 St.

	1. Card Placement Guide	0015
	2. Red Felt Placement Stitch	0015
	3. Red Felt Tackdown	1753
	4. Light Green Detail	5730
	5. Red Detail	1900
	6. Mint Detail	5740
	7. Light Pink Detail	1860
	8. Green Detail	5722
	9. Brown Felt Placement Stitch	1911
	10. Light Brown Tackdown	0832
	11. Brown Detail	0933
	12. White Detail	0015
	13. Red Detail	1900
	14. Light Pink Detail	1860
	15. Light Red Detail	1753

***Felt Required**



12881-04 Cookies Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in.	158.8 X 117.5 mm	7988 St.
7.00 X 5.00 in.	177.8 X 127.0 mm	9520 St.

	1. Card Placement Guide	0015
	2. Green Felt Placement Stitch	0015
	3. Green Felt Tackdown	5730
	4. White Detail	0015
	5. Brown Felt Placement Stitch	5643
	6. Brown Felt Tackdown	0832
	7. Brown Detail	0933
	8. White Detail	0015
	9. Light Tan Detail	1140
	10. Tan Detail	1141
	11. Light Pink Detail	1860
	12. Mint Detail	5740

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Felt Required**



12881-05 Candies Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in.	158.8 X 117.5 mm	7194 St.
7.00 X 5.00 in.	177.8 X 127.0 mm	8488 St.

	1. Card Placement Guide	0015
	2. White Felt Placement Stitch.....	0015
	3. White Felt Tackdown	3572
	4. Light Pink Detail	1860
	5. Light Red Detail	1753
	6. Tan Detail.....	1141
	7. Dark Red Detail	1911
	8. Light Green Detail.....	5730
	9. Mint Detail.....	5740
	10. Light Tan Detail	1140
	11. Green Detail.....	5722

***Felt Required**



12881-06 Happy Holidays Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in.	158.8 X 117.5 mm	7879 St.
7.00 X 5.00 in.	177.8 X 127.0 mm	8942 St.

	1. Card Placement Guide	0015
	2. Brown Felt Placement Stitch.....	0015
	3. Brown Felt Tackdown.....	0832
	4. Red Letters	1900
	5. Green Letters.....	5722
	6. White Detail	0015
	7. Light Green Detail.....	5730
	8. Green Detail.....	5722
	9. Dark Red Detail	1911

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Felt Required**



12881-07 Gingerbread Man Ornament FSA

Size Inches: 4.82 X 3.87 in. Size mm: 122.4 X 98.4 mm Stitch Count: 9064 St.

- | | | |
|--------------------------|--|------|
| ☐ | 1. Front Brown Felt Placement Stitch | 0015 |
| ☐ | 2. Front Brown Felt Tackdown | 0015 |
| ☐ | 3. Brown Detail | 0933 |
| ☐ | 4. White Icing | 0015 |
| ☐ | 5. Light Red Detail | 1753 |
| ☐ | 6. Medium Red Detail | 1906 |
| ☐ | 7. White Scarf Detail | 0015 |
| ☐ | 8. Light Pink Detail | 1860 |
| ☐ | 9. Back Brown Felt Tackdown | 1141 |

***Felt Required**



12881-08 Christmas Tree Ornament FSA

Size Inches: 4.71 X 3.60 in. Size mm: 119.7 X 91.5 mm Stitch Count: 6766 St.

- | | | |
|--------------------------|--|------|
| ☐ | 1. Front Green Felt Placement Stitch | 0015 |
| ☐ | 2. Front Green Felt Tackdown | 0015 |
| ☐ | 3. Light Green Detail | 5730 |
| ☐ | 4. Red Detail | 1900 |
| ☐ | 5. Light Red Detail | 1753 |
| ☐ | 6. White Detail | 0015 |
| ☐ | 7. Back Green Felt Tackdown | 5730 |

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Felt Required**



12881-09 Heart Ornament FSA

Size Inches:	Size mm:	Stitch Count:
4.15 X 3.28 in.	105.3 X 83.4 mm	4444 St.

- | | | |
|-------------------------------------|---|------|
| ☐ | 1. Front Red Felt Placement Stitch..... | 0015 |
| ☐ | 2. Front Red Felt Tackdown..... | 0015 |
| ☒ | 3. Light Red Detail | 1753 |
| ☐ | 4. White Detail | 0015 |
| ☒ | 5. Light Pink Detail | 1860 |
| ☒ | 6. Back Red Felt Tackdown | 1753 |

***Felt Required**



12881-10 Snowflake Ornament FSA

Size Inches:	Size mm:	Stitch Count:
3.91 X 3.80 in.	99.3 X 96.5 mm	4541 St.

- | | | |
|-------------------------------------|--|------|
| ☐ | 1. Front White Felt Placement Stitch | 0015 |
| ☐ | 2. Front White Felt Tackdown | 0015 |
| ☒ | 3. Gray Detail..... | 3572 |
| ☒ | 4. Light Gray Detail | 0145 |
| ☒ | 5. Back White Felt Tackdown..... | 3572 |

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Felt Required**



12881-11 House Ornament FSA

Size Inches: 5.45 X 3.74 in. Size mm: 138.4 X 94.9 mm Stitch Count: 12851 St.

- | | | |
|--------------------------|--|------|
| ☐ | 1. Front Brown Felt Placement Stitch | 0015 |
| ☐ | 2. Front Brown Felt Tackdown | 0015 |
| ☐ | 3. Brown Detail | 0933 |
| ☐ | 4. Light Green Detail | 5730 |
| ☐ | 5. Red Detail | 1900 |
| ☐ | 6. Dark Red Detail | 1911 |
| ☐ | 7. White Detail | 0015 |
| ☐ | 8. Back Brown Felt Tackdown | 0832 |

***Felt Required**



12881-12 Cozy Cup Ornament FSA

Size Inches: 4.02 X 4.20 in. Size mm: 102.2 X 106.6 mm Stitch Count: 6636 St.

- | | | |
|--------------------------|--|------|
| ☐ | 1. Front Red Felt Placement Stitch | 0015 |
| ☐ | 2. Front Red Felt Tackdown | 0015 |
| ☐ | 3. Light Brown Detail | 0832 |
| ☐ | 4. Light Red Detail | 1753 |
| ☐ | 5. Light Pink Detail | 1860 |
| ☐ | 6. White Detail | 0015 |
| ☐ | 7. Back Red Felt Tackdown | 1900 |

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Felt Required**



12881-13 Heart Applique Gift Tag

Size Inches: 5.00 X 3.52 in. Size mm: 127.1 X 89.3 mm Stitch Count: 2962 St.

□	1. Front Tag Placement Guide	0015
□	2. Front Tag Tackdown.....	0015
■	3. Light Green Leaves	5730
■	4. Dark Green Outlines	5643
□	5. Red Felt Placement Stitch	0015
■	6. Red Felt Tackdown and Detail	1753
■	7. Light Pink Detail	1860
■	8. Pink Detail.....	2051
■	9. Back Tag Tackdown and Hole Punch.....	5730

***Felt Required**



12881-14 Noel Applique Gift Tag

Size Inches: 5.00 X 3.49 in. Size mm: 127.1 X 88.7 mm Stitch Count: 4217 St.

□	1. Front Tag Placement Guide	0015
□	2. Front Tag Tackdown.....	0015
■	3. Light Green Leaves	5730
■	4. Stems.....	5643
□	5. Green Felt Placement Stitch	0015
■	6. Green Felt Tackdown.....	5722
■	7. Light Green Letters	5730
□	8. White Letter Outlines	0015
■	9. Berries	1900
■	10. Back Tag Tackdown and Hole Punch.....	1860

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Felt Required**



12881-15 Jingle Bell Applique Gift Tag

Size Inches: 5.00 X 3.50 in. Size mm: 127.1 X 88.8 mm Stitch Count: 4142 St.

	1. Front Tag Placement Guide	0015
	2. Front Tag Tackdown.....	0015
	3. Light Red Detail	1753
	4. Red Detail	1900
	5. Brown Felt Placement Stitch.....	0015
	6. Brown Tackdown and Detail	0933
	7. White Detail	0015
	8. Tan Detail.....	1141
	9. Light Green Detail.....	5730
	10. Back Tag Tackdown and Hole Punch.....	1140

***Felt Required**



12881-16 Snowman Applique Gift Tag

Size Inches: 5.00 X 3.52 in. Size mm: 127.1 X 89.3 mm Stitch Count: 4233 St.

	1. Front Tag Placement Guide	0015
	2. Front Tag Tackdown.....	0015
	3. Light Pink Detail	1860
	4. White Felt Placement Stitch.....	0015
	5. White Felt Tackdown.....	0145
	6. Gray Detail.....	3572
	7. Red Detail	1900
	8. Light Red Detail	1753
	9. Nose	1301
	10. Charcoal Detail	4174
	11. Back Tag Tackdown and Hole Punch.....	1860

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Felt Required**



12881-17 Cozy Cup Applique Gift Tag

Size Inches: 5.00 X 3.49 in. Size mm: 127.1 X 88.7 mm Stitch Count: 3901 St.

	1. Front Tag Placement Guide	0015
	2. Front Tag Tackdown.....	0015
	3. Tan Detail.....	1141
	4. Green Felt Placement Stitch.....	0015
	5. Green Felt Tackdown and Detail.....	5722
	6. Light Green Detail.....	5730
	7. Light Red Detail	1753
	8. White Detail	0015
	9. Back Tag Tackdown and Hole Punch.....	1860

***Felt Required**



12881-18 House Applique Gift Tag

Size Inches: 5.00 X 3.50 in. Size mm: 127.1 X 88.8 mm Stitch Count: 3982 St.

	1. Front Tag Placement Guide	0015
	2. Front Tag Tackdown.....	0015
	3. Light Brown Detail.....	0832
	4. Brown Felt Placement Stitch.....	0015
	5. Brown Felt Tackdown.....	1141
	6. Brown Detail	0933
	7. Red Detail	1900
	8. White Detail	0015
	9. Light Red Detail	1753
	10. Light Pink Detail.....	1860
	11. Back Tag Tackdown and Hole Punch.....	1140

ORNAMENT INSTRUCTIONS



Stabilizers

- OESD StabilStick TearAway
- OESD Applique Fuse and Fix

Fabrics/Notions

- Green felt (1) 9" x 6"
- Ribbon 9"
- Embroidery Needle Sharp 75/11
- Isacord thread per thread chart

NOTE

- The ornament instructions included in the design pack are general instructions for all the ornament designs. For demonstration purposes, a sample design is used that best demonstrates general technique. Fabric and thread requirements will vary by design, consult the templates at the end of the instructions for specific size requirements.
- The sample design is 12881-08.

STEP 1

- Print the ornament template and the mirrored version of the ornament templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix.
- Roughly cut out the templates about 1/4" from the outer edge.
- TIP: Mark the paper side of the mirrored template with an "M" to differentiate between the two.



EMBROIDERY



STEP 2

- Fuse each template onto the felt following the package instructions.
- Cut each template on the outer edge of the printed design.



STEP 3

- Hoop 1 layer of Medium Weight TearAway.



STEP 4

- Stitch Machine Step 1, Front Green Felt Placement Stitch.



STEP 5

- Remove the hoop from the machine, but NOT the project from the hoop.
- Score the paper backing of the mirrored template, and remove the paper backing to expose the adhesive surface.
- Position the felt, adhesive side down, within the placement lines.
- Return the hoop to the machine.



STEP 6

- Stitch Machine Step 2, Front Green Felt Tackdown.




STEP 7

- Stitch Machine Steps 3-6, changing thread colors per thread chart.




STEP 8

- Cut ribbon 9" long.



STEP 9

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over, right side down on a flat surface.
- Fold the ribbon in half and tape in place with about 1" of the ribbon below the placement stitch of the design as shown.
- Tape in place to secure, but do not press firmly on the project.



STEP 10

- Score and remove the paper from the remaining felt piece to expose the adhesive surface.
- Gently position in place within the original placement line.
- Once properly positioned, turn the hoop over, place on a flat surface and finger press from the front to secure the positioning.
- Tip: To ensure that the ornament back matches the ornament front placement, hold the hoop up to the light.



STEP 11

- Return the hoop to the machine.
- Stitch Machine Step 7, Back Green Felt Tackdown.



STEP 12

- Remove the hoop from the machine and the project from the hoop.
- Tear away the stabilizer.
- The ornament is complete.



GIFT TAG INSTRUCTIONS



Stabilizers

- OESD StabilStick TearAway
- OESD Applique Fuse and Fix

Fabrics/Notions


- OESD Perfect Punch Tool
- Red felt (1) 3.5" x 4.5"
- Start Here by OESD Blank Greeting Cards Size A7 (5" x 7")
- Embroidery Needle Sharp 75/11
- Isacord thread per thread chart

NOTE

- The gift tag instructions included in the design pack are general instructions for all the gift tag designs. For demonstration purposes, a sample design is used that best demonstrates general technique. Fabric and thread requirements will vary by design, consult the templates at the end of the instructions for specific size requirements.
- The sample design is 12881-13.
- Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

STEP 1

- Print the mirrored version of the templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix. Roughly cut out the templates about 1/4" from the outer edge.



EMBROIDERY




STEP 2

- Fuse the applique design template onto the felt per the package instructions.
- Cut the template on the outer edge of the printed design. Set aside.



STEP 3

- Fuse the tag template onto the back of the card stock per package instructions.
- Fold the card stock in half. Place the template on the folded card stock.
- Cut through both layers on the black line of the printed template to create 2 tag pieces: 1 plain and 1 with Applique Fuse and Fix.




STEP 4

- Hoop 1 layer of StabilStick TearAway paper side up.



STEP 5

- Score the paper only with a pin or seam ripper, and remove the paper covering to reveal the adhesive surface.




STEP 6

- Stitch Machine Step 1, Front Tag Placement Guide.



STEP 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Position the plain tag within the placement lines. Finger press to secure.
- Return the hoop to the machine.



STEP 8

- Stitch Machine Step 2, Front Tag Tackdown.



STEP 9

- Stitch Machine Steps 3 and 4, changing thread colors per the thread chart.
- Stitch Machine Step 5, Red Felt Placement Stitch.



STEP 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Score the paper backing of the red felt heart and remove the paper to reveal the adhesive surface.
- Position the red felt heart on the placement line.
- Finger press to secure.



STEP 11

- Return the hoop to the machine.
- Stitch Machine Steps 6-8 changing thread colors per the thread chart.



STEP 12

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop right side down on a flat surface.



STEP 13

- Score and remove the paper from the remaining card stock tag to expose the adhesive surface.
- Gently position in place within the original placement line.
- Once properly positioned, turn the hoop over, place on a flat surface and finger press from the front to secure the positioning.
- Tip: To ensure that the gift tag back matches the gift tag front placement, hold the hoop up to the light.




STEP 14

- Return the hoop to the machine.
- Stitch Machine Step 9, Back Tag Tackdown and Hole Punch.



STEP 15

- Remove the project from the hoop.
- Using OESD Punch Tool and the 3mm attachment, punch holes in the eyelet indicated.



STEP 16

- Trim away the excess stabilizer along all the edges of the tag.
- NOTE: Cutting the stabilizer away prevents bending or creasing of the cardstock and prevents pulling outer stitches.
- The gift tag is now complete.



CARD INSTRUCTIONS



Stabilizers

- OESD StabilStick TearAway
- OESD Applique Fuse and Fix
- OESD Fuse and Seal

Fabrics/Textiles

- OESD Start Here Greeting Cards, size A7 (5" x 7")
- White felt, 5" x 7"
- Note: Two sizes of cards are included in this collection. Card designs ending in the letter 'S' use the Start Here Greeting Cards, size A6 (4.5" x 6.25"). Card designs ending with 'L' use Start Here Greeting Cards, A7 (5" x 7").

Notions & Tools

- Embroidery Needle Sharp 75/11
- Expert Embroidery Tape TearAway
- Isacord Threads per thread chart

NOTE

- The greeting card instructions included in the design pack are general instructions for all the greeting card designs. For demonstration purposes, a sample design is used that best demonstrates the general technique. Fabric and thread requirements will vary by design, consult the templates at the end of the instructions for specific size requirements.
- The sample design is 12881-05L.
- Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

STEP 1

- Print the mirrored version of the templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix.
- Roughly cut out the template about a ¼" from the outer edge.
- Fuse the applique design template onto the felt following the package instructions.
- Trim Template on the outer edge of the printed black line.



EMBROIDERY



STEP 2

- Hoop a piece of StabilStick TearAway paper side up.




STEP 3

- Score the paper with scissors, pin, or seam ripper.
- Remove the paper to expose the adhesive surface.



STEP 4

- Place the hoop on the machine.
- Thread the machine per thread chart.
- Stitch Machine Step 1, Card Placement Guide.
- Note: A darker thread color was used in the sample for visibility.




STEP 5

- Remove the hoop from the machine, but NOT the project from the hoop.
- Set the hoop on a flat surface.
- Place the front of the card face up within the placement stitch, lining up all edges.
- Finger press the card to secure to the adhesive surface.



STEP 6

- Return the hoop to the machine.
- Stitch Machine Step 2, White Felt Placement Stitch.
- Note: A darker thread color was used in the sample for visibility.



STEP 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Score the paper of the template on the back of the white felt.
- Remove the paper to expose the adhesive surface.
- Position the felt, sticky side down, within placement stitch, aligning all edges.



STEP 8

- Return the hoop to the machine.
- Change threads per thread chart.
- Stitch Machine Step 3, White Felt Tackdown.



STEP 9

- Stitch the remainder of the design. Change thread colors as required.



EMBROIDERY



STEP 10

- Remove hoop from machine and the project from the hoop.
- On a flat surface, fold the stabilizer back and trim it away close to the design.
- NOTE: Cutting the stabilizer away prevents bending or creasing of the cardstock.



STEP 11

- Cut another card of the same size in half.
- Cut a piece of Fuse and Seal the same size.
- Iron the Fuse and Seal to the cut card with a medium warm iron.



STEP 12


- Remove paper from Fuse and Seal.
- Cover the back of embroider in the inside of card and iron to adhere.
- The card is complete!




12881-13



12881-14




12881-15



12881-16



12881-17



12881-18



● = 2 MM

● = 3 MM


● = 4 MM

CRAFT KNIFE




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



TO SAVE PAPER


Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.




APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-01L




12881-01L


APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-01S




12881-01S


APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-02L




12881-02L

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




12881-02S


APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-03L




12881-03L


APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-03S




12881-03S


APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-04L




12881-04L


APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-04S



12881-04S

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-05L

APPLIQUE PATTERNS



Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.

12881-05S

APPLIQUE PATTERNS



Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.

12881-06L

APPLIQUE PATTERNS





Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.

12881-06S

APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-09



12881-10

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-12

12881-11

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-13

12881-13

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-14

12881-14

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-15

12881-15

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-16

12881-16

APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.


12881-18

12881-18


MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-01L




12881-01L

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-01S




12881-01S

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




12881-02L

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




12881-02S


MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-03L




12881-03L


MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-03S




12881-03S


MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-04L




12881-04L

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-04S



12881-04S

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-05L

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-05L

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-06L

MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-06S


MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-07




12881-08


MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-09



12881-10

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-11

12881-12

MIRRORED PATTERNS





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-15

12881-15

MIRRORED PATTERNS





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



HOLLY JOLLY GREETING CARDS



25
Designs

Fits hoop sizes 5" x 7" and larger

THREAD LIST



Isacord Thread Colors

0010 Silky White	1161 Straw	3840 Oxford
0020 Black	1761 Tea Rose	5555 Deep Green
0142 Sterling	1900 Geranium	5643 Green Dust
0453 Army Drab	2011 Fire Engine	5832 Celery
0741 Wheat	2051 Teaberry	5833 Limabean
0853 Pecan	2152 Heather Pink	

DESIGNS

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12834-01 From Our House Card Large

Size Inches: 7.00 X 5.00 in. Size mm: 177.8 X 127.0 mm Stitch Count: 7051 St.

	1. Card Placement Guide	0010
	2. Green Fabric Placement Stitch	0010
	3. Green Fabric Tackdown	5832
	4. Gold Lettering	0741
	5. White Lettering	0010
	6. Green Leaves	5832
	7. Red Berries	1900
	8. Pink Swirls	2152
	9. Dark Green Lettering	5555

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12834-02 Happy Holidays Card Large

Size Inches: 7.00 X 5.00 in. Size mm: 177.8 X 127.3 mm Stitch Count: 5377 St.

	1. Card Placement Guide	0010
	2. Tan Fabric Placement Stitch.....	0010
	3. Tan Fabric Tackdown.....	1161
	4. Red Lettering.....	1900
	5. Tan Swirls.....	1161
	6. Green Detail	5832

*Fabric Required



12834-03 Present Card Large

Size Inches: 7.00 X 5.00 in. Size mm: 177.8 X 127.0 mm Stitch Count: 7862 St.

	1. Card Placement Guide	0010
	2. Red Fabric Placement Stitch.....	0010
	3. Red Fabric Tackdown.....	2011
	4. Green Gift Detail.....	5832
	5. White Gift Detail	0010
	6. Dark Red Gift Detail	2011
	7. Red Lettering.....	1900
	8. Green Detail	5832

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12834-04 Merry Christmas Sleigh Card Large

Size Inches:	Size mm:	Stitch Count:
7.00 X 5.00 in.	177.8 X 127.0 mm	13238 St.
 1. Card Placement Guide	0010	
 2. Tan Fabric Placement Stitch.....	0010	
 3. Tan Fabric Tackdown.....	1161	
 4. Red Lettering and Border	1900	
 5. Green Lettering	5833	
 6. Dark Green Gift	5833	
 7. Pink Gift and Ribbon	2152	
 8. Brown Bag.....	0853	
 9. Tan Gift and Bag Detail	1161	
 10. Light Red Gift Detail	1900	
 11. Deep Green.....	5555	
 12. Light Green Gift and Tree Detail.....	5832	
 13. White Gift and Ribbon	0010	
 14. Dark Red Sleigh and Ribbon.....	2011	
 15. Gold Sleigh Detail.....	0741	
 16. White Swirls and Stars	0010	

*Fabric Required



12834-05 Mistletoe Card Large

Size Inches:	Size mm:	Stitch Count:
7.00 X 5.00 in.	177.8 X 127.0 mm	6141 St.
 1. Card Placement Guide	0010	
 2. Tan Fabric Placement Stitch.....	0010	
 3. Tan Fabric Tackdown.....	1161	
 4. Red Bow	1900	
 5. Dark Green Leaves	5643	
 6. Light Green Leaves	5833	
 7. White Berries.....	0010	
 8. Light Green Lettering.....	5833	
 9. Gold Swirls	0741	
 10. Dark Green Lettering.....	5643	

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12834-06 Ornaments Card Large

Size Inches: 7.00 X 5.00 in. Size mm: 177.8 X 127.0 mm Stitch Count: 6090 St.

	1. Card Placement Guide	0010
	2. Green Fabric Placement Stitch	0010
	3. Green Fabric Tackdown	5555
	4. Red Detail.....	1900
	5. White Detail	0010
	6. Dark Red Detail	2011
	7. Light Green Detail	5833
	8. Blue Detail.....	3840

*Fabric Required



12834-07 Poinsettia Card Large

Size Inches: 7.00 X 5.00 in. Size mm: 177.8 X 127.0 mm Stitch Count: 9998 St.

	1. Card Placement Guide	0010
	2. Blue Fabric Placement Stitch	0010
	3. Blue Fabric Tackdown	5833
	4. Light Pink Petals.....	1761
	5. Khaki Stems and Detail	0453
	6. Dark Red Leaves.....	2011
	7. Light Red Leaves	1900
	8. Medium Green Detail	5833
	9. Bright Pink Leaves	2152
	10. Dark Green Leaves and Stamen.....	5643
	11. Medium Green Detail	5833
	12. Light Green Stamen	5832
	13. Khaki Stamen	0453

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12834-08 Santa Card Large

Size Inches: 7.00 X 5.00 in. Size mm: 177.8 X 127.0 mm Stitch Count: 11420 St.

1. Card Placement Guide	0010
2. Green Fabric Placement Stitch	0010
3. Green Fabric Tackdown	5643
4. Skin	1761
5. Skin Shading	2051
6. Eyes	0020
7. Light Red Hat Shading	1900
8. Dark Red Hat Shading	2011
9. White Detail	0010
10. Dark Red Mouth/Nose and Ear Detail	2011
11. Red Linework	1900
12. Gray Shading	0142

*Fabric Required



12834-09 Snowflake Card Large

Size Inches: 7.00 X 5.00 in. Size mm: 177.8 X 127.0 mm Stitch Count: 6589 St.

1. Card Placement Guide	0010
2. Red Fabric Placement Stitch	0010
3. Red Fabric Tackdown	2011
4. White Detail	0010
5. Light Blue Detail	3840
6. Light Red Detail	1900

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12834-10 Tree Card Large

Size Inches: 7.00 X 5.00 in. Size mm: 177.8 X 127.0 mm Stitch Count: 5570 St.

	1. Card Placement Guide	0010
	2. Dark Green Fabric Placement Stitch	0010
	3. Dark Green Fabric Tackdown	5833
	4. White Swirls	0010
	5. Red Spots	1900
	6. Brown Trunk	0853
	7. Gold Swirls	0741

*Fabric Required




12834-11 Hope Card Small

Size Inches: 6.25 X 4.63 in. Size mm: 168.9 X 117.6 mm Stitch Count: 4724 St.

	1. Card Placement Guide	0010
	2. Tan Fabric Placement Stitch	0010
	3. Tan Fabric Tackdown	1161
	4. Red Lettering	1900
	5. Green Swirls	5833
	6. Pink Spots	2152
	7. Poinsettia	1900
	8. Green Leaves	5833

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required



12834-12 Twinkle Card Small

Size Inches: 6.25 X 4.63 in. Size mm: 168.9 X 117.6 mm Stitch Count: 3854 St.

1. Card Placement Guide	0010
2. Dark Green Fabric Placement Stitch	0010
3. Dark Green Fabric Tackdown	5833
4. Green Swirls	5833
5. Red Swirls	1900
6. White Detail	0010
7. Dark Green Detail	5643
8. Green Lettering	5833
9. Light Red Lettering	1900
10. Dark Red Lettering	2011
11. Gold Detail	0741

12834-13 Merry & Bright Card Small

Size Inches: 6.25 X 4.63 in. Size mm: 168.9 X 117.6 mm Stitch Count: 3449 St.

1. Card Placement Guide	0010
2. Light Blue Banner	3840
3. Dark Red Lettering	2011
4. Light Red Detail	1900
5. Green Detail	5833



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

***Fabric Required**



12834-14 Rudolph Card Small

Size Inches: 6.25 X 4.63 in. Size mm: 168.9 X 117.6 mm Stitch Count: 2687 St.

1. Card Placement Guide	0010
2. Light Blue Fabric Placement Stitch	0010
3. Light Blue Fabric Tackdown	1161
4. Light Blue Stars	3840
5. Red Nose and Bow	1900
6. Brown Reindeer	0853
7. Black Eye	0020

12834-15 Stocking Card Small

Size Inches: 6.25 X 4.63 in. Size mm: 168.9 X 117.6 mm Stitch Count: 2561 St.




1. Card Placement Guide	0010
2. Tan Stocking Hanger	1161
3. Green Stocking	5833
4. Dark Red Stocking	2011
5. Light Red Stocking	1900

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12834-16 Mini Snowflake Border

Size Inches:	Size mm:	Stitch Count:
1.01 X 3.43 in.	25.7 X 87.1 mm	887 St.

■ 1. Single Color Design..... 3840



12834-17 Mini Swirls Border

Size Inches:	Size mm:	Stitch Count:
0.81 X 3.16 in.	20.6 X 80.3 mm	456 St.

■ 1. Single Color Design..... 1900



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12834-18 Mini Holly Border

Size Inches:	Size mm:	Stitch Count:
0.91 X 3.38 in.	23.1 X 85.9 mm	678 St.

■ 1. Single Color Design..... 5833



12834-19 Mini Present Border

Size Inches:	Size mm:	Stitch Count:
0.94 X 3.38 in.	23.9 X 85.9 mm	641 St.

■ 1. Red Gift2011
 ■ 2. Pink Stars 2152



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12834-20 Mini Tree Border

Size Inches:	Size mm:	Stitch Count:
0.99 X 3.24 in.	25.1 X 82.3 mm	492 St.


	1. Green Tree	5833
	2. Tan Swirls	1161



12834-21 Snowflake Mini

Size Inches:	Size mm:	Stitch Count:
0.96 X 0.83 in.	24.4 X 21.1 mm	347 St.

	1. Single Color Design.....	3840
---	-----------------------------	------



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12834-22 Stocking Mini

Size Inches:	Size mm:	Stitch Count:
1.02 X 0.58 in.	25.9 X 14.7 mm	217 St.


■	1. Red Stocking	1900
■	2. Light Blue Trim	3840



12834-23 Holly Mini

Size Inches:	Size mm:	Stitch Count:
0.94 X 0.87 in.	23.9 X 22.1 mm	250 St.

■	1. Red Berries	1900
■	2. Green Leaves	5833




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

12834-24 Santa Hat Mini

Size Inches:	Size mm:	Stitch Count:
0.99 X 0.87 in.	25.1 X 22.1 mm	190 St.

	1. Light Blue Trim	3840
	2. Red Hat	1900



12834-25 Tree Mini

Size Inches:	Size mm:	Stitch Count:
0.99 X 0.69 in.	25.1 X 17.5 mm	268 St.

	1. Single Color Design.....	5833
---	-----------------------------	------



Stabilizer

- HeavyWeight TearAway
- Applique Fuse and Fix
- Fuse and Seal CutAway

Supplies

- Expert Embroidery Tape TearAway
- Assorted fabric scraps for applique
- Pre-made Card size A7 (5" x 7") folded (Designs 12834-01 through 12834-10)
- Pre-made Card size A6 (4 $\frac{5}{8}$ " x 6 $\frac{1}{4}$ ") folded (Designs 12834-11 through 12834-15)
- Envelopes (Designs 12834-16 through 12834-25)
- Removable Marking Pen or Pencil
- Size 75/11 embroidery needle
- Expert Embroidery Press Cloth

EMBROIDERED CARDS



STEP 1

- Hoop one piece of HeavyWeight TearAway.



STEP 2

- Stitch Machine Step 1, Card Placement Stitch.



STEP 3

- Place the front of the card within the placement stitch, lining up all edges.



EMBROIDERED CARDS




STEP 4

- Tape in place.
- **Note:** Expert Embroidery Tape TearAway will not leave residue on the paper and will not tear the cardstock.



STEP 5

- Stitch the remaining colors, following the thread chart.



STEP 6

- Remove the card and stabilizer from the hoop. Place the card face down and fold the stabilizer towards the card. Carefully cut the stabilizer away, close to the stitching.
- **Note:** Even though the stabilizer is a tear away, it is better to cut the stabilizer away from the card to prevent bending or creasing the cardstock.
- **See page 21 for info on finishing the inside of your card.**




APPLIQUE CARDS




STEP 1

- Print or trace the mirror image applique patterns on to the paper side of Applique Fuse and Fix.
- Make sure any scaling or 'fit to page' option is turned off on the print screen.



STEP 2

- Roughly cut around the applique design and place on the wrong side of the applique fabric.
- Following the Applique Fuse and Fix instructions, fuse to the fabric.



STEP 3

- Cut out the applique.



APPLIQUE CARDS




STEP 4

- Hoop one piece of HeavyWeight TearAway.
- Stitch Machine Step 1, Card Placement Stitch.
- Place card within the placement area and tape in place.




STEP 5

- Stitch Machine Step 2, the Applique Placement Stitch.



STEP 6

- Peel the paper from the back of the applique.




APPLIQUE CARDS



STEP 7

- Place the applique inside of the placement stitch.
- **Note:** Applique Fuse and Fix is repositionable, so if you do not place it correctly, it can be lifted and moved.



STEP 8

- Stitch the remaining colors, following the thread chart.
- Remove the card and stabilizer from the hoop. Place the card face down and fold the stabilizer towards the card. Carefully cut the stabilizer away, close to the stitching.
- **Note:** Even though the stabilizer is a tear away, it is better to cut the stabilizer away from the card to prevent bending or creasing the cardstock.



FINISHING THE CARDS



STEP 1 Variation 1

- Scrapbook paper or fabric can be used to cover the back of the embroidery.
- Cut coordinating fabric (or paper) slightly larger than the front of the card. Cut a piece of Fuse and Seal to fit. Following the package instructions, iron the Fuse and Seal to the wrong side of the fabric (paper). Trim the fabric (paper) about an 1/8" smaller than the front of the card. Peel the paper from the back of the fabric (paper) .



STEP 2

- Place the fabric (paper) right side up onto the wrong side of the stitching.



STEP 3

- Place the card front side down onto the Perfect Embroidery Press Cloth. Fuse to the card.
- **Note:** Fuse and Seal is permanent. It will prevent the fabric from raveling.



FINISHING THE CARDS



STEP 4

- The card is now complete!




FINISHING THE CARDS



STEP 1 Variation 2

- 2 cards folded to 5" x 7"
- Cut one card in half on the fold.



STEP 2

- Hoop 1 piece of stabilizer and stitch Machine Step 1, the Placement Line.
- Place 5" x 7" piece of cardstock within the Placement Line.
- Tape in place.
- Follow the instructions above for stitching the card.



STEP 3

- Once the design is finished, carefully remove the card from the stabilizer.
- Cut 1 piece of Fuse and Seal slightly smaller than the size of your card.



FINISHING THE CARDS



STEP 4

- With a medium warm iron, fuse to the back of the embroidered card.



STEP 5

- Once cool, remove the paper backing.



STEP 6

- Place the embroidered half of the card over the front of the second card and fuse with a medium warm iron.
- The back of the embroidery is now hidden.



EMBELLISHING ENVELOPES



STEP 1

- Hoop a piece of HeavyWeight TearAway.




STEP 2

- Mark the center of the envelope flap, using either a pencil or removable ink.
- Place the envelope flap on the stabilizer and tape in place.



STEP 3

- Using the placement tools on your machine, center the design over the marked center. Be sure the rotation of the design is correct. Design in photo was rotated.



EMBELLISHING ENVELOPES



STEP 4

- Stitch the design.



STEP 5

- Remove the card and stabilizer from the hoop. Place the card face down and fold the stabilizer towards the card. Carefully cut the stabilizer away, close to the stitching.
- **Note:** Even though the stabilizer is a tear away, it is better to cut the stabilizer away from the card to prevent bending or creasing the cardstock.



- There are many ways to make cards by creating your own, with different colors of cardstock.







- The smaller cards are great to make on a piece of cardstock and then glued to the front of a 5" x 7" card.
- **Note:** Cut a piece of cardstock 4 $\frac{5}{8}$ " x 6 $\frac{1}{4}$ ". Choose any designs 12834-11 through 12834-15. Follow the instructions for the cards, use the 4 $\frac{5}{8}$ " x 6 $\frac{1}{4}$ " cardstock instead of using a card. Once finished embroidering, glue the 4 $\frac{5}{8}$ " x 6 $\frac{1}{4}$ " to the front of the 5" x 7" card.







- Here are some photos to inspire you!


















12834-08





12834-09









MIRRORED PATTERNS




MIRRORED PATTERNS



MIRRORED PATTERNS







12834-08



12834-09

MIRRORED PATTERNS



Merry Moments Gift Card Holders



Collection No. PK10079
4 Designs/8 Files

MATERIALS



Isacord Thread Colors

0010 Silky White	5531 Pear
0230 Easter Dress	5610 Bright Mint
0310 Yellow	5633 Lime
0670 Cream	5643 Green Dust
1102 Pumpkin	
1115 Copper	
1161 Straw	
1344 Coffee Bean	
1876 Chocolate	
1900 Geranium	
1902 Poinsettia	
2152 Heather Pink	
3265 Slate Gray	
3510 Electric Blue	
4174 Charcoal	

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.



MATERIALS



Finished Sizes

- Gift Box: 4 3/4" W x 4" L
- Christmas Tree: 4 3/4" W x 5 3/4" L
- Cup O' Cocoa: 4" W x 5 1/4" L
- Stocking Fireplace: 3 1/2" W x 4" L

Stabilizers

- OEsd Medium Weight TearAway

Fabrics/Textiles

- OEsd Start Here Greeting Cards, size A7 (5" x 7")

Notion & Tools

- OEsd Grippy Grid
- OEsd Expert Embroidery Tape TearAway
- Embroidery Needle Sharp 75/11
- OEsd Alligator Clamps
- OEsd Perfect Punch
- OEsd MiniMAT
- 12" of 1/4" wide ribbon per gift card holder (optional)

Isacord Thread Colors

- Per the thread chart




SUMMARY

OESD™ DESIGN
PACK




PK10079-01



Requires 1 Design

PK10079-02



Requires 1 Design

PK10079-05




Requires 1 Design

PK10079-06



Requires 1 Design

PK10079-03




Requires 1 Design

PK10079-04




Requires 1 Design

PK10079-07



Requires 1 Design

PK10079-08



Requires 1 Design



General Instructions

The instructions included in the collection are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, but the general technique is the same.

NOTE: Some thread colors in the instructions have been changed or digitally enhanced for better visibility.

These gift card holders require two designs (front and back of gift card holder) to complete. Make sure you embroider the front of the gift card holder first!

Step 1

- Cut OESD Start Here Greeting Cards, size A7 (5" x 7") into (2) 5" x 7" pieces



EMBROIDERY




□ Step 2

- Hoop 1 layer of OESD Medium Weight TearAway.




□ Step 3

- Load selected design into the machine.
- Example design is PK10079-05.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Card Stock Placement Stitch.



□ Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Place one piece of cardstock within the placement stitch.
NOTE: Carefully align the top and left edges of the cardstock with the placement stitch.
- Tape in place with OESD Expert Embroidery Tape TearAway to secure.



OESDTM DESIGN
PACK

- Return the hoop to the machine.
- Stitch the remaining machine steps per the thread chart.




- Remove the hoop from the machine and the project from the hoop.
- On a flat surface, fold the stabilizer back and carefully cut the stabilizer away, inside of the stitching.

Note: Cutting away the excess TearAway stabilizer prevents bending or creasing the cardstock.




OESDTM DESIGN
PACK

- Hoop 1 layer of Medium Weight TearAway.



- Load selected design into the machine.
- Example design PK10079-06.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Card Stock Placement Stitch.



- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Place the second piece of cardstock within the placement stitch.

NOTE: Carefully align the top and left edges of the cardstock with the placement stitch.

- Tape in place to secure.



EMBROIDERY

Step 10

- Place the embroidered cardstock within the placement stitch, over the blank card, right side up.
- Note: Carefully align the top and left edges of the cardstock with the placement stitch.
- Tape in place to secure.



Step 11

- Return the hoop to the machine.
- Stitch the remaining machine steps per the thread chart.



ASSEMBLY

□ Step 12

- Remove the hoop from the machine and the project from the hoop.
- Trim just inside the Cut Guide stitching.




□ Step 13

- Gently remove the excess stabilizer from the back, being careful not to bend or crease the pieces.



□ Step 14


- Optional: Use the OESD Mini MAT and OESD Perfect Punch with the 3mm attachment to create the eyelet indicated in the diagram. The eyelets are optional to hang the gift card holder.
Tip: Take care not to cut the stitching.
- Reference the Punch Tool Guide on page 12.



ASSEMBLY

Step 15

- Optional: Use OESD Alligator Clamps to insert a ribbon through the top of the gift card holder.



Step 16


- Place a gift card in the holder and give to your favorite person.
- The project is complete. Enjoy!




PUNCH TOOL GUIDES




PK10079-02




PK10079-04



PK10079-06



PK10079-08



● = 2 MM

● = 3 MM

● = 4 MM

Christmas Cheer Cards



Collection No. 12967
15 Designs/25 Files

MATERIALS



Isacord Thread Colors

0003 Ghost White	1220 Apricot	5324 Bright Green
0145 Skylight	1342 Rust	5633 Lime
0640 Parchment	1355 Fox	5912 Erin Green
0660 Vanilla	1532 Coral	6011 Tamarack
0670 Cream	1720 Not Quite Red	
0672 Baquette	1753 Strawberries N' Cream	
0781 Candlewick	1840 Corsage	
0842 Toffee	1900 Geranium	
0874 Gravel	1911 Foliage Rose	
0933 Redwood	2115 Beet Red	
0945 Pine Park	2250 Petal Pink	
1032 Bronze	3274 Battleship Gray	
1055 Bark	3572 Summer Grey	
1140 Meringue	4174 Charcoal	
1141 Tan	4752 Vintage Blue	

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.



MATERIALS



Stabilizers

- OESD StabilStick TearAway
- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD Applique Fuse and Fix
- OESD Fuse and Seal

Fabrics/Textiles

- Quilter's cotton various colors
- Start Here OESD Greeting Cards A7 (5" x 7")
- Start Here OESD Greeting Cards A6 (4.5" x 6.25")

Notion & Tools

- OESD Grippy GRID
- OESD Perfect Scoring Tool
- OESD Perfect Embroidery Press Cloth
- OESD Perfect Punch Tool
- OESD MiniMAT
- 1" Metal Brad
- Embroidery Needle Sharp 75/11
- Embroidery Needle Ballpoint 80/12 (FSL)

Isacord Thread Colors

- Per the thread chart
- Match the bobbin thread to top thread (FSL)



SUMMARY

OESD™ PREMIER COLLECTION



Embroidery Hoop to accommodate: 5" x 7"
Finished project size: Size 5" x 7"

12967-01
Santa Card A7



Requires 1 Design

12967-02
Joy FSL



Requires 1 Design



Size 7.00 X 5.00 in.

12967-03
Wreath Card A7



Requires 1 Design

12967-04
Wreath Bow FSL



Requires 1 Design



Size 7.00 X 5.00 in.

SUMMARY

OESD™ PREMIER COLLECTION


12967-05
Oh What Fun Card A7



Requires 1 Design



12967-06
Small Ornament FSL



Requires 1 Design



Size 7.00 X 5.00 in.


12967-07
Reindeer Card A7



Requires 1 Design



12967-08
Stars FSL



Requires 1 Design



Size 7.00 X 5.00 in.

12967-09
Silent Night Card A7




Requires 1 Design



12967-10
Ornament Bow FSL



Requires 1 Design



Size 7.00 X 5.00 in.




SUMMARY

12967-11
Three Ornament Card A7



Requires 1 Design

12967-12
Holly Branch FSL



Requires 1 Design




Size 7.00 X 5.00 in.

12967-13
Feeling Jolly Card A7



Requires 1 Design

12967-14
Sparkle Diamonds FSL



Requires 1 Design



Size 7.00 X 5.00 in.

12967-15
Let It Snow Card A7



Requires 1 Design

12967-16
Snowflake FSL



Requires 1 Design



Size 7.00 X 5.00 in.

SUMMARY

OESD™ PREMIER
COLLECTION

12967-17
Presents Card A7



Requires 1 Design



12967-18
Hollys FSL



Requires 1 Design



Size 7.00 X 5.00 in.


12967-19
Merry Magic Card A7



Requires 1 Design



12967-20
Ornaments FSL



Requires 1 Design



Size 7.00 X 5.00 in.

SUMMARY

OESD™ PREMIER
COLLECTION

12967-21

Ornament Card A6



Size: 6.25 X 4.62 in.

12967-22

Fa La La Card A6



Size: 6.25 X 4.62 in.

12967-23

Ho Ho Ho Card A6



Size: 6.25 X 4.62 in.

12967-24

Merry Christmas Card A6



Size: 6.25 X 4.62 in.

12967-25

Snowflakes Card A6



Size: 6.25 X 4.62 in.

General Instructions

The instructions included in the collection, are general instructions for all the greeting card designs. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, consult the templates at the end of the instructions for specific size requirements.

Freestanding Lace designs are stitched with matching thread, top and bobbin.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

Step 1

- Print the mirrored version of the templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix.
- Cut approximately 1/4" – 1/2" outside the printed applique templates.



OESDTM PREMIER
COLLECTION

12967-03
Mirrored

OESDTM PREMIER
COLLECTION

A top-down view of a grey, oval-shaped container, likely a lid or a shallow tray, resting on a white, crinkled paper surface. The container has a thick, grey rim with several small, rectangular protrusions or tabs. In the center of the container's base is a yellow dashed rectangle, indicating a specific area of interest or a measurement point. The background is a dark, textured wooden surface.

OESDTM PREMIER
COLLECTION

GENERAL FREESTANDING LACE GUIDE



DESIGNS

- 12967-02
- 12967-04
- 12967-06
- 12967-08
- 12967-10
- 12967-12
- 12967-14
- 12967-16
- 12967-18
- 12967-20

Stabilizer

- OESD AquaMesh
- OESD BadgeMaster

Instructions

Step 1 - Hoop

For FSL structures, hoop one layer of OESD AquaMesh and one layer of OESD BadgeMaster. BadgeMaster contains more starch so, combined with the AquaMesh, the lace is more rigid.
For other FSL, where a softer lace is desired, hoop two layers of AquaMesh.

Step 2 - Embroider

Stitch the design per the thread chart with matching thread in the bobbin at each color change.
When complete, remove from the hoop and trim away excess stabilizer about 1/4"-1/2" from the stitching.

Notion/Tools

- 80/12 Embroidery Ballpoint
- Titanium needle for extended needle life
- OESD Alligator Clamps
- OESD Button Clips
- OESD Perfect Point and Press Tool

Isacord Thread Colors

- All OESD designs are digitized with Isacord 40 wt. polyester thread as the top thread and in the bobbin.
- Refer to the thread chart for color specifications.
- Match bobbin thread color to the top thread.

Step 3 - Rinse

Rinse remaining stabilizer out in warm running water.
For stiffer lace and FSL structures, DO NOT rinse away all of the stabilizer. The lace should be just slightly tacky.
For softer lace, rinse until all traces of the stabilizer is removed.

Step 4 - Dry

Lay right side down flat on a non-stick surface, such as a cookie rack, parchment paper or Teflon sheet. This minimizes the tendency for the lace to curl.
Let the pieces dry completely before proceeding with any assembly.

Step 5 - Press

Once completely dry, press right side down on a OESD Perfect Embroidery Press Cloth.

Step 6 - Assemble Structure

Note: Specific assembly instructions for a design/collection may be found in the thread chart pdf following the individual design color charts.

Lace must be COMPLETELY DRY before assembly. Wetting the buttonettes or eyelets to assemble is not recommended and may result in them stretching and coming "unbuttoned" when dry.

Use a pair of OESD Alligator Clamps to insert the buttonettes into the eyelets. Insert the tip of the OESD Alligator Clamps into the eyelet, grasp the buttonette and pull through the eyelet. Alternatively, use a stiletto or tweezers to push the buttonette through the eyelet.

Helpful Tips

Limp Lace

If the design is not stiff enough, press the lace pieces on the wrong side while applying spray starch. After ironing, spray again with starch and allow to dry completely. This will stiffen the lace pieces nicely and aid in construction. Or easily re-stiffen by diluting some stabilizer scraps in water (or use liquid starch) and dipping the item in the solution. Lay flat to dry.

Eyelets Too Small

If any of the eyelets appear closed or too small to penetrate with Alligator Clamps, they may be stretched by inserting the small end of the OESD Perfect Point and Press Tool into the eyelet opening and stretching it open wide enough to accommodate the OESD Alligator Clamps.

Button Clips

During the assembly process, some structures pull on buttonettes that have already been inserted and could pull them out altogether. Putting a Button Clip on the assembled buttonette will keep it in position during the assembly process.
Remove the Button Clips when the assembly is complete.

Alternative Construction Option

In some cases, the buttonettes may be pulled to the inside of a project, instead of being visible on the outside.
Insert the OESD Alligator Clamps through the eyelet from the wrong, or inside, of the lace and grasp the corresponding buttonette. Pull the buttonette to the wrong side of the lace.
Pulling the buttonettes to the inside may cause stress on the ones already done. Button clips may be placed on the completed buttonette(s) to prevent them from pulling out of the eyelet.

OESDTM PREMIER
COLLECTION


A close-up photograph of a hand holding a grey and black steam iron. The hand is positioned to turn the temperature control dial, which is marked with numbers 1 through 5. A red fabric strap is visible near the top of the iron's soleplate. The background is a plain, light-colored surface.

A close-up photograph showing a hand holding a grey and white steam iron. The iron is positioned over a white rectangular cloth laid flat on a light-colored surface. The iron's soleplate is visible, and steam is being emitted from the soleplate. The hand is gripping the handle of the iron.

ASSEMBLY

Step 15

- Remove the paper from the Fuse and Seal.
- Line up the cardstock (scrapbook paper) over the backside of the card and press to fuse.



Step 16

- Use the OESD Mini MAT and Punch Tool with the 3mm attachment to create the eyelets indicated in the diagram.
- Tip: Take care to not cut the satin stitching.
- Reference the Punch Tool Guide on page 18-19.



ASSEMBLY

□ Step 17

- Match the eyelet of the Wreath Bow FSL (12967-03) to the eyelet of the card.



□ Step 18

- Insert a brad into the eyelet.
- Bend each tab of the brad back against the card to secure.
- Your card is complete. Enjoy!



PUNCH TOOL GUIDES



12967-01



12967-03



12967-05



12967-07



12967-09



12967-11



= 2 MM

= 3 MM

= 4 MM

CRAFT KNIFE



PUNCH TOOL GUIDES




12967-13



12967-15



12967-17



12967-19



● = 2 MM

● = 3 MM

● = 4 MM

CRAFT KNIFE




PRINTING INSTRUCTIONS




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



TO SAVE PAPER



Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



APPLIQUE PATTERNS

OESDTM PREMIER
COLLECTION

Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.



APPLIQUE PATTERNS

OESDTM **PREMIER**
COLLECTION

Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-03

APPLIQUE PATTERNS

OESDTM **PREMIER**
COLLECTION

Print at 100%. No
scaling. This box
measures 1"x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-05

APPLIQUE PATTERNS

OESDTM **PREMIER**
COLLECTION

Print at 100%. No
scaling. This box
measures 1"x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-07

APPLIQUE PATTERNS

OESDTM **PREMIER**
COLLECTION

Print at 100%. No
scaling. This box
measures 1"x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-11

APPLIQUE PATTERNS

OESDTM **PREMIER**
COLLECTION

Print at 100%. No
scaling. This box
measures 1"x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-09

12967-13

APPLIQUE PATTERNS

OESDTM PREMIER
COLLECTION

Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-15

APPLIQUE PATTERNS

OESDTM PREMIER
COLLECTION

Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-17

APPLIQUE PATTERNS

OESDTM **PREMIER**
COLLECTION

Print at 100%. No
scaling. This box
measures 1"x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-19

12967-21

APPLIQUE PATTERNS

OESDTM **PREMIER**
COLLECTION

Print at 100%. No
scaling. This box
measures 1"x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-22

12967-23

APPLIQUE PATTERNS

OESDTM **PREMIER**
COLLECTION

Print at 100%. No
scaling. This box
measures 1"x 1".
Use the box as an
accuracy guide
when printing
templates.



12967-24

12967-25

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No
scaling. This box
measures 1"x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-03
Mirrored

MIRRORED PATTERNS



Print at 100%. No
scaling. This box
measures 1"x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-05
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12967-07
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12967-09
Mirrored

12967-13
Mirrored

MIRRORED PATTERNS



Print at 100%. No
scaling. This box
measures 1"x 1".
Use the box as an
accuracy guide
when printing
templates.

12967-11
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12967-15
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12967-17
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12967-21
Mirrored

12967-19
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12967-22
Mirrored

12967-23
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12967-24
Mirrored

12967-25
Mirrored