



# All You Knit Is Love

#PK10015  
4 DESIGNS

## MATERIALS

OESD™ DESIGN  
PACK

### Isacord Thread Colors

1430 Melon	4220 Island Green
2510 Roseate	4240 Spearmint
2520 Garden Rose	5450 Basic Seafoam
3151 Blue Dawn	5542 Garden Moss

**\* Project instructions included after design list.**

**Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.**

# MATERIALS



## Stabilizers

- OESD Applique Fuse and Fix
- OESD Ultra Clean and Tear

## Fabrics/Textiles

- Assorted colors cotton fabric 3" squares
  - White quilter's cotton
- Note: Fabric sizes are estimates and may result in overage.

## Notion & Tools

- OESD Perfect Embroidery Press Cloth
- Embroidery Needle Sharp 75/11

## Isacord Thread Colors

- Per thread chart

## General Instructions



The applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown.

Fabric and thread requirements will vary by design, but the general technique is the same.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.


### Step 1

- Print the mirrored version of the templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix.



### Step 2

- Cut the prepared applique fabrics 1/4" - 1/2" larger than the applique templates.
- Fuse the trimmed templates to the wrong side of the applique fabric with the paper side of the printed template up.



# EMBROIDERY




## □ Step 3

- Trim the prepared appliques on the outer edge of the black outline. Set aside.




## □ Step 4

- Hoop the desired stabilizer and fabric for the project.
- In the example, we used Ultra Clean and Tear stabilizer and white quilter's cotton fabric.



## □ Step 5

- Load selected design into the machine.
  - Example design is 12925-01.
  - Thread the machine per the thread chart.
  - Place the hoop on the machine.
  - Stitch Machine Step 1, Fabric Placement Stitch/ Match Fabric.
- Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.





# EMBROIDERY




## □ Step 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- On the back of the prepared applique fabric, score and remove the paper backing to reveal the adhesive surface.
- Place the applique within the placement stitching.
- Finger press to secure.
- Return the hoop to the machine.  
Tip: Applique Fuse and Fix is repositionable.



## □ Step 7

- Stitch Machine Step 2, Linework/Tackdown.



# EMBROIDERY



## Step 8


- The project is complete. Enjoy!




# APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



PK10015-01



PK10015-01




PK10015-01


# APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



PK10015-04




PK10015-04




# APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



PK10015-03



PK10015-02




PK10015-02


# MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



PK10015-01  
Mirrored



PK10015-01  
Mirrored




PK10015-01


# MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



PK10015-03  
Mirrored



PK10015-02  
Mirrored



PK10015-01  
Mirrored

# MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

