Shimmering Shell Coasters

Collection No. PK10059
4 Designs

MATERIALS

OeSD™ DESIGN PACK

Isacord Thread Colors

0010 Silky White
0270 Buttercream
0643 Barewood
0941 Golden Grain
1342 Rust
1346 Cinnamon
1761 Tea Rose
2051 Teaberry
2152 Heather Pink
2155 Pink Tulip
2171 Blush
3644 Royal Navy
4101 Wave Blue
4122 Peacock

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

MATERIALS

Stabilizers

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD StabilStick CutAway

Fabrics/Textiles

- Design PK10059-01: OESD Luxe Sparkle Vinyl Blue 5"x6"
    OESD Favorite FELT White 5"x6"
- Design PK10059-02: OESD Luxe Sparkle Vinyl Gold 7.5"x5"
    OESD Favorite FELT White 7.5"x5"
- Design PK10059-03: OESD Luxe Sparkle Vinyl White 6.5"x7"
    OESD Favorite FELT White 6.5"x7"
- Design PK10059-04: OESD Luxe Sparkle Vinyl Rust 6"x5.5"
    OESD Favorite FELT White 6"x5.5"

Notion & Tools

- OESD Grippy GRID
- OESD Expert Embroidery Tape TearAway
- OESD Expert Embroidery Tape WashAway
- OESD Perfect Embroidery Press Cloth
- Embroidery Needle Sharp 75/11 (FSA)

Isacord Thread Colors

- Per the thread chart

SUMMARY

PK10059-01

Requires 1 Design

Finished project size:
4.18" x 4.69"

PK10059-02

Requires 1 Design

Finished project size:
6.32" x 4.02"

PK10059-03

Requires 1 Design

Finished project size:
5.52" x 5.67"

PK10059-04

Requires 1 Design

Finished project size:
5.07" x 4.31"

OESD™ DESIGN PACK

General Instructions

The freestanding applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, but the general technique is the same.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

☐ Step 1

- Adhere one layer of StabilStick CutAway to the wrong side of all applique fabrics to provide stiffness to the finished coaster.
- Cut the prepared applique fabrics 1/4"-1/2" larger than the templates that are included at the end of the instructions.

Step 2

- Hoop one layer of AquaMesh and one layer of BadgeMaster.

Step 3

- Load selected design into the machine.
- Example design is PK10059-01.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Blue Sparkle Vinyl Placement Stitch.

Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the prepared applique vinyl.
- Tape in place to secure.

Step 5

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.

Step 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.
- **Tip:** If the stabilizer is cut or a hole is created while trimming the fabric, use OESD Expert Embroidery Tape WashAway as a patch.

Step 7

- Return the hoop to the machine.
- Stitch Machine Steps 3-5 per the thread chart.

Step 8

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over, completely cover the design with the felt.
- Tape all four corners for a secure hold.
- **Tip:** Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop. Return the hoop to the machine.

BACK OF HOOP

Step 9

- Return the hoop to the machine.
- Match upper and lower threads.
- Stitch Machine Step 6, Back Felt Cut Line and Tackdown.

BACK OF HOOP

Step 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over and trim the excess fabric as close to the cut line as possible.

BACK OF HOOP

Step 11

- Return the hoop to the machine.
- Stitch Machine Step 7, Cover Stitch.

Step 12

- When the design is complete, remove the project from the hoop and trim the stabilizer 1/4"-1/2" outside the design.



Step 13

- Rinse the coaster in warm running water until the design is only slightly tacky.
- To prevent curling, **place right side down** on a non-stick surface (parchment paper or a cooling rack) to dry.
- Dry completely.
- Once dry, press right side down on a Perfect Embroidery Press Cloth.

☐ **Step 14**

- The project is complete. Enjoy!

PRINTING INSTRUCTIONS

OESD™ DESIGN PACK

ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.


TO SAVE PAPER

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.

APPLIQUE PATTERNS

PK10059-01
Sparkle Vinyl
Front

PK10059-01
Felt Back

APPLIQUE PATTERNS

OeSD™ DESIGN PACK

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

PK10059-02
Sparkle Vinyl
Front

PK10059-02
Felt Back

APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

PK10059-03
Sparkle Vinyl
Front

OeSD™ DESIGN **PACK**

Print at 100%. No scaling. This box measures 1″ x 1″. Use the box as an accuracy guide when printing templates.

PK10059-03
Felt Back

APPLIQUE PATTERNS

OESD™ DESIGN **PACK**

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

PK10059-04
Sparkle Vinyl
Front

PK10059-04
Felt Back

OESD™ DESIGN PACK

PK10059-01
Sparkle Vinyl
Front
Mirrored

PK10059-01
Felt Back
Mirrored

OSD™ DESIGN **PACK**

Print at 100%. No
scaling. This box
measures 1" x 1".
Use the box as an
accuracy guide
when printing
templates.

PK10059-02
Sparkle Vinyl
Front
Mirrored

PK10059-02
Felt Back
Mirrored

OeSD™ DESIGN **PACK**

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

PK10059-03
Sparkle Vinyl
Front
Mirrored

OeSD™ DESIGN **PACK**

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

PK10059-03
Felt Back
Mirrored

OeSD™ DESIGN **PACK**

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

PK10059-04
Sparkle Vinyl
Front
Mirrored

PK10059-04
Felt Back
Mirrored