Fairy Tale Felt Finger Puppets

Collection No. PK10065
5 Designs

MATERIALS

Isacord Thread Colors

0010 Silky White	1430 Melon	5210 Trellis Green
0020 Black	1514 Brick	5650 Spring Frost
0101 Eggshell	1730 Persimmon	
0170 Sea Shell	2155 Pink Tulip	
0184 Pearl	2250 Petal Pink	
0713 Lemon	2508 Hot Pink	
0761 Oat	2530 Rose	
0853 Pecan	3612 Starlight Blue	
0933 Redwood	3722 Empire Blue	
1332 Harvest	3963 Hint of Blue	
1335 Dark Rust	5101 Dark Jade	

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

MATERIALS

Stabilizers

- OESD StitcH2O Topping
- OESD Light Weight TearAway

Fabrics/Textiles

- Cut (2) pieces of felt for each puppet 4" x 5"
- OESD Favorite Felt Blue
- OESD Favorite Felt Pink
- OESD Favorite Felt Brown

Notion & Tools

- OESD Expert Embroidery Tape TearAway
- OESD Grippy GRID
- OESD Perfect Embroidery Press Cloth

Isacord Thread Colors

- Per thread chart

EMBROIDERY

OeSD™ DESIGN PACK

General Instructions

The applique instructions included in the collection are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, but the general technique is the same.
The design used for the instructions is from collection 51294, Finger Puppet Pals.
All designs are stitched with matching thread, top and bobbin.
Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

☐ Step 1

- Hoop 1 layer of OESD Light Weight TearAway stabilizer.

☐ Step 2

- Load the selected design into the machine.
- Example design is 51294-07.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step1, Front Felt Placement Stitch.

☐ Step 3

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the front felt.
- Tape in place to secure.

☐ Step 4

- Cover the front felt with StitcH2O Topping.
- Tape in place to secure.
- Return the hoop to the machine.

☐ Step 5

- Stitch Machine Steps 2-10 per the thread chart.

OeSD™ DESIGN **PACK**

☐ Step 6

STOP!
- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Turn the hoop over and completely cover the design with the back felt.
- Tape in place to secure.
- Return the hoop to the machine.

BACK OF HOOP

BACK OF HOOP

☐ Step 7

- Match Top and Bobbin threads.
- Stitch Machine Step 11, Seam/Match Felt.

BACK OF HOOP

OeSD™ DESIGN PACK

☐ Step 8

- When the design is complete, remove the project from the hoop.
- Tear away stabilizer and topping.
- Trim the felt just inside the Tackdown Stitch.
- The project is complete. Enjoy!