

Halloween Candy Covers



Collection No. PK10073
4 Designs

MATERIALS



Isacord Thread Colors

- 0010 Silky White
- 0020 Black
- 0922 Ashley Gold
- 2702 Grape Jelly

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.



MATERIALS



Stabilizers

- OESD Medium Weight TearAway
Black or White may be used depending on the color of vinyl.

Fabrics/Textiles

- OESD Luxe Sparkle Vinyl - Orange
- OESD Luxe Sparkle Vinyl - Black
- OESD Luxe Sparkle Vinyl - White
- OESD Luxe Sparkle Vinyl - Purple
- 1/8" ribbon

Notion & Tools

- OESD Expert Embroidery Tape TearAway
- OESD Perfect Punch Tool
- OESD Mini MAT
- OESD Perfect Embroidery Press Cloth
- OESD Grippy GRID
- OESD Alligator Clamps
- Embroidery Needle Sharp 75/11



Isacord Thread Colors

- Per the thread chart



SUMMARY

Embroidery Hoop to accommodate:	Completed Size
6.38" x 2.92"	2 1/2" L x 2 1/2"W x 11/4" D



General Instructions

The freestanding applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, but the general technique is the same.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.


Step 1

- Cut 2 pieces of OESD Luxe Sparkle Vinyl to 4" x 8".




Step 2

- Hoop one layer of Medium Weight TearAway for all designs.



Step 3

- Load selected design into the machine.
- Example design is PK10073-04.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Purple Vinyl Placement Stitch.




Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with Purple OESD Luxe Sparkle Vinyl.
- Tape in place to secure.



Step 5

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line/Tackdown.



Step 6

- Stitch Machine Step 3, Inner Detail.



Step 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over and place the purple vinyl, right side up, completely covering the placement stitch.
- Carefully tape to secure.
- Tip: Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.



Step 8

- Return the hoop to the machine.
- Match the bobbin thread to the top thread.
- Stitch Machine Step 4, Seam.
- Stitch Machine Step 5, Punch Guides.



Step 9

- When the design is complete, remove the project from the hoop.
- Trim just inside of the Cut Line/Tackdown.



Step 10

- Press right side down on a Perfect Embroidery Press Cloth.



ASSEMBLY

□ Step 11

- Use the OESD Mini MAT and Punch Tool with the 3mm and 4mm attachments to create the eyelets indicated in the diagram.
Tip: Take care to not cut the satin stitching.
- Reference the Punch Tool Guide on page 11.



□ Step 12

- Use Alligator Clamps to pull a piece of 1/8" ribbon through the top eyelets and tie a bow to close the top. A lollipop can be inserted in the center 4mm eyelet.



ASSEMBLY


□ Step 13

- The project is complete. Enjoy!




PUNCH TOOL GUIDES


PK10073-01




PK10073-02



PK10073-03



PK10073-04



● = 2 MM

● = 3 MM

● = 4 MM