



# In the Hoop Award Ribbons



oeSD™  
**PROJECT+**  
EDUCATIONAL  
CONTENT

Collection No. PK10151  
3 Designs

## Isacord Thread Colors

---

- 0101 Eggshell
- 1903 Lipstick
- 3544 Sapphire

 **Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.**

## Stabilizers

---

- OESD Medium Weight TearAway
- OESD StabilStick CutAway

## Fabrics/Textiles

---

- 1 1/2" Ribbon
- 1" Ribbon
- Assorted Quilter's Cotton

## Notion & Tools

---

- OESD Grippy Grid
- OESD Expert Embroidery Tape TearAway
- OESD Expert Point and Press Tool
- DIME Crafter's Temp Tack Glue Stick
- Embroidery Needle Sharp 75/11

## Thread Colors

---

- Per thread chart





PK10151-01



Design Size:  
4.98 X 5.00 in.

PK10151-02



Design Size:  
3.74 X 3.75 in.

PK10151-03



Design Size:  
2.99 X 3.00 in.

## Cutting

	Front Rosette	Back Rosette	Streamer	Center Fabric
PK10151-01	37" of 1" Ribbon	37" of 1 1/2" Ribbon	16" of 1 1/2" Ribbon	4" x 4"
PK10151-02	27" of 1" Ribbon	28" of 1 1/2" Ribbon	16" of 1 1/2" Ribbon	3" x 3"
PK10151-03	24" of 1" Ribbon	24" of 1" Ribbon	16" of 1" Ribbon	2 1/2" x 2 1/2"

## GENERAL INSTRUCTIONS

The instructions included in this collection are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Design PK10151-02 is shown here. Fabric and thread requirements will vary by design, but the general technique is the same. Applique technique shown is cut in place. Pre-cut applique patterns are included at the end of the instructions.

Visit the OESD Learning Center for a video tutorial.

**Note:** Some thread colors in the instructions have been changed or digitally enhanced for better visibility.

**Tip:** Although some of these designs can fit in smaller hoops, we recommend using a 5 x 7 or equivalent hoop, so the ribbon can lay flat while creating the design. If available, use an embroidery foot with a larger surface area like an echo quilting or glide foot to assist in keeping the embroidery foot on top of the ribbon.



### Step 1


- Cut the Ribbon as indicated on the summary on page 4.
- Here, the Yellow is the Front Rosette, the Blue is the Back Rosette, and the Green is the Streamers.



## Step 2


- On one short end of each ribbon, fold over approximately 1/2" to create a finished edge.

**Tip: Use a Crafter's Temp Tack Glue Stick to hold the raw edge in place.**




## Step 3

- Cut the Center applique fabric 1/4" - 1/2" larger than the applique patterns or as indicated in the summary on page 4.
- Apply two layers of StabilStick CutAway to the wrong side of the fabric to provide body to the fabric.
- Adding StabilStick CutAway adds the body that is normally seen in store bought award ribbons.




## Step 4

- Using the OEESD Grippy Grid, hoop one layer of Medium Weight TearAway.




## Step 5

- Load the selected design into the machine.
- Example design is PK10151-02.
- Thread the machine with a color that coordinates with the Center Fabric.
- Place the hoop on the machine.
- Stitch Machine Step 1, Streamer Placement Guide.



## Step 6


- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Fold the Streamer Ribbon in half where the width is approximately the length of the placement line.
- Place the fold approximately 1/8" - 1/4" above the Placement Guide.
- Tape in place with OESD Expert Embroidery Tape TearAway to secure.



**+ Optional: Cut the ribbon in half and place over the line as above if the ribbon has a right and wrong side.**


## Step 7

- Return the hoop to the machine.
- Stitch Machine Step 2, Streamer Tackdown.




## Step 8

- Stitch Machine Step 3, Back Rosette Ribbon Guide.



## Step 9


- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the tape from the Streamer.
- Align the top edge of the Back Rosette Ribbon, right side up, along the bottom of the Back Rosette Ribbon Guide. The bulk of the excess ribbon will be to the left with the hem to the right.
- Tape the right edge of the ribbon to secure.



## Step 10


- Return the hoop to the machine.
- Stitch Machine Step 4, Back Ribbon Tackdown 1.

 **Tip: Use the Expert Point and Press Tool as a stiletto to help hold the ribbon down while embroidering.**




## Step 11

- Remove the tape.
- Fold the Back Rosette Ribbon firmly over the Tackdown.
- The top edge of the ribbon should follow the Back Rosette Ribbon Guide.
- Tape in place to secure.




## □ Step 12

- Stitch Machine Step 5, Back Ribbon Fold Line 1.




## □ Step 13

- Remove the tape.
- Fold the Back Rosette Ribbon over the Fold Line. It should not be tight to give dimension to the pleat.
- The top edge of the ribbon will align with the next point in the Back Rosette Ribbon Guide.
- Tape in place to secure.




## Step 14

- Stitch Machine Step 6, Back Ribbon Tackdown 2.




## Step 15

- Remove the tape.
- Fold the Back Rosette Ribbon over the Tackdown.
- The top edge of the ribbon will align to the just covered Back Rosette Ribbon Guide line.
- Tape in place to secure.



## Step 16

- Stitch Machine Step 7, Back Ribbon Fold Line 2.




## Step 17

- Remove the tape.
- Fold the Back Rosette Ribbon over the Fold Line.
- The top edge of the ribbon will align with the next point in the Back Rosette Ribbon Guide.
- Tape in place to secure.



## □ Step 18

- Stitch Machine Step 8, Back Ribbon Tackdown 3.




## □ Step 19

- Remove the tape.
- Fold the Back Rosette Ribbon over the Tackdown.
- The top edge of the ribbon will align to the just covered Back Rosette Ribbon Guide line.
- Tape in place to secure.



## Step 20

- Repeat Steps 16-19 for Machine Steps 9-23 (fold, tape, tackdown and remove tape), stopping before Machine Step 24.



## Step 21

- Remove the tape.
- Fold the Back Rosette Ribbon over the Back Ribbon Fold Line.
- The top edge of the ribbon will align with the next point in the Back Rosette Ribbon Guide.
- Trim any excess Back Rosette Ribbon just past the above point.




## Step 22

- Fold a small hem on the end of the ribbon.
- Tape in place to secure.



## Step 23

- Stitch Machine Step 24, Back Ribbon Tackdown 11.





## Step 24

- Stitch Machine Step 25, Front Rosette Ribbon Guide.




## Step 25

- Repeat Steps 9 – 23 for Machine Steps 26 – 46 using the Front Rosette Ribbon and Front Rosette Ribbon Guide.
- Refer to Step 21- 23 for how to finish the Front Rosette.




## Step 26

- Stitch Machine Step 47, Ribbon Cut Guide.



## Step 27

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Trim away the excess rosette ribbon inside the cut guide to reduce bulk.



## Step 28

- Return the hoop to the machine.
- Stitch Machine Step 48, Blue Fabric Placement Stitch.



## Step 29

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the prepared applique fabric.
- Tape in place to secure.



## Step 30

- Return the hoop to the machine.
- Stitch Machine Step 49, Cut Line and Tackdown.



## Step 31

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.

**Tip:** It is easier to trim in a counterclockwise direction due to the direction of the ribbon folds.



## Step 32

- Return the hoop to the machine.
- Stitch Machine Step 50, Cover Stitch.



## Step 33

- When the design is complete, remove the project from the hoop.
- Gently tear away the stabilizer.




## Step 34

- Trim the Streamers and attach a pin back if desired.
- The project is complete. Enjoy!




## ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



## TO SAVE PAPER




Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



# APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



# MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

