

Lucky Bag Charms



Collection No. PK10154
8 Designs

Isacord Thread Colors

- 0010 Silky White
- 0020 Black
- 0101 Eggshell
- 0230 Easter Dress
- 0311 Canary
- 0504 Mimosa
- 0640 Parchment
- 0660 Vanilla
- 0670 Cream
- 0702 Papaya
- 0824 Liberty Gold
- 0904 Spanish Gold
- 1301 Paprika
- 1903 Lipstick
- 2113 Cranberry
- 3522 Blue
- 5415 Irish Green
- 5510 Emerald
- 5832 Celery

 **Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.**

Stabilizers

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD StabilStick CutAway (Optional)

Fabrics/Textiles

- OESD Favorite Felt, Light Yellow
- OESD Favorite Felt, Green
- OESD Favorite Felt, Red
- OESD Favorite Felt, Cream
- OESD Favorite Felt, Navy

Notion & Tools

- OESD Grippy Grid
- OESD Expert Embroidery Tape TearAway
- OESD Expert Embroidery Tape WashAway
- OESD Perfect Embroidery Press Cloth
- OESD Perfect Punch Tool
- OESD MiniMat
- Embroidery Needle Sharp 75/11


Thread Colors

- Per thread chart

SUMMARY



PK10154-01




Design Size:
1.40 X 3.05 in.

PK10154-02



Design Size:
3.09 X 2.31 in.

PK10154-03




Design Size:
1.97 X 3.08 in.

PK10154-04




Design Size:
2.56 X 2.22 in.

PK10154-05




Design Size:
2.58 X 2.71 in.

PK10154-06



Design Size:
2.90 X 1.83 in.

PK10154-07



Design Size:
2.70 X 2.04 in.

PK10154-08



Design Size:
2.66 X 2.27 in.

GENERAL INSTRUCTIONS


The freestanding applique (FSA) instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Design PK10154-04 is shown here. Fabric and thread requirements will vary by design, but the general technique is the same. Applique technique shown is cut in place. Pre-cut applique patterns are included at the end of the instructions.

Note: Some thread colors in the instructions have been changed or digitally enhanced for better visibility.

Step 1


- Cut the applique felts 1/4" - 1/2" larger than the applique patterns.

Optional: Adhere one layer of StabilStick CutAway to the wrong side of all applique felts to provide stiffness to the finished bag charm.



Step 2

- Using the OESD Grippy Grid, hoop one layer of Aquamesh and one layer of BadgeMaster for all designs.




Step 3

- Load the selected design into the machine.
- Example design is PK10154-04.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Green Felt Placement Stitch.



Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the green applique felt.
- Tape in place with OESD Expert Embroidery Tape TearAway to secure.




Step 5

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.



Step 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess felt as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.

 **Tip: If the stabilizer is cut or a hole is created while trimming the felt, use OESD Expert Embroidery Tape WashAway as a patch.**



Step 7

- Return the hoop to the machine.
- Stitch Machine Step 3, Petals.
- Stitch Machine Step 4, Petals.



Step 8

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over and place the applique felt, right side up, completely covering the stitching.
- Carefully tape to secure.

 **Tip: Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.**



Step 9

- Return the hoop to the machine.
- Stitch Machine Step 5, Back Felt Cut Line and Tackdown.



Step 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over. Trim the excess felt as close to the cut line as possible.



Step 11

- Return the hoop to the machine.
- Stitch the Machine Step 6, Cover Stitch **with matching bobbin thread**.



Step 12

- When the design is complete, remove the project from the hoop.
- Trim the stabilizer 1/4" - 1/2" outside the design.



Step 13

- Rinse each piece in warm running water until the design is only slightly tacky.
- Place right side down on a non-stick surface to dry. Parchment paper or a cooling rack work well. Dry completely.
- Once dry, press right side down on an OESD Perfect Embroidery Press Cloth.



Note: Using the Perfect Embroidery Press Cloth when pressing your design helps prevent the stitches from becoming crushed and absorbs steam for a perfectly pressed finish.

Step 14

- Use the OESD MiniMAT and the OESD Perfect Punch Tool with the 3mm attachment to create the eyelets indicated in the diagram.
- Reference the Punch Tool Guide on page 12.

Tip: Take care to not cut the satin stitching.




Step 15

- Attach a key ring.
- The project is complete. Enjoy!



PUNCH TOOL GUIDE


PK10154-01




PK10154-02




PK10154-03



PK10154-04



PK10154-05



PK10154-06



PK10154-07



PK10154-08



= 2 MM

= 3 MM


= 4 MM

CRAFT KNIFE




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.





TO SAVE PAPER

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



APPLIQUE PATTERNS





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

