Modern Chenille Flowers



PROJECT+ EDUCATIONAL CONTENT

Collection No. PK10176
6 Designs

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

MATERIALS

Isacord Thread Colors

0010 Silky White
0230 Easter Dress
0702 Papaya
0904 Spanish Gold
1055 Bark
1430 Melon
1532 Coral
1600 Spanish Tile
2300 Bright Ruby
2910 Grape
3130 Dawn of Violet
3654 Blue Shadow
3951 Azure Blue
4116 Dark Teal
4610 Deep Aqua
5664 Willow
5833 Limabean
6141 Spring Green

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

MATERIALS

Stabilizers

- OESD Heavy Weight TearAway
- OESD Heat2Go

Fabrics/Textiles

- Assorted Quilter's Cotton
- Desired background fabric

Note: A Cream OESD Tea Towel is shown here.

Notion & Tools

- OESD Grippy Grid
- OESD Expert Embroidery Tape TearAway
- Chenille Fabric Cutter
- DIME Fray Brush
- Embroidery Needle Sharp 75/11

Thread Colors

- Per thread chart

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

SUMMARY



PK10176-01



Design Size:
9.05 X 4.67 in.

PK10176-02



Design Size:
8.99 X 4.97 in.

PK10176-03



Design Size:
8.98 X 4.89 in.

PK10176-04



Design Size:
9.00 X 5.13 in.

PK10176-05



Design Size:
9.06 X 5.16 in.

PK10176-06



Design Size:
9.02 X 4.92 in.

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

FABRIC CUT GUIDE

PK10176-01
Chenille Flower 1



Leaves:
(4) 5 1/2″ x 5 3/4″

Flower:
(4) 6″ x 6″

PK10176-02
Chenille Flower 2



Leaves:
(4) 6 1/2″ x 7 1/4″

Flower:
(4) 6″ x 6″

PK10176-03
Chenille Flower 3



Leaves:
(4) 6 1/4″ x 5 1/2″

Flower:
(4) 4 1/4″ x 4″

PK10176-04
Chenille Flower 4



Leaves:
(4) 5 1/4″ x 7″

Flower:
(4) 4 1/2″ x 3 1/2″

PK10176-05
Chenille Flower 5



Leaves:
(4) 6 1/2″ x 8 1/4″

PK10176-06
Chenille Flower 6



Leaves:
(4) 6 1/4″ x 5 1/2″

Flower:
(4) 6 1/4″ x 5″

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

GENERAL INSTRUCTIONS

The applique chenille instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Design PK10176-02 is shown here. Fabric and thread requirements will vary by design, but the general technique is the same. Applique technique shown is cut in place.

Note: Some thread colors in the instructions have been changed or digitally enhanced for better visibility.

Step 1

- Cut the applique fabrics as indicated on page 5.





It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

Step 2

- Using the OESD Grippy Grid, hoop the desired stabilizer and fabric for the project.

Note: The stabilizer shown is Heavy Weight TearAway under a cream OESD tea towel.



Step 3

- Load the selected design into the machine.
- Example design is PK10176-02.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Leaves Base Fabric Placement Stitch.



Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitching with the leaves base applique fabric.
- Tape in place with OESD Expert Embroidery Tape TearAway to secure.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

Step 5

- Return the hoop to the machine.
- Stitch Machine Step 2, Leaves Tackdown.



Step 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitching with 3 layers of the leaves' applique fabric. This is the fabric that will be cut in a future step.
- Tape in place with to secure.

Note: The fabric should be placed straight of grain so the Chenille cut channels will follow along the bias (diagonal).





It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

Step 7

- Return the hoop to the machine.
- Stitch Machine Step 3, Leaves Cut Channels.



Step 8

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Trim any jump stitches.
- Using the Chenille Fabric Cutter with the 6mm guide, cut the top three fabric layers between the channels following the Cut Guide on page 19.

Tip: Start by cutting a vertical line between the two columns of leaves before cutting between the channels.







It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

Step 9

- Cover the applique fabric with Heat2Go topper.
- Tape in place to secure.

Note: This allows the presser foot to glide over the fabric.



Step 10

- Return the hoop to the machine.
- Stitch Machine Step 4, Leaves Cut Line.



Step 11

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible, but not cutting through it.
- Gently tear away the excess Heat2Go.

Tip: Trim one or two layers at a time to achieve best results.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

Step 12

- Cover the applique fabric with a new piece of Heat2Go topper.
- Tape in place to secure.



Step 13

- Return the hoop to the machine.
- Stitch Machine Step 5, Leaves Cover Stitch and Stem
- Stitch Machine Step 6, Leaves Detail.



Step 14

- Remove the hoop from the machine, but NOT the project from the hoop.
- Gently tear away the excess Heat2Go.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

Step 15

- Return the hoop to the machine.
- Stitch Machine Step 7, Flower Base Fabric Placement Stitch.



Step 16

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitching with the flower base applique fabric.
- Tape in place to secure.



Step 17

- Return the hoop to the machine.
- Stitch Machine Step 8, Flower Tackdown.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

Step 18

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitching with 3 layers of the flower's applique fabric. This is the fabric that will be cut in a future step.
- Tape in place with to secure.

Note: The fabric should be placed diagonally so the Chenille cut channels will follow the bias (diagonal). This is the only flower where the fabric should be placed diagonally.





Step 19

- Return the hoop to the machine.
- Stitch Machine Step 9, Flower Cut Channels.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

Step 20

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Trim any jump stitches.
- Using the Chenille Fabric Cutter with the 6mm guide, cut the top three fabric layers between the channels following the Cut Guide on page 19.



Step 21

- Cover the applique fabric with Heat2Go topper.
- Tape in place to secure.

Note: This allows the presser foot to glide over the fabric.



Step 22

- Return the hoop to the machine.
- Stitch Machine Step 10, Flower Cut Line.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

Step 23

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible.
- Gently tear away the excess Heat2Go.



Tip: Trim one or two layers at a time to achieve best results. The bottom of the flower does not have to be trimmed as close due to the embroidered flower base.

Step 24

- Cover the applique fabric with Heat2Go topper.
- Tape in place to secure.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

Step 25

- Return the hoop to the machine.
- Stitch the remaining machine steps per the thread chart.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

FINISHING TOUCHES

Step 26

- Gently tear away the excess Heat2Go Topper.
- Use an iron to remove any remaining small pieces of topper.



Step 27

- Gently tear away the excess stabilizer from the back of the embroidery. Remember to use a finger to stabilize the stitches before tearing the stabilizer away.



Step 28

- Use the DIME Fray Brush to texturize the cut chenille channels using a combination of straight and circular motions. If there are any long threads, trim them the desired length.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

FINISHING TOUCHES

Step 29

- The project is complete. Enjoy!



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.

PUNCH TOOL GUIDE

PK10176-01



PK10176-02



PK10176-03



PK10176-04



PK10176-05



PK10176-06



CRAFT KNIFE

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2026 OESD, LLC. All rights reserved.