



Retro Sewing Machines by Jen Bucheli

#PK90001
5 DESIGNS

MATERIALS



Isacord Thread Colors

0010 Silky White	0721 Antique	2241 Mauve
0020 Black	0741 Wheat	3335 Flag Blue
0111 Whale	0771 Rattan	3853 Ash Blue
0184 Pearl	1514 Brick	3953 Ocean Blue
0220 Sunbeam	1600 Spanish Tile	4071 Glacier Green
0352 Marsh	1725 Terra Cotta	4250 Snomoon
0442 Tarnished Gold	1972 Silvery Grey	4610 Deep Aqua
0454 Olive Drab	2022 Rio Red	4643 Amazon
0520 Daffodil	2051 Teaberry	5115 Baccarat Green

*** Project instructions included after design list.**

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

MATERIALS



Stabilizers

- OESD Medium Weight TearAway Stabilizer Black
- OESD Applique Fuse and Fix

Fabrics/Textiles

- Assorted colors of cotton fabric squares
Refer to the applique templates for sizes
- Start Here by OESD Tea Towel Blue

Notion & Tools

- OESD Perfect Embroidery Press Cloth
- OESD Grippy Grid

Isacord Thread Colors

- Per thread chart

General Instructions

The applique instructions included in the design pack are general instructions for the collection. For demonstration purposes, a sample design that best represents the entire collection is shown. Fabric and thread requirements will vary by design, but the general technique will be the same.



Fabric and thread requirements will vary by design, but the general technique is the same.

All designs are stitched with matching thread, top, and bobbin.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.


Step 1

- Print the mirrored version of the required templates (100% or 1:1 ratio) onto the paper side of Applique Fuse and Fix.
- Roughly cut out each template about a 1/4" outside of the line.



Step 2

- Fuse the trimmed templates to the back of the appropriate applique fabric with the paper side of the printed template up.
- Hold the iron on the template for 10-15 seconds for a secure fuse.




EMBROIDERY



Step 3

- Trim the prepared appliques precisely on the outer edge of the black outline.
- Set aside.



Step 4

- Hoop the desired stabilizer and fabric for the project, in the example we used Medium Weight TearAway Black and an OESD tea towel in blue.



Step 5

- Load the selected design into the machine.
- Design in the example is 12932-05.
- Thread the machine per the thread chart.
- Stitch Machine Step 1, Blue Whisks.
- Stitch Machine Step 2, Purple Detail.



□ Step 6

- Stitch Machine Step 3, Blue Fabric Placement Stitch.



□ Step 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the paper from the back of the prepared applique to expose the adhesive surface.
- Position the applique, fabric side up, within the placement stitch, matching the cut edges with the stitching line.
- Finger press to secure.
Note: Applique Fuse and Fix is repositionable.



□ Step 8

- Return the hoop to the machine.
- Stitch Machine Step 4, Blanket Stitch Tackdown.



□ Step 9

- Stitch Machine Step 5, Orange Fabric Placement Stitch.
- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.



□ Step 10

- Remove the paper from the back of the prepared applique to expose the adhesive surface.
- Position the applique, fabric side up, within the placement stitch, matching the cut edges with the stitching line.
- Finger press to secure.



□ Step 11

- Return the hoop to the machine.
- Stitch Machine Step 6, Blanket Stitch Tackdown.




□ Step 12

- Stitch the remaining steps per the thread chart.



□ Step 13

- Remove the project from the hoop and any excess stabilizer from the project.
- Press face down on a Perfect Embroidery Press Cloth.



□ Step 14


- The project is complete. Enjoy!



APPLIQUE PATTERNS



oeSD™ DESIGN
PACK

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS


Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




PK90001-01
Mirrored

MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




PK90001-04
Mirrored

MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



PK90001-05
Mirrored