# Harry Potter Chibi Appliques



Collection No. WB10040
12 Designs

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# MATERIALS

## Isacord Thread Colors

| | |
|---|---|
| 0015 | White |
| 0020 | Black |
| 0112 | Leadville |
| 0142 | Sterling |
| 0145 | Skylight |
| 0184 | Peal |
| 0622 | Star Gold |
| 0842 | Toffee |
| 0853 | Pecan |
| 0873 | Stone |
| 0945 | Pine Park |
| 1010 | Toast |
| 1032 | Bronze |
| 1061 | Taupe |
| 1140 | Meringue |
| 1312 | Burnt Orange |
| 1342 | Rust |
| 1776 | Blackberry |
| 2011 | Fire Engine |
| 2022 | Rio Red |
| 2170 | Chiffon |
| 2702 | Grape Jelly |
| 3045 | Cachet |
| 3150 | Stainless |
| 4174 | Charcoal |

**Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.**

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL APPLIQUE SUPPLIES
# CUT IN PLACE

## Stabilizers

- OESD SoftWeb
- OESD Heavy Weight TearAway

## Fabrics/Textiles

Assorted applique fabrics
Desired background fabric

**Note: An OESD Tea Towel is shown here.**

## Notion & Tools

- OESD Grippy Grid
- OESD Expert Embroidery Tape TearAway
- OESD Perfect Embroidery Press Cloth
- Embroidery Needle Sharp 75/11

## Isacord Thread Colors

- Per thread chart

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL CUT IN PLACE APPLIQUE INSTRUCTIONS


The applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, but the general technique is the same.

**Note: Some thread colors in the instructions have been changed or digitally enhanced for better visibility.**

Example design is Harry Potter Chibi Applique 1 WB10040-01.

## Step 1

- Cut the applique fabrics 1/4" – 1/2" larger than the applique patterns. The applique patterns are included at the end of the instructions.
- Fuse one layer of SoftWeb to the wrong side of all applique fabrics to provide some body to the fabric.





It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL CUT IN PLACE APPLIQUE INSTRUCTIONS


## Step 2

- Using the OESD Grippy Grid, hoop the desired stabilizer and fabric for the project.
- **Note: The stabilizer shown is Heavy Weight TearAway under a tea towel.**



## Step 3

- Load the selected design into the machine.
- Example design is Harry Potter Chibi Applique 1 WB10040-01.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Use machine features to place the design as desired.
- Stitch Machine Step 1, Beige Fabric Placement Stitch.





It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL CUT IN PLACE APPLIQUE INSTRUCTIONS

## Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the paper backing off the SoftWeb.
- Completely cover the placement stitch with the prepared beige applique fabric.
- Tape in place with OESD Expert Embroidery Tape TearAway to secure.






It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL CUT IN PLACE APPLIQUE INSTRUCTIONS

## Step 5

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.



## Step 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL CUT IN PLACE APPLIQUE INSTRUCTIONS


## Step 7

- Return the hoop to the machine.
- Stitch Machine Step 3, Brown Fabric Placement Stitch.



## Step 8

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Remove the paper backing off the SoftWeb.
- Completely cover the placement stitch with the prepared brown applique fabric.
- Tape in place to secure.




It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL CUT IN PLACE APPLIQUE INSTRUCTIONS

## Step 9

- Return the hoop to the machine.
- Stitch Machine Step 4, Cut Line and Tackdown.



## Step 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Trim the excess fabric as close to the cut line as possible.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL CUT IN PLACE APPLIQUE INSTRUCTIONS

## Step 11

- Return the hoop to the machine.
- Stitch the remaining machine steps per the thread chart.



## Step 12

- When the design is complete, remove excess stabilizer.
- Press right side down on a Perfect Embroidery Press Cloth.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL CUT IN PLACE APPLIQUE INSTRUCTIONS

## Step 13

- The design is complete. Enjoy!



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL APPLIQUE SUPPLIES
# PRE-CUT

## Stabilizers

- OESD Applique Fuse and Fix
- OESD Heavy Weight TearAway

## Fabrics/Textiles

Assorted applique fabrics
Desired background fabric

**Note: An OESD Tea Towel is shown here.**

## Notion & Tools

- OESD Grippy Grid
- OESD Perfect Scoring Tool
- OESD Perfect Embroidery Press Cloth
- Embroidery Needle Sharp 75/11

## Isacord Thread Colors

- Per thread chart

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL PRE-CUT APPLIQUE INSTRUCTIONS

The applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, but the general technique is the same.

**Note: Some thread colors in the instructions have been changed or digitally enhanced for better visibility.**

Example design is Hermione Granger Chibi Applique 1 WB10040-05.

## Step 14

- Print the mirrored version of the applique patterns (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix. The applique patterns are included at the end of the instructions.
- Cut approximately 1/4" – 1/2" outside the printed applique patterns.




It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL PRE-CUT APPLIQUE INSTRUCTIONS


## Step 15

- Cut the applique fabric 1/4" - 1/2" larger than the applique patterns.
- Fuse the trimmed patterns to the back of the applique fabric with the paper side of the printed patterns up. Hold the iron on the pattern for 10–15 seconds for a secure fuse.



## Step 16

- Trim the appliques on the outer edges of the black outline.
- Set aside.




It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL PRE-CUT APPLIQUE INSTRUCTIONS


## Step 17

- Using the OESD Grippy Grid, hoop the desired stabilizer and fabric for the project.
- **Note: The stabilizer shown is Heavy Weight TearAway under a tea towel.**



## Step 18

- Load the selected design into the machine.
- Example design is Hermione Granger Chibi Applique 1 WB10040-05.
- Thread the machine per the thread chart.
- Place the hoop on the machine.
- Stitch Machine Step 1, Beige Fabric Placement Stitch.




It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL PRE-CUT APPLIQUE INSTRUCTIONS

## Step 19

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- On the back of the beige applique fabric, use the OESD Perfect Scoring Tool to score and remove the paper backing to reveal the adhesive surface.
- Place the fabric within the placement stitching.
- Finger press to secure.
- **Tip: Applique Fuse and Fix is repositionable.**






It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL PRE-CUT APPLIQUE INSTRUCTIONS

## Step 20

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.
- Stitch Machine Step 3, Tan Fabric Placement Stitch.



## Step 21

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- On the back of the tan applique fabric, score and remove the paper backing to reveal the adhesive surface.
- Place the fabric within the placement stitching.
- Finger press to secure.
- **Tip: Applique Fuse and Fix is repositionable.**



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL PRE-CUT APPLIQUE INSTRUCTIONS

## Step 22

- Return the hoop to the machine.
- Stitch the remaining machine steps per the thread chart.



## Step 23

- When the design is complete, remove excess stabilizer.
- Press right side down on a Perfect Embroidery Press Cloth.



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.

# GENERAL PRE-CUT APPLIQUE INSTRUCTIONS

## Step 24


- The design is complete. Enjoy!



It is a violation of Copyright law to make and distribute copies of electronic designs or artwork.
Electronic designs are licensed to the original purchaser for use at one location. ©2025 OESD, LLC. All rights reserved.
All characters and elements © & ™ Warner Bros. Entertainment Inc. Publishing Rights © JKR.


# ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.





**TO SAVE PAPER**


Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



# APPLIQUE PATTERNS


Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.













# APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.
















# APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.













# APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.













# APPLIQUE PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



# MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.











# MIRRORED PATTERNS


Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.














# MIRRORED PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.








# MIRRORED PATTERNS


Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.
















# MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



# MIRRORED PATTERNS

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

